

National Motor Freight Classification®

Supplement 4 to NMF 100-AV

(Supplements 1, 2, 3 and 4 contain all changes)

Issued: November 17, 2022

Effective: December 17, 2022 (Except as otherwise provided herein)

Expires: January 28, 2023

Issued by:

Joel L. Ringer, Issuing Officer
National Motor Freight Traffic Association, Inc., Agent
1001 North Fairfax Street, Suite 600, Alexandria, VA 22314
www.nmfta.org
703.838.1810

For subscription information, call NMFTA Customer Service at 1.866.411.NMFC (6632).

©2022 National Motor Freight Traffic Association, Inc.

All rights reserved. No part of this publication may be used or reproduced in any manner whatsoever without the written permission of National Motor Freight Traffic Association, Inc.

Carriers and other transportation companies who use or refer to any provisions of the National Motor Freight Classification® are required to be bona fide participants in the Classification.

TABLE OF CONTENTS

SUBJECT	PAGE(S)
Participating Member Interstate Carriers	1
Participating Freight Forwarder Licensees	1
Participating Broker Licensees	1
Cumulative List of Items and Numbered Packages in Supplements	2-5
Index to Articles	6-12
Rules	13-16
Classification of Articles	17-38
Specifications for Numbered Packages	39-40
Bills of Lading	
Procedures Governing Detention	45-46
Model Agreements	47
Explanation of Abbreviations and Reference Marks	48

Issued by

Joel L. Ringer

Issuing Officer

National Motor Freight Traffic Association, Inc., Agent 1001 North Fairfax Street, Suite 600 Alexandria, Virginia 22314

Telephone — 703.838.1810

Fax — 703.683.1094

Email — fcdc@nmfta.org

Website — www.nmfta.org

PARTICIPATING MEMBER INTERSTATE CARRIERS

The following NMFTA member carriers are participants in or licensed to participate in this Classification for interstate, intrastate and foreign commerce under authority of powers of attorney issued to National Motor Freight Traffic Association, Inc., Agent or licenses issued by the National Motor Freight Traffic Association, Inc. The provisions of this Classification are limited to intrastate application within the states where the carrier is authorized to operate.

SCAC	CARRIER NAME and DOMICILE	U.S. DOT Number	MC Number
⊕★WDWI Weber Distrib	oution Warehouses, Inc., Norwalk, CA	57459	41665

PARTICIPATING FREIGHT FORWARDER LICENSEES

The following freight forwarders are licensed to participate in this Classification under authority of powers of attorney issued to National Motor Freight Traffic Association, Inc., Agent or licenses issued by the National Motor Freight Traffic Association, Inc.

SCAC	CARRIER NAME and DOMICILE	U.S. DOT Number	FF Number
⊕★CSED CMS Domestic, Denver, CO			FF3789

PARTICIPATING BROKER LICENSEES

The following interstate brokers are licensed to participate in this Classification under authority of powers of attorney issued to National Motor Freight Traffic Association, Inc., Agent or licenses issued by the National Motor Freight Traffic Association, Inc. The participation of each broker named herein is limited, on interstate, intrastate and foreign commerce, to provisions of this Classification applying on the articles and commodities for which the broker is authorized to arrange transportation.

	SCAC	BROKER NAME and DOMICILE	U.S. DOT Number	MC or FF Number
Ī	⊕★FDTB	FedEx Custom Critical, Uniontown, OH	▶164025	▶141898
	⊕★FPGA	Freight Partners Group LLC, Henderson, NV	3820997	792799
	TPQL	▶Transplace Texas, LP n/k/a Uber Freight US LLC, Frisco, TX	2226417	384205

CUMULATIVE LIST OF ITEMS AND NUMBERED PACKAGES IN SUPPLEMENTS

TIEM SUP TIE	1					ard in this supp		•					
220_A 2 2220_A 4 34943_A 1 43460_A 1 444161 4 44870_A 4 4226_A 2 22225_A 4 35030_A 4 43560_A 4 44170_A 4 4490_A 4 4490_A 4 4256_A 1 22227_A 4 36490_A 4 43560_A 4 44180_A 4 44930_A 4 4256_A 1 22227_A 4 36490_A 4 43560_A 4 44180_A 4 44930_A 4 4267_A 4	1	ITEM	SUP	ITEM	SUP	ITEM	SUP	ITEM	SUP	ITEM	SUP	ITEM	SUP
+221			4		4		4		4		4		4
225-A 2 2222-A 4 36490-A 4 43560-A 4 44180-A 44490-A 4 44590-A 4 44590-A 4 45000-A 4 45000-A 4 45000-A 4 45000-A 4 44590-A 4 44590-A 4 45000-A 4 44590-A		220-A	2	22220-A	4	34943-A	1	43460-A	1	★ 44161	4	44870-A	4
245-A 1 22227-A 4 36400-A 4 43565-A 4 44190-A 4 44900-A 4 4200-A 2 22235-A 4 36611-A 4 43580-A 4 44240-A 4 44900-A 4 4490-A 4 4500-A 4 4490-A 4 4490-A 4 4500-A 4 4300-A		★ 221	2	22222-A	4	35030-A	4	43500-A	4	44170-A	4	44900-A	4
275-A 22230-A 36610-A 43580-A 44230-A 44970-A 4280-A 22230-A 36611-A 43580-A 44240-A 44490-A 44980-A 4200-A 22230-A 37612-A 243610-A 44240-A 44290-A 44890-A 44290-A			2		4		1	43560-A	4		4		
280-A 2 22235-A 3 36611-A 4 43590-A 4 44420-A 4 44480-A 4 4420-A 4 4480-A 4 4420-A 4 4480-A 4 4420-A 4 4480-A 4		245-A	1	22227-A	4		4		4		4	44940-A	4
420-A 2 22240-A 4 37504-A 2 43610-A 4 *44241 4 44982-A 4 560-A 1 22260-A 4 37612-A 2 43640-A 4 44290-A 4 45000-A 4 680-B 4 22430-A 4 *38605-D 4 43660-A 4 44370-A 4 45050-A 4 45050-A 4 44370-A 4 45050-A 4 44380-B 2 45060-A 4 44380-B 2 45060-A 4 44380-B 2 45070-A 1 1020-A 4 22500-A 4 33245-A 4 43680-A 4 44480-A 4 45170-A 4 1021-A 4 22502-A 4 33410-A 4 43710-A 4 44480-A 4 45170-A 4 4480-A 4 45170-A 4 4480-A 4 45170-A 4 4480-A 4 45180-A 4 4520-A 4 452			1	22230-A	4	36610-A	4	43580-A	4	44230-A	4		4
540-A 1 22260-A 4 37612-A 2 43640-A 4 44290-A 4 45000-A 4 680-B 2 2430-A 4 38000-A 2 43660-A 4 44320-A 4 45000-A 4 1010-A 4 22450-A 4 38651 4 43690-A 4 44380-B 2 45060-A 4 1011-A 4 22500-A 4 38247-A 4 43690-A 4 44381-B 2 45070-A 1 1021-A 4 22502-A 4 38410-A 4 44381-B 2 4570-A 1 1021-A 4 22504-A 4 39410-A 4 44480-A 4 45176-A 4 1022-A 4 22506-A 4 39970-A 2 43780-A 4 44500-A 4 45200-A 4 4 1050-A 22605-A 4 39976-A 2 43800-A					4				4			44980-A	
580-A 2 *22261 4 38000-A 2 43650-A 4 44320-A 4 45020-A 4 680-B A 22450-A 4 *38651 4 43680-A 4 44370-A 4 45050-A 4 41010-A 22450-A 4 382651 4 43680-A 4 44380-B 2 45060-A 4 41011-A 4 22500-A 4 39245-A 4 43690-A 4 44381-B 2 45070-A 1 1020-A 4 22502-A 4 39247-A 4 43690-A 4 44381-B 2 45070-A 1 1020-A 4 22504-A 4 39410-A 4 43710-A 4 44460-A 4 45175-A 4 44500-A 4 45175-A 4 44500-A 4 45180-A 4			2	22240-A	4	37504-A			4	★ 44241	4		
680-B									4				
1010-A			2		4				4		4		
1011-A			4		4	★ 38650	4		4		4		
1020-A			4		4	★ 38651	4	43680-A	4	44380-B		45060-A	
1021-A			4				4		4				
1022-A 4 22506-A 4 39510-A 1 43750-A 4 44500-A 4 45180-A 4 *1050 4 22600-A 4 39970-A 2 43780-A 4 44501-A 4 45230-A 1 *10501 4 22605-A 4 39976-A 2 43800-A 1 44515-C 4 45230-A 1 *1060-A 4 22640-A 4 40060-A 1 43830-A 1 44516-C 4 45225-A 4 *1100-A 4 22642-A 4 40062-A 1 43850-A 1 44520-A 4 45220-A 1 *1150-A 4 22660-A 4 40290-A 1 43850-A 1 44520-A 4 45322-B 4 *11080-A 4 22970-A 1 42120-A 1 43870-A 4 44566-A 4 45322-B 4 *12780-A 2 22971-A 1 42120-B 1 43870-A 4 44566-A 4 45322-B 4 *12780-A 2 22971-A 1 42130-B 2 43920-A 4 *44566 4 45324-B 4 *14700-A 2 23810-A 1 42655-A 1 43942-B 4 44570-A 4 4530-A 4 *15260-A 1 *23900-A 1 42740-A 1 43942-B 4 *44571-A 4 45330-A 4 *15260-A 1 23900-A 1 42910-A 1 43946-A 4 44590-A 4 45300-A 4 *15520-A 4 23910-A 1 *24291 4 43980-A 4 44600-A 4 45900-A 4 *15522-A 4 23940-A 1 *24291 4 43980-A 4 44600-A 4 45910-A 4 *15525-A 4 23940-A 1 *24291 4 43980-A 4 44626-A 4 45400-A 4 *15525-A 4 23940-A 1 *24291 4 43980-A 4 44620-A 4 45400-A 4 *15525-A 4 23940-A 1 *24291 4 43980-A 4 44626-A 4 45400-A 4 *15525-A 4 23940-A 1 *24291 4 44000-A 4 *4626-A 4 45400-A 4 *15525-A 4 25100-A 2 *42991 4 44010-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *15500-A 1 *26520-A 2 *43000-A 4 *44000-A 4 *44626-A 4 *4540-A 4 *4560-A 4 *45									4		4		
*1050			4				4		4				
**1051													
1060-A 22640-A 4 40060-A 1 43830-A 1 44516-C 4 45295-A 4 1100-A 4 22642-A 4 40062-A 1 43850-A 1 44520-A 4 45320-A 1 1150-A 4 22660-A 4 40290-A 1 43860-A 4 44520-A 4 45322-B 4 11080-A 4 22970-A 1 42120-A 1 43870-A 4 44565-A 4 45323-B 4 12780-A 2 22971-A 1 42130-B 2 43920-A 4 44566-A 4 45323-B 4 14700-A 2 23020-A 4 42605-A 4 43940-B 4 44567-A 4 45330-A 4 14700-A 2 23810-A 1 42655-A 1 43942-B 4 44570-A 4 45370-A 4 44570-A 4 45370-A 4 44590-A 1 42910-A 1 43946-A 4 44571-A 4 45380-A 4 15520-A 4 23910-A 1 42910-A 1 43946-A 4 44590-A 4 45390-A 4 15522-A 4 23940-A 1 42940-A 4 43950-A 4 44600-A 4 45400-A 4 15522-A 4 23940-A 1 42970-A 4 43980-A 4 44600-A 4 45400-A 4 45520-A 4 15523-A 4 23980-A 1 42970-A 4 43980-A 4 44620-A 4 45400-A 4 45400-A 4 15525-A 4 25020-A 4 42990-A 4 44000-A 4 44620-A 4 45400-A 4 15520-A 2 25200-A 4 42990-A 4 44000-A 4 44626-A 4 45400-A 4 4567-A 4 15520-A 2 26520-A 2 43000-A 4 44000-A 4 44626-A 4 45400-A 4 15520-A 2 26520-A 2 43000-A 4 44000-A 4 44626-A 4 45400-A 4 4567-A 4 15500-A 2 26520-A 2 43000-A 4 44000-A 4 44626-A 4 45467-A 4 45600-A													
1100-A 22642-A 4 40062-A 1 43850-A 1 44520-A 4 45320-A 1 1150-A 4 22660-A 4 40290-A 1 43860-A 4 44565-A 4 45322-B 4 11080-A 4 22970-A 1 42120-A 1 43870-A 4 44565-A 4 45322-B 4 12780-A 2 22971-A 1 42130-B 2 43920-A 4 44566 4 45324-B 4 14160-A 2 23810-A 1 42655-A 4 43940-B 4 44567-A 4 45330-A 4 14700-A 2 23810-A 1 42655-A 1 43942-B 4 44570-A 4 45370-A 4 44770-A 2 23820-A 1 42740-A 1 43944-A 4 44571-A 4 45380-A 4 15520-A 4 23910-A 1 42940-A 4 43950-A 4 44600-A 4 45400-A 4 15522-A 4 23940-A 1 42940-A 4 43980-A 4 44610-A 4 45410-A 4 15523-A 4 23980-A 1 42970-A 4 44900-A 4 44620-A 4 45400-A 4 15525-A 4 25020-A 4 42990-A 4 44000-A 4 44625-A 4 45400-A 4 15525-A 4 25020-A 2 42990-A 4 44000-A 4 44625-A 4 45400-A 4 15520-A 4 25020-A 2 43000-A 4 44000-A 4 44625-A 4 45400-A 4 15530-A 1 26520-A 2 43000-A 4 44000-A 4 44650-A 4 45400-A 4 15500-A 2 26521-A 2 43000-A 4 44000-A 4 44650-A 4 45400-A 4 15500-A 2 26521-A 2 43000-A 4 44000-A 4 44650-A 4 45400-A 4 45600-A													
1150-A 22660-A 4 40290-A 1 43860-A 4 44550-A 4 45322-B 4 11080-A 4 22970-A 1 42120-A 1 43870-A 4 44566-A 4 45323-B 4 12780-A 2 22971-A 1 42130-B 2 43920-A 4 444566 4 45324-B 4 14160-A 2 23020-A 4 42605-A 4 43940-B 4 44567-A 4 45330-A 4 14700-A 2 23810-A 1 42655-A 1 43942-B 4 44570-A 4 45370-A 4 14770-A 2 23820-A 1 42740-A 1 43944-A 4 44571-A 4 45380-A 4 15260-A 1 23900-A 1 42910-A 1 43946-A 4 44590-A 4 45390-A 4 45522-A 4 23940-A 1 42940-A 4 43980-A 4 44600-A 4 45410-A 4 15522-A 4 23980-A 1 42970-A 4 43980-A 4 44620-A 4 45410-A 4 15524-A 4 25020-A 4 42990-A 4 44000-A 4 44625-A 4 45400-A 4 15525-A 4 25020-A 4 42990-A 4 44000-A 4 44625-A 4 45400-A 4 15520-A 4 25020-A 2 43000-A 4 44000-A 4 44626-A 4 45400-A 4 15520-A 4 25020-A 2 43000-A 4 44000-A 4 44626-A 4 45400-A 4 15520-A 4 25020-A 2 43000-A 4 44000-A 4 44626-A 4 45468-A 4 15590-A 2 26521-A 2 43000-A 4 44000-A 4 44626-A 4 45468-A 4 45500-A 4 44680-A 4 45500-A 4 44680-A 4 45500-A 4 44680-A 4 45500-A 4 44680-A 4 45600-A 4 44700-A 4 45600-A 4 44700-A 4 45600-A 4 44700-A 4 45600-A 4 44700-A 4 44700-A 4 45600-A 4 44800-A 4 44700-													
11080-A													
12780-A 2 22971-A 1 42130-B 2 43920-A 4 *44566 4 45324-B 4 14160-A 2 23020-A 4 42605-A 4 43940-B 4 44567-A 4 45330-A 4 14700-A 2 23810-A 1 42655-A 1 43942-B 4 44571-A 4 45380-A 4 155260-A 1 23900-A 1 42910-A 1 43944-A 4 44571-A 4 45390-A 4 15520-A 4 23910-A 1 42940-A 4 43950-A 4 44600-A 4 45400-A 4 15522-A 4 23940-A 1 *42941 4 43980-A 4 44610-A 4 45410-A 4 45400-A 4 15524-A 4 25020-A 4 42990-A 4 44000-A 4 44625-A 4 45400-A 4 15525-A 4 25100-A 2 *42991 4 44010-A 4 44625-A 4 45400-A 4 15530-A 1 26520-A 2 43000-A 4 44020-A 4 44645-A 4 45400-A 4 15530-A 1 26520-A 2 43000-A 4 44000-A 4 44645-A 4 45400-A 4 15590-A 2 26521-A 2 43030-A 4 44030-B 4 *44646-A 4 45400-A 4 16100-A 4 46660-A 4 45400-A 4 16100-A 4 4660-A 4 45400-A 4 161000-A 4 4660-A 4 45400-A 4 16100-A 4 4660-A 4 45400-A 4 16100-A 4 4660-A 4 45500-A 4 16100-A 4 44600-A 4 44600-A 4 44600-A 4 44600-A 4 45500-A 4 16100-A 4 44600-A 4 44600-A 4 44600-A 4 45500-A 4 16100-A 4 44600-A 4													
14160-A 2 23020-A 4 42605-A 4 43940-B 4 44567-A 4 4530-A 4 14700-A 2 23810-A 1 42655-A 1 43942-B 4 44570-A 4 45370-A 4 14770-A 2 23820-A 1 42740-A 1 43944-A 4 44571-A 4 45380-A 4 15520-A 1 2390-A 1 42940-A 4 43950-A 4 45300-A 4 15520-A 4 23910-A 1 42940-A 4 43950-A 4 44600-A 4 45400-A 4 15520-A 4 23940-A 1 *42941 4 43990-A 4 44610-A 4 4540-A 4 15523-A 4 25920-A 4 42990-A 4 44000-A 4 4625-A 4 4540-A 4 15524-A 4 25100-A 2 *429													
14700-A 2 23810-A 1 42655-A 1 43942-B 4 44570-A 4 45370-A 4 14770-A 2 23820-A 1 42740-A 1 43944-A 4 44571-A 4 45380-A 4 15520-A 1 23910-A 1 42940-A 4 43950-A 4 44600-A 4 45400-A 4 15522-A 4 23940-A 1 42940-A 4 43980-A 4 44610-A 4 45410-A 4 15522-A 4 23940-A 1 42970-A 4 43990-A 4 44620-A 4 45410-A 4 15524-A 4 25020-A 4 42991-A 4 4400-A 4 44626-A 4 4540-A 4 15525-A 4 25100-A 2 *42991-A 4 4401-A 4 4626-A 4 4540-A 4 15520-A 4 26520-A													
14770-A 2 23820-A 1 42740-A 1 43944-A 4 44571-A 4 45380-A 4 15260-A 1 23900-A 1 42910-A 1 43946-A 4 44590-A 4 45390-A 4 15520-A 4 23910-A 1 42940-A 4 43950-A 4 44600-A 4 45400-A 4 15522-A 4 23940-A 1 *42941 4 43980-A 4 44610-A 4 45410-A 4 15523-A 4 23980-A 1 42970-A 4 43990-A 4 44620-A 4 45420-A 4 15524-A 4 25100-A 2 *42991 4 44010-A 4 44625-A 4 4540-A 4 15524-A 4 25100-A 2 *42991 4 44010-A 4 44625-A 4 4546-A 4 4546-A 4 4546-A 4 4546-A													
15260-A 1 23900-A 1 42910-A 1 43946-A 4 44590-A 4 45390-A 4 15520-A 4 23910-A 1 42940-A 4 43950-A 4 44600-A 4 45400-A 4 15522-A 4 23940-A 1 *42941 4 43980-A 4 44610-A 4 45410-A 4 15523-A 4 23980-A 1 42970-A 4 43990-A 4 44620-A 4 45420-A 4 15524-A 4 25020-A 4 42990-A 4 44000-A 4 44625-A 4 45400-A 4 15524-A 4 25100-A 2 *42991 4 44010-A 4 44626-A 4 4540-A 4 15530-A 1 26520-A 2 43000-A 4 44020-A 4 44645-A 4 45467-A 4 15590-A 2 26521-A 2 43030-A 4 44030-B 4 *44646 4 45468-A 4 16300-A 4 26522-A 2 *43031 4 44060-A 4 44650-A 4 45480-A 4 17290-A 1 26720-A 4 43040-A 4 44070-A 4 44660-A 4 45530-A 4 20510-A 1 26800-A 1 *43091-A 4 44080-A 4 44660-A 4 45550-A 4 20510-A 1 26800-A 1 *43091-A 4 44080-A 4 44670-A 4 45550-A 4 20510-A 1 28450-A 4 43110-A 4 44090-A 4 44700-A 4 45550-A 4 20510-A 1 29395-A 4 43130-A 4 44100-A 4 44700-A 4 45600-A 4 45600-A 4 20580-A 1 29395-A 4 43130-A 4 44100-A 4 44700-A 4 45600-A 4 45600-A 4 20580-A 1 29395-A 4 43130-A 4 44100-A 4 44700-A 4 45600-A 4 45600-A 4 20580-A 1 29395-A 4 43130-A 4 44100-A 4 44700-A 4 45600-A 4 45600-A 4 20580-A 1 29395-A 4 43130-A 4 44100-A 4 44700-A 4 45600-A 4 45600-A 4 20580-A 1 29395-A 4 43130-A 4 44100-A 4 44700-A 4 45600-A 4 45615-B 4 20620-A 1 32790-A 4 43150-A 4 44120-A 4 44770-A 4 45616-B 4 20580-A 1 33400-A 2 43200-A 4 44120-A 4 44770-A 4 45616-B 4 20580-A 1 33400-A 2 43200-A 4 44120-A 4 44770-A 4 45616-B 4 21580-A 4 33600-A 1 43310-A 4 44130-A 4 44770-A 4 45616-B 4 21580-A 4 33600-A 1 43310-A 4 44130-A 4 44780-A 4 45600-A 4 45616-B 4 21580-A 4 33600-A 1 43310-A 4 44130-A 4 44780-A 4 45600-A 4 45600-A 4 22150-A 4 33600-A 1 43310-A 4 44130-A 4 44780-A 4 45600-A 4 45660-A 4 22150-A 4 33600-A 1 43310-A 4 44130-A 4 44780-A 4 45600-A 4 45660-A 4 22150-A 4 33600-A 1 43310-A 4 44150-B 4 44800-A 4 45600-A 4													
15520-A 4 23910-A 1 42940-A 4 43950-A 4 44600-A 4 45400-A 4 15522-A 4 23940-A 1 *42941 4 43980-A 4 44610-A 4 45410-A 4 15523-A 4 23980-A 1 42970-A 4 43990-A 4 44620-A 4 45420-A 4 15524-A 4 25020-A 4 42990-A 4 44000-A 4 44625-A 4 45430-A 4 15520-A 4 25100-A 2 *42991 4 44010-A 4 44626-A 4 45440-A 4 15530-A 1 26520-A 2 43000-A 4 44030-B 4 *4465-A 4 45460-A 4 45468-A 4 45468-A 4 45460-A 4 45480-A 4 4660-A 4 45480-A 4 4660-A 4 45480-A 4 4660-A													
15522-A 4 23940-A 1 *42941 4 43980-A 4 44610-A 4 45410-A 4 15523-A 4 23980-A 1 42970-A 4 43990-A 4 44620-A 4 45420-A 4 15524-A 4 25020-A 4 42990-A 4 44000-A 4 44625-A 4 45430-A 4 15525-A 4 25100-A 2 *42991 4 44010-A 4 44626-A 4 45440-A 4 15530-A 1 26520-A 2 43000-A 4 44020-A 4 44645-A 4 45467-A 4 15590-A 2 26521-A 2 43030-A 4 44030-B 4 *44646 4 45480-A 4 16300-A 4 26522-A 2 *43031 4 44060-A 4 44650-A 4 45480-A 4 45510-A 4 20520-A													
15523-A 4 23980-A 1 42970-A 4 43990-A 4 44620-A 4 45420-A 4 15524-A 4 25020-A 4 42990-A 4 44000-A 4 44625-A 4 45430-A 4 15525-A 4 25100-A 2 *42991 4 44010-A 4 44626-A 4 45440-A 4 15530-A 1 26520-A 2 43000-A 4 44020-A 4 44645-A 4 45467-A 4 15590-A 2 26521-A 2 43030-A 4 44030-B 4 *44646 4 45468-A 4 16300-A 4 26522-A 2 *43031 4 44060-A 4 44650-A 4 45480-A 4 17290-A 1 26721-A 4 43040-A 4 44070-A 4 44660-A 4 45530-A 4 20510-A 1 26800-A													
15524-A 4 25020-A 4 42990-A 4 44000-A 4 44625-A 4 45430-A 4 15525-A 4 25100-A 2 *42991 4 44010-A 4 44626-A 4 45440-A 4 15530-A 1 26520-A 2 43030-A 4 44020-A 4 44645-A 4 45467-A 4 15590-A 2 26521-A 2 43030-A 4 44030-B 4 *44646 4 45468-A 4 16300-A 4 26522-A 2 *43031 4 44060-A 4 44650-A 4 45480-A 4 17290-A 1 26720-A 4 43040-A 4 44070-A 4 44660-A 4 45510-A 4 20380-A 1 26721-A 4 43090-A 4 44080-A 4 44670-A 4 45530-A 4 20510-A 1 28450-A													
15525-A 4 25100-A 2 *42991 4 44010-A 4 44626-A 4 45440-A 4 15530-A 1 26520-A 2 43000-A 4 44020-A 4 44645-A 4 45467-A 4 15590-A 2 26521-A 2 43030-A 4 44060-A 4 44650-A 4 45480-A 4 16300-A 4 26522-A 2 *43031 4 44060-A 4 44650-A 4 45480-A 4 17290-A 1 26721-A 4 43040-A 4 44070-A 4 44660-A 4 45510-A 4 20380-A 1 26721-A 4 43090-A 4 44080-A 4 44670-A 4 45530-A 4 20510-A 1 26800-A 1 *43091 4 *44081 4 44670-A 4 45550-A 4 20510-A 4 43110-A													
15530-A 1 26520-A 2 43000-A 4 44020-A 4 44645-A 4 45467-A 4 15590-A 2 26521-A 2 43030-A 4 44030-B 4 *44646 4 45468-A 4 16300-A 4 26522-A 2 *43031 4 44060-A 4 44650-A 4 45480-A 4 17290-A 1 26720-A 4 43040-A 4 44070-A 4 44660-A 4 45510-A 4 20380-A 1 26721-A 4 43090-A 4 44080-A 4 44670-A 4 45530-A 4 20510-A 1 26800-A 1 *43091 4 *44081-A 4 4680-A 4 45550-A 4 20512-A 1 28450-A 4 43110-A 4 44090-A 4 44700-A 4 45560-A 20580-A 1 29395-A													
15590-A 2 26521-A 2 43030-A 4 44030-B 4 *44646 4 45468-A 4 16300-A 4 26522-A 2 *43031 4 44060-A 4 44650-A 4 45480-A 4 17290-A 1 26720-A 4 43040-A 4 44070-A 4 44660-A 4 45510-A 4 20380-A 1 26721-A 4 43090-A 4 44080-A 4 44670-A 4 45530-A 4 20510-A 1 26800-A 1 *43091 4 *44081 4 44680-A 4 45550-A 4 20512-A 1 28450-A 4 43110-A 4 44090-A 4 44700-A 4 45600-A 4 20580-A 1 29395-A 4 43130-A 4 44110-A 4 44710-A 4 45600-A 4 *4720-A 4 45600-A							-						
16300-A 4 26522-A 2 *43031 4 44060-A 4 44650-A 4 45480-A 4 17290-A 1 26720-A 4 43040-A 4 44070-A 4 44660-A 4 45510-A 4 20380-A 1 26721-A 4 43090-A 4 44080-A 4 44670-A 4 45530-A 4 20510-A 1 26800-A 1 *43091 4 *44081 4 44680-A 4 45550-A 4 20512-A 1 28450-A 4 43110-A 4 44090-A 4 44700-A 4 45560-A 4 20580-A 1 29395-A 4 43130-A 4 44100-A 4 44710-A 4 45600-A 4 *20581 1 30743-A 1 43140-A 4 44110-A 4 44720-A 4 45613-B 4 20620-A 1 32790-A 4 43150-A 4 44120-A 4 44760-A 4 45616-													
17290-A 1 26720-A 4 43040-A 4 44070-A 4 44660-A 4 45510-A 4 20380-A 1 26721-A 4 43090-A 4 44080-A 4 44670-A 4 45530-A 4 20510-A 1 26800-A 1 *43091 4 *44081 4 44680-A 4 45550-A 4 20512-A 1 28450-A 4 43110-A 4 44090-A 4 44700-A 4 45600-A 4 20580-A 1 29395-A 4 43130-A 4 44100-A 4 44710-A 4 45600-A 4 *45600-A 4 *20581 1 30743-A 1 43140-A 4 44110-A 4 44720-A 4 45613-B 4 20620-A 1 32790-A 4 43150-A 4 44120-A 4 44760-A 4 45615-B 4 20621-A 1 33440-A 2 43200-A 4 44120-A 4 44770-A 4 45616-B 4 22150-A 4 33600-A 1 43310-A 4 44130-A 4 44780-A 4 45660-A 4 22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 *4560-A 4 22192-A 4 *34250 1 43370-A 4 44150-B 4 44800-A 4 45600-A 4 22200-A 4 *34250 1 43380-A 4 44150-B 4 44820-A 4 45600-A 4 45660-A 2 22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
20380-A 1 26721-A 4 43090-A 4 44080-A 4 44670-A 4 45530-A 4 20510-A 1 26800-A 1 *43091 4 *44081 4 44680-A 4 45550-A 4 20512-A 1 28450-A 4 43110-A 4 44090-A 4 44700-A 4 45600-A 4 *20580-A 1 29395-A 4 43130-A 4 44100-A 4 44710-A 4 45600-A 4 *20581 1 30743-A 1 43140-A 4 44110-A 4 44720-A 4 45613-B 4 20620-A 1 32790-A 4 43150-A 4 44120-A 4 44760-A 4 45615-B 4 20621-A 1 33440-A 2 43200-A 4 44122-A 4 44770-A 4 45616-B 4 21580-A 4 33442-A 2 43210-A 4 44130-A 4 44780-A 4 45660-A 4 22150-A 4 33600-A 1 43310-A 4 44131 4 44790-A 4 *45661 4 22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45670-A 4 22192-A 4 *34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
20510-A 1 26800-A 1 *43091 4 *44081 4 44680-A 4 45550-A 4 20512-A 1 28450-A 4 43110-A 4 44100-A 4 44700-A 4 45600-A 4 *20580-A 1 29395-A 4 43130-A 4 44110-A 4 44710-A 4 45613-B 4 20620-A 1 32790-A 4 43150-A 4 44120-A 4 44770-A 4 45615-B 4 20621-A 1 33440-A 2 43200-A 4 44120-A 4 44770-A 4 45616-B 4 21580-A 4 33600-A 1 43310-A 4 44130-A 4 44780-A 4 45660-A 4 22150-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45670-A 4 22192-A 4 *34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45600-A 4													
20512-A 1 28450-A 4 43110-A 4 44090-A 4 44700-A 4 45660-A 4 20580-A 1 29395-A 4 43130-A 4 44100-A 4 44710-A 4 45600-A 4 20620-A 1 32790-A 4 43150-A 4 44120-A 4 44760-A 4 45615-B 4 20621-A 1 33440-A 2 43200-A 4 44130-A 4 44780-A 4 45616-B 4 21580-A 4 33442-A 2 43210-A 4 44130-A 4 44780-A 4 45660-A 4 22150-A 4 33860-A 1 43310-A 4 44131 4 44790-A 4 45660-A 4 22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45680-A 2 22200-A 4 *34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45600-A 4													
20580-A 1 29395-A 4 43130-A 4 44100-A 4 44710-A 4 45600-A 4 420581 1 30743-A 1 43140-A 4 44110-A 4 44720-A 4 45613-B 4 20620-A 1 32790-A 4 43150-A 4 44120-A 4 44760-A 4 45615-B 4 20621-A 1 33440-A 2 43200-A 4 44120-A 4 44770-A 4 45616-B 4 21580-A 4 33442-A 2 43210-A 4 44130-A 4 44780-A 4 45660-A 4 22150-A 4 33600-A 1 43310-A 4 44131 4 44790-A 4 45661 4 22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45670-A 4 22192-A 4 ★34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 ★34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
*20581 1 30743-A 1 43140-A 4 44110-A 4 44720-A 4 45613-B 4 20620-A 1 32790-A 4 43150-A 4 44120-A 4 44760-A 4 45615-B 4 20621-A 1 33440-A 2 43200-A 4 44122-A 4 44770-A 4 45616-B 4 21580-A 4 33442-A 2 43210-A 4 44130-A 4 44780-A 4 45660-A 4 22150-A 4 33600-A 1 43310-A 4 *44131 4 44790-A 4 *45661 4 22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45670-A 4 22192-A 4 *34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A													
20620-A 1 32790-A 4 43150-A 4 44120-A 4 44760-A 4 45615-B 4 20621-A 1 33440-A 2 43200-A 4 44122-A 4 44770-A 4 45616-B 4 21580-A 4 33442-A 2 43210-A 4 44130-A 4 44780-A 4 45660-A 4 22150-A 4 33600-A 1 43310-A 4 *44131 4 44790-A 4 *45661 4 22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45670-A 4 22192-A 4 *34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
20621-A 1 33440-A 2 43200-A 4 44122-A 4 44770-A 4 45616-B 4 21580-A 4 33442-A 2 43210-A 4 44130-A 4 44780-A 4 45660-A 4 22150-A 4 33600-A 1 43310-A 4 *44131 4 44790-A 4 *45661 4 22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45670-A 4 22192-A 4 *34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
21580-A 4 33442-A 2 43210-A 4 44130-A 4 44780-A 4 45660-A 4 22150-A 4 33600-A 1 43310-A 4 4414131 4 44790-A 4 *45661 4 22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45670-A 4 22192-A 4 *34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 2200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
22150-A 4 33600-A 1 43310-A 4 *44131 4 44790-A 4 *45661 4 22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45670-A 4 22192-A 4 *34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
22190-A 4 33860-A 1 43350-A 4 44140-A 4 44800-A 4 45670-A 4 22192-A 4 *34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
22192-A 4 ★34250 1 43370-A 4 44150-B 4 44810-A 4 45680-A 2 22200-A 4 ★34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
22200-A 4 *34251 1 43380-A 4 44155-A 4 44820-A 4 45700-A 4													
2221U-A 4 3481U-A 2 43415-A 4 44156-A 4 4483U-A 4 45/1U-A 4													
		2221U-A	4	34810-A	2	43415-A	4	44156-A	4	44830-A	4	45/1U-A	4

CUMULATIVE LIST OF ITEMS AND NUMBERED PACKAGES IN SUPPLEMENTS

				• • • • • • • • • • • • • • • • • • • •		and previous su	• •				
ITEM	SUP	ITEM	SUP	ITEM	SUP	ITEM	SUP	ITEM	SUP	ITEM	SUP
45720-B	4	47050-A	4	49214-B	4	52902-A	1	61701-A	4	69455-A	2
★ 45721	4	47120-A	4	49220-A	4	53180-A	2	61910-A	2	69460-A	4
45760-A	4	47130-A	4	49222-A	4	53181-A	2	61911-A	2	69480-A	4
45860-A	4	47150-A	4	49225-A	4	53182-A	2	61940-A	2	69482-A	4
45870-A	4	47210-A	4	49235-A	4	53183-A	2	62010-A	2	69750-A	2
★ 45871	4	47250-A	4	49237-A	4	53520-A	4	62290-A	1	70680-A	4
45880-A	4	47280-A	4	49240-A	4	53710-A	4	62420-A	2	70681-A	4
45930-A	4	47290-B	4	49250-A	4	55660-A	2	62421-A	2	★ 70682	4
45950-A	4	47300-A	4	★ 49260	4	56290-A	2	62640-A	2	★ 70683	4
46000-A	4	47310-A	4	★ 49261	4	56291-A	2	62802-A	2	71390-A	4
46025-A	4	47320-A	4	★ 49262	4	56292-A	2	62860-A	2	71420-A	4
46030-A	1	47360-A	4	★ 49263	4	56293-A	2	62862-A	2	72062-A	2
46031-A	1	47370-A	1	49265-A	4	56294-A	2	63032-A	4	72220-B	2
46032-A	1	47400-A	4	49266-A	4	56295-A	2	63033-A	4	72490-A	1
46040-A	4	★ 47401	4	49267-A	4	56680-A	4	63035-A	2	72492-A	1
46045-A	1	47410-B	4	49270-A	4	56682-A	4	63160-A	2	72760-A	1
46050-A	2	48090-A	1	49390-A	4	56825-B	4	63161-A	2	72762-A	1
46060-A	4	48270-A	1	49392-A	4	56826-B	4	63162-A	2	73030-A	4
46070-A	4	48310-A	1	49410-A	4	56828-A	4	63163-A	2	73040-A	4
46090-A	1	48340-A	1	49411-A	4	56840-A	4	63476-A	2	73060-A	4
46210-A	4	48400-A	1	49413-A	4	★ 56841	4	63477-A	2	73080-A	4
46280-A	4	48410-A	1	49414-A	4	57000-A	4	64300-A	1	73100-A	4
46320-A	4	48920-A	4	49415-A	4	57120-A	4	64301-A	1	73120-A	4
46330-A	1	48921-A	4	49420-A	4	57157-A	4	64302-A	1	73122-A	4
46340-A	4	48970-A	4	49430-A	4	57158-A	4	68090-A	4	73140-A	4
46341-A	4	48980-A	4	49440-A	4	57760-A	1	68095-A	4	73142-A	4
46350-A	4	49010-A	4	49443-A	4	57762-A	1	68096-A	4	73144-A	4
46360-A	4	49050-A	4	49445-A	4	58080-A	4	68140-A	2	73146-A	4
46361-A	4	49080-A	4	49450-A	1	58081-A	4	68142-A	2	★ 73150	4
46390-A	4	49090-A	4	49680-A	1	58350-A	2	68144-A	2	★ 73151	4
46420-A	4	49095-A	4	50060-A	2	58351-A	2	68220-A	4	73220-B	2
★ 46421	4	49100-A	4	50225-A	2	58730-A	1	68940-A	4	73225-A	2
46430-A	4	49110-A	4	50315-A	1	58920-A	2	69083-A	1	73238-B	4
46610-A	1	49130-A	4	50340-A	1	59040-A	1	★ 69295	4	73250-A	2
46660-A	4	49140-A	4	50755-A	4	59250-A	1	69300-A	4	73260-A	4
46715-A	4	49150-A	4	50757-A	4	60260-A	4	69302-A	4	73261-A	4
46717-A	4	49152-A	4	50759-A	4	61065-A	4	69320-A	4	★ 73705	1
46720-A	4	49160-B	4	50920-A	4	61110-A	4	69340-A	4	73710-A	1
46750-A	4	49162-B	4	51035-A	4	61111-A	4	69350-A	4	73770-A	1
46810-A	4	49170-A	4	51036-A	4	★ 61112	4	69360-A	4	73810-A	2
46820-A	4	49172-A	4	51045-A	4	★ 61113	4	69370-A	4	73820-A	2
46840-A	4	49180-A	4	51046-A	4	★ 61114	4	69372-A	4	73840-A	2
46910-A	4	49190-A	4	★ 52880	1	61370-A	1	69380-A	4	74120-A	2
46940-A	4	49200-A	4	★ 52881	1	★ 61550	1	69390-B	4	★ 74190	1
46980-A	4	49205-A	4	52890-A	1	61552-A	1	69400-A	4	★ 74191	1
46990-A	4	49206-A	4	52895-A	1	61553-A	1	69414-A	4	74740-A	1
46992-A	4	49208-A	4	52896-A	1	61555-A	1	69420-A	4	74840-A	1
47030-A	4	49210-B	4	52900-A	1	61556-A	1	69422-A	4	75490-A	2
47040-A	4	49212-B	4	52901-A	1	61700-A	4	69423-A	4	75960-A	4
I											

CUMULATIVE LIST OF ITEMS AND NUMBERED PACKAGES IN SUPPLEMENTS

7598 7658		SUP	ITEM	SUP	ITEM	SUP	ITEM	SUP	ITEM	SUP	ITEM	
	^ ^				11 -11	301	I I LIVI	SUF	I I ⊏IVI	30P	I I ⊏IVI	SUP
7658	0-A	4	83342-A	4	100560-A	2	116038-A	1	137420-A	4	154418-A	1
	0-A	4	83370-A	1	★ 101050	2	★ 116039	1	137440-A	4	154570-A	1
7658	1-A	4	83440-A	2	101060-A	2	116380-A	4	137452-A	4	155060-A	2
7685	0-A	1	83445-A	2	101080-A	2	119650-A	4	137456-A	4	155126-A	1
7685		1	83447-A	2	101200-A	4	124065-A	4	138360-A	2	155250-A	1
7900	0-A	4	83940-A	4	101201-A	4	124125-A	4	138620-A	2	155252-A	1
7902	2-A	4	85890-A	4	101425-A	1	124145-A	4	138720-A	2	155255-A	1
7902	3-A	4	85891-A	4	101720-A	1	124146-A	4	139020-A	1	155460-A	1
7902	4-A	4	86500-A	2	101721-A	1	124185-A	4	139160-A	1	156300-A	1
7902	6-A	4	86512-A	2	★ 101722	1	124186-A	4	139165-B	2	156302-A	1
7903	0-A	4	86516-A	2	101740-A	1	★ 124190	4	139166-B	2	156303-A	1
7903	1-A	4	86522-A	2	101741-A	1	★ 124191	4	139167-B	2	156304-A	1
7903	2-A	4	86540-A	4	★ 101742	1	124540-A	1	139240-A	1	★ 156305	1
7908	5-A	2	86630-B	4	★ 101743	1	124670-A	4	139420-A	1	156600-A	1
7908	7-A	2	86631-B	4	★ 101744	1	125380-A	4	139421-A	1	156602-A	1
7972	0-A	4	86632-B	4	★ 101745	1	125850-A	4	139830-A	1	156603-A	1
7974	0-A	4	86700-A	2	103080-A	4	125851-A	4	139860-A	1	156604-A	1
7974	1-A	4	86701-A	2	103110-A	1	125852-A	4	139880-A	1	156830-A	4
7974	2-A	4	86702-A	2	103300-A	4	125853-A	4	139975-A	1	156831-A	4
7974	4-A	4	★ 86703	2	103301-A	4	126060-A	4	140780-A	1	156832-A	4
★ 7997	0	2	★ 86704	2	105545-A	4	126181-A	4	140820-A	1	156834-A	4
8098	5-A	4	86960-A	2	108640-A	4	127630-A	4	141080-A	1	156855-A	1
8100	0-A	4	86966-A	2	109700-A	2	127631-A	4	141100-A	1	157213-A	2
8100	2-A	4	87700-A	4	109701-A	2	128020-A	4	142480-A	1	157215-A	2
8100	3-A	4	87810-B	2	109702-A	2	128021-A	4	143210-A	1	157320-A	1
8100	5-A	4	87811-B	2	109703-A	2	128022-A	4	143590-A	1	★ 157321	1
8100	8-A	4	87812-B	2	109704-A	2	★ 129060	4	144640-A	1	★ 157322	1
8102	0-A	4	87813-B	2	109705-A	2	★ 130355	4	144700-A	2	157342-A	1
8104	0-B	4	87814-B	2	109706-A	2	130700-A	4	144920-A	2	157344-A	1
8104	2-B	4	88020-A	4	110760-A	4	130730-A	4	145000-A	1	157346-A	1
8106	0-B	4	88160-B	4	111290-A	1	131350-A	4	145355-A	1	158880-A	2
8136	0-A	2	88161-B	4	111640-A	4	131680-A	4	147810-A	1	158881-A	2
8138	0-A	1	88420-A	2	111820-A	2	132600-A	1	149030-A	1	158882-A	2
8227	0-C	4	88820-A	4	112310-A	2	133250-A	4	149031-A	1	★ 158883	2
8227	1-C	4	89330-A	2	112321-A	2	133520-A	1	149580-A	1	158905-A	2
8234	0-A	2	89370-A	2	112440-A	4	133940-A	2	149590-A	1	158906-A	2
8236	0-A	1	89430-A	4	112680-A	4	133941-A	2	150110-A	2	158907-A	2
8275	0-A	4	89432-A	4	★ 114390	4	133942-A	2	150780-A	1	158908-A	2
8275	1-A	4	89450-A	4	★ 114391	4	134430-A	2	150782-A	1	158950-A	1
8277	2-A	2	89452-A	4	114440-A	4	134472-A	1	150784-A	1	159505-A	2
8284	5-A	2	89650-A	4	114820-A	4	134530-A	1	152720-A	1	159506-A	2
8284	7-A	2	91160-A	4	114822-A	4	134534-A	1	153360-A	1	159510-A	2
8285	0-A	2	91240-A	4	116030-A	1	134536-A	1	153380-A	1	159511-A	2
8287	0-A	2	91480-A	4	116031-A	1	135910-A	1	153400-A	1	160290-A	1
★ 8287	1	2	93640-A	4	116033-A	1	136040-A	2	153980-A	1	161050-A	1
8289	0-A	2	98530-A	4	116034-A	1	136220-A	4	154060-A	1	161720-A	1
8290	0-A	2	99060-A	4	116035-A	1	136470-A	1	154180-A	1	162160-A	1
8327	0-B	4	99090-A	4	116036-A	1	137380-A	2	154415-A	1	162320-A	1
0004	0-A	4	100520-A	1	116037-A	1	137400-A	4	154416-A	1	162370-A	1

CUMULATIVE LIST OF ITEMS AND NUMBERED PACKAGES IN SUPPLEMENTS

162430-A				10111	rara iii tiiis sapp	ICITICITE	ana previous s	аррістіс	iiio.			
162610-A	ITEM	SUP	ITEM	SUP	ITEM	SUP	ITEM	SUP	PACKAGE	SUP	PACKAGE	SUP
162630-A	162430-A	1	176500-A	1	190460-A	2	196956-A	2	1060	1	2058	4
162660-A	162610-A	1	176540-A	2	190462-A	2	196957-A	2	1093	1	2060	1
162740-A	162630-A	1	176960-A	2	191710-A	4	196958-A	2	1109	1	2067	4
162742-A	162660-A	1	177670-A	4	192030-A	2	197599-A	2	1118	1	2068	4
164390-A	162740-A	1	177674-A	4	192420-A	2	198450-A	2	1135	1	2081	4
164393-A	162742-A	1	177680-A	4	192775-A	2	198460-A	2	1195	1	2083	4
164394-A	164390-A	4	177682-A	4	192776-A	2	199290-A	2	1205	1	2088	4
165840-A 1 178095-A 2 194120-A 4 200300-A 4 1240 1 2095 4 165860-A 1 178720-A 2 194280-A 2 200320-A 4 1245 1 2103 4 165910-A 1 178760-A 2 194440-A 2 200340-A 4 1246 1 2105 4 165950-A 1 178780-A 2 194540-A 1 200380-A 4 1247 4 2106 4 165950-A 1 179060-A 2 194580-A 2 200400-A 4 1248 1 2108 4 168520-A 1 179180-A 2 194780-A 2 200430-B 4 1297 1 2112 4 168520-A 1 179180-A 2 194780-A 2 200430-B 4 1298 2 2131 4 169270-A 2 179940-A 2 194840-A 2 200430-B 4 1320 2 2135 2 2 2 2 2 2 2 2 2	164393-A	4	177684-A	4	192777-A	2	200010-A	2	1214	1	2089	4
165860-A 1 178720-A 2 194280-A 2 200320-A 4 1245 1 2103 4 165910-A 1 178760-A 2 194440-A 2 200340-A 4 1246 1 2105 4 4 165920-A 1 178780-A 2 194580-A 2 200400-A 4 1247 4 2106 4 165950-A 1 179060-A 2 194580-A 2 200400-A 4 1248 1 2108 4 168480-A 1 179180-A 2 194760-A 2 200420 4 1297 1 2112 4 168520-A 1 179182-A 2 194780-A 2 200430-B 4 1298 2 2131 4 169270-A 2 179940-A 2 194840-A 2 200430-B 4 1329 2 2135 2 169270-A 2 179960-A 2 194840-A 2 200430-B 4 1329 2 2136 4 169270-A 2 179960-A 2 194840-A 2 200440-A 4 1329 2 2136 4 169340-A 2 481823 1 195130-A 2 200520-A 2 1346 2 2146 2 169340-A 2 481823 1 195130-A 2 200660-A 2 1361 2 2162 4 169342-A 2 182830-A 1 195210-A 2 200960-A 2 1340 2 2172 4 169612-A 1 183120-A 1 195400-A 2 200960-A 2 1403 2 2184 169612-A 1 183161-A 1 195580-A 2 250160-A 4 1439 2 2186 4 179090-A 1 183161-A 1 195580-A 2 2450100 4 1456 1 2207 170580-A 2 183170-A 1 195580-A 2 2450100 4 1467 2 2208 4 171400-A 1 183161-A 1 195580-A 2 2450100 4 1467 2 2208 4 172160-A 1 18310-A 2 195780-A 2 2450100 4 2006 2 2212 2712 27120-A 1 184310-A 2 195920-A 2 2450100 4 2006 2 2212 2712	164394-A	4	178090-A	2	192810-A	2	200280-A	4	1235	1	2092	4
165910-A	165840-A	1	178095-A	2	194120-A	4	200300-A	4	1240	1	2095	4
165920-A	165860-A	1	178720-A	2	194280-A	2	200320-A	4	1245	1	2103	4
165950-A 1 179060-A 2 194580-A 2 200400-A 4 1248 1 2108 4 168480-A 1 179180-A 2 194780-A 2 *200420 4 1297 1 2112 4 168520-A 1 179182-A 2 194780-A 2 200430-B 4 1298 2 2131 4 169270-A 2 179940-A 2 194840-A 2 200432-B 4 1320 2 2135 3 3 3 3 3 3 3 3 3	165910-A	1	178760-A	2	194440-A	2	200340-A	4	1246	1	2105	4
168480-A 1 179180-A 2 194760-A 2 *200420 4 1297 1 2112 4 168520-A 1 179182-A 2 194780-A 2 200430-B 4 1298 2 2131 4 169270-A 2 179940-A 2 19440-A 2 200430-B 4 1320 2 2135 3 3 3 169270-A 2 179940-A 2 19440-A 2 200440-A 4 1320 2 2136 3 3 169272-A 2 180060-A 2 195110-A 2 200520-A 2 1346 2 2146 3 169340-A 2 *181823 1 195130-A 2 200660-A 2 1361 2 2162 4 169342-A 2 182830-A 1 195210-A 2 200900-A 2 1399 2 2172 4 169610-A 1 183120-A 1 195430-A 2 200900-A 2 1399 2 2172 4 169612-A 1 183121-A 1 195480-A 2 250150-A 4 1439 2 2186 4 169770-A 1 183161-A 1 195540-A 2 250160-A 4 1451 2 2195 170490-A 1 183161-A 1 195580-A 2 *450100 4 1456 1 2207 2 2 2 2 2 2 2 2 2	165920-A	1	178780-A	2	194540-A	1	200380-A	4	1247	4	2106	4
168520-A 1 179182-A 2 194780-A 2 200430-B 4 1298 2 2131 4 169270-A 2 179940-A 2 194840-A 2 200432-B 4 1320 2 2135 3 3 3 3 3 3 3 3 3	165950-A	1	179060-A	2	194580-A	2	200400-A	4	1248	1	2108	4
169270-A 2 179940-A 2 194840-A 2 200432-B 4 1320 2 2135 2 2169271 2 179960-A 2 194940-A 2 200440-A 4 1329 2 2136 4 4 4 4 4 4 4 4 4	168480-A	1	179180-A	2	194760-A	2	★ 200420	4	1297	1	2112	4
*169271 2 179960-A 2 194940-A 2 200440-A 4 1329 2 2136 4 169272-A 2 180060-A 2 195110-A 2 200520-A 2 1346 2 2146 3 169340-A 2 *182830-A 1 195210-A 2 200900-A 2 1399 2 2172 4 169610-A 1 183120-A 1 195430-A 2 200960-A 2 1403 2 2184 3 169610-A 1 183120-A 1 195480-A 2 250150-A 4 14439 2 2186 4 169770-A 1 183161-A 1 195540-A 2 250160-A 4 1451 2 2195 2 170490-A 1 183161-A 1 195580-A 2 *450100 4 1456 1 2207 2 170580-A 2 183171-A 1 1956	168520-A	1	179182-A	2	194780-A	2	200430-B	4	1298	2	2131	4
169272-A 2 180060-A 2 195110-A 2 200520-A 2 1346 2 2146 2 169340-A 2 *181823 1 195130-A 2 200660-A 2 1361 2 2162 4 20660-A 2 20660	169270-A	2	179940-A	2	194840-A	2	200432-B	4	1320	2	2135	2
169340-A 2	★ 169271	2	179960-A	2	194940-A	2	200440-A	4	1329	2	2136	4
169342-A 2 182830-A 1 195210-A 2 200900-A 2 1399 2 2172 4 169610-A 1 183120-A 1 195430-A 2 200960-A 2 1403 2 2184 2 169612-A 1 183121-A 1 195480-A 2 250150-A 4 1439 2 2186 4 169770-A 1 183160-A 1 195540-A 2 250160-A 4 1451 2 2195 170490-A 1 183161-A 1 195560-A 2 *450100 4 1456 1 2207 2 170580-A 2 183170-A 1 195580-A 2 *450100 4 1467 2 2208 4 171390-A 1 183171-A 1 195640-A 2 *450120 4 2005 2 2212 171430-A 1 183290-A 2 195780-A 2 *450130 4 2006 2 2229 2 172160-A 1 183330-A 2 195780-A 2 *450130 4 2006 2 2229 2 172180-A 1 184210-A 2 195920-A 2 *450130 4 2006 2 2229 2 172180-A 1 184210-A 2 195920-A 2 *450160 4 2010 2 2252 2 174560-A 1 184370-A 2 195925-A 2 *450160 4 2010 2 2252 2 174640-A 1 184530-A 2 195950-A 2 *450160 4 2012 2 2282 4 174562-A 1 184530-A 2 195950-A 2 *450170 4 2013 2 2310 2 17540-A 1 184540-A 2 195980-A 2 *450170 4 2013 2 2310 2 17540-A 1 184570-A 2 195980-A 2 *450170 4 2013 2 2310 2 17540-A 1 184570-A 2 195980-A 2 *450140 4 2005 2 2249 2 17540-A 1 184570-A 2 195980-A 2 *450170 4 2013 2 2310 2 17540-A 1 184570-A 2 195980-A 2 *450170 4 2013 2 2310 2 17540-A 1 184570-A 2 195980-A 2 *450170 4 2013 2 2310 2 17540-A 1 184570-A 2 195980-A 2 *450140 4 2005 2 2252 2 2347 2 175885-A 4 184670-A 2 195980-A 2 195980-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 186300-A 2 196040-A 2 202 4 2046 2 2459 1 176051-A 4 186340-A 2 196300-A 2 19630	169272-A	2	180060-A	2	195110-A	2	200520-A	2	1346	2	2146	2
169610-A	169340-A	2	★ 181823	1	195130-A	2	200660-A	2	1361	2	2162	4
169612-A	169342-A	2	182830-A	1	195210-A	2	200900-A	2	1399	2	2172	4
169770-A	169610-A	1	183120-A	1	195430-A	2	200960-A	2	1403	2	2184	2
170490-A 1 183161-A 1 195560-A 2 *450100 4 1456 1 2207 2 2208 4 170580-A 2 183170-A 1 195580-A 2 *450110 4 1467 2 2208 4 171390-A 1 183171-A 1 195640-A 2 *450120 4 2005 2 2212 171430-A 1 183290-A 2 195740-A 2 *450130 4 2006 2 2229 2 172160-A 1 183330-A 2 195780-A 2 *450140 4 2008 2 2230 172180-A 1 184210-A 2 195920-A 2 *450150 4 2010 2 2252 2 174560-A 1 184310-A 2 195925-A 2 *450160 4 2012 2 2282 4 174562-A 1 184530-A 2 195950-A 2 *450170 4 2013 2 2310 2 175240-A 1 184540-A 2 195980-A 2 *600400 4 2025 2 2347 2 175430-A 1 184570-A 2 195982-A 2 *600400 4 2025 2 2347 2 175885-A 4 184610-A 2 196020-A 2 122 4 2044 2 2419 2 175887-A 4 185240-A 2 196020-A 2 122 4 2046 2 2459 176050-A 4 186300-A 2 196320-A 2 278 4 2047 2 2483 2 176052-A 4 186340-A 2 196320-A 2 693 4 2052 2 176052-A 4 186340-A 2 196340-A 2 709 4 2053 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2 2 2 2 2 2 2 2 2	169612-A	1	183121-A	1	195480-A	2	250150-A	4	1439	2	2186	4
170580-A 2 183170-A 1 195580-A 2 *450110 4 1467 2 2208 4 171390-A 1 183171-A 1 195640-A 2 *450120 4 2005 2 2212 2 171430-A 1 183290-A 2 195740-A 2 *450130 4 2006 2 2229 2 172160-A 1 183330-A 2 195780-A 2 *450140 4 2008 2 2230 2 172180-A 1 184210-A 2 195920-A 2 *450150 4 2010 2 2252 2 174560-A 1 184310-A 2 195950-A 2 *450160 4 2012 2 2282 2 174640-A 1 184530-A 2 195950-A 2 *450170 4 2013 2 2310 2 175240-A 1 184540-A 2 195980-A 2 PACKAGE SUP 2037 1 2348 2	169770-A	1	183160-A	1	195540-A	2	250160-A	4	1451	2	2195	1
171390-A 1 183171-A 1 195640-A 2 *450120 4 2005 2 2212 2212 2171430-A 1 183290-A 2 195740-A 2 *450130 4 2006 2 2229 2212 2229 2212 2229 2212 2229 2230 2229 2230 2229 2230 2229 2230 2230 2230 2230 2230 2230 2230 2230 2222 22347 22348 22419	170490-A	1	183161-A	1	195560-A	2	★ 450100	4	1456	1	2207	2
171430-A 1 183290-A 2 195740-A 2 *450130 4 2006 2 2229 2 172160-A 1 183330-A 2 195780-A 2 *450140 4 2008 2 2230 2 172180-A 1 184210-A 2 195920-A 2 *450150 4 2010 2 2252 2 174560-A 1 184310-A 2 195925-A 2 *450160 4 2012 2 2282 4 174562-A 1 184370-A 2 195950-A 2 *450170 4 2013 2 2310 2 174640-A 1 184530-A 2 195952-A 2 *600400 4 2025 2 2347 2 175240-A 1 184570-A 2 195980-A 2 PACKAGE SUP 2037 1 2348 3 175430-A 1 184570-A 2 195982-A 2 84 4 2041 2 2419 2	170580-A	2	183170-A	1	195580-A	2	★ 450110	4	1467	2	2208	4
172160-A 1 183330-A 2 195780-A 2 *450140 4 2008 2 2230 2 172180-A 1 184210-A 2 195920-A 2 *450150 4 2010 2 2252 2 174560-A 1 184310-A 2 195950-A 2 *450160 4 2012 2 2282 4 174562-A 1 184370-A 2 195950-A 2 *450170 4 2013 2 2310 2 174640-A 1 184530-A 2 195952-A 2 *600400 4 2025 2 2347 2 175240-A 1 184540-A 2 195980-A 2 PACKAGE SUP 2037 1 2348 3 175430-A 1 184570-A 2 195982-A 2 84 4 2041 2 2419 2 175470-A 1 184610-A 2 196020-A 2 122 4 2044 2 2431 4	171390-A	1	183171-A	1	195640-A	2	★ 450120	4	2005	2	2212	1
172180-A 1 184210-A 2 195920-A 2 *450150 4 2010 2 2252 2 174560-A 1 184310-A 2 195925-A 2 *450160 4 2012 2 2282 4 174562-A 1 184370-A 2 195950-A 2 *450170 4 2013 2 2310 2 174640-A 1 184530-A 2 195952-A 2 *600400 4 2025 2 2347 2 175240-A 1 184570-A 2 195980-A 2 PACKAGE SUP 2037 1 2348 2 175430-A 1 184570-A 2 195982-A 2 84 4 2041 2 2419 2 175470-A 1 184610-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196022-A 2 180 4 2045 2 2451 4 175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 176050-A 4 186300-A 2 196130-A 2 278 4 2047 2 2483 2 176051-A 4 186340-A 2 196340-A 2 278 4 2047 2 2483 2 176051-A 4 189220-A 2 196340-A 2 709 4 2053 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	171430-A	1	183290-A	2	195740-A	2	★ 450130	4	2006	2	2229	2
174560-A 1 184310-A 2 195925-A 2 *450160 4 2012 2 2282 4 174562-A 1 184370-A 2 195950-A 2 *450170 4 2013 2 2310 2 2310 2 174640-A 1 184530-A 2 195952-A 2 *600400 4 2025 2 2347 2 175240-A 1 184570-A 2 195980-A 2 195982-A 2 84 4 2041 2 2419 2 175470-A 1 184610-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196020-A 2 180 4 2045 2 2451 4 175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 176050-A 4 186300-A 2 196320-A 2 196320-A 2 196320-A 2 1018 2 2055 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2 1018 4 1018 2	172160-A	1	183330-A	2	195780-A	2	★ 450140	4	2008	2	2230	1
174562-A 1 184370-A 2 195950-A 2 ★450170 4 2013 2 2310 2 174640-A 1 184530-A 2 195952-A 2 ★600400 4 2025 2 2347 2 175240-A 1 184540-A 2 195980-A 2 PACKAGE SUP 2037 1 2348 2 175430-A 1 184570-A 2 195982-A 2 84 4 2041 2 2419 2 175470-A 1 184610-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196020-A 2 180 4 2045 2 2451 4 175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 176050-A 4 186300-A 2 196130-A 2 278 4 2047 2 2483 2 176051-A 4 189220-A 2 196340-A 2 709 4 2053 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	172180-A	1	184210-A	2	195920-A	2	★ 450150	4	2010	2	2252	2
174640-A 1 184530-A 2 195952-A 2 ★600400 4 2025 2 2347 2 175240-A 1 184540-A 2 195980-A 2 PACKAGE SUP 2037 1 2348 2 175430-A 1 184570-A 2 195982-A 2 84 4 2041 2 2419 2 175470-A 1 184610-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196022-A 2 180 4 2045 2 2451 4 175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 2 176050-A 4 186300-A 2 196320-A 2 693 4 2052 2 176052-A 4 189220-A 2 196800-A 2 709 4 2053 2 176053-A 4 190420-A <t< td=""><td>174560-A</td><td>1</td><td>184310-A</td><td>2</td><td>195925-A</td><td>2</td><td>★450160</td><td>4</td><td>2012</td><td>2</td><td>2282</td><td>4</td></t<>	174560-A	1	184310-A	2	195925-A	2	★ 450160	4	2012	2	2282	4
175240-A 1 184540-A 2 195980-A 2 PACKAGE SUP 2037 1 2348 2 175430-A 1 184570-A 2 195982-A 2 84 4 2041 2 2419 2 175470-A 1 184610-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196022-A 2 180 4 2045 2 2451 4 175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 4 176050-A 4 186300-A 2 196130-A 2 278 4 2047 2 2483 2 176051-A 4 186340-A 2 196320-A 2 693 4 2052 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	174562-A	1	184370-A	2	195950-A	2	★ 450170	4	2013	2	2310	2
175430-A 1 184570-A 2 195982-A 2 84 4 2041 2 2419 2 175470-A 1 184610-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196022-A 2 180 4 2045 2 2451 4 175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 2 176050-A 4 186300-A 2 196130-A 2 278 4 2047 2 2483 2 176051-A 4 186340-A 2 196320-A 2 693 4 2052 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	174640-A	1	184530-A	2	195952-A	2	★ 600400	4	2025	2	2347	2
175430-A 1 184570-A 2 195982-A 2 84 4 2041 2 2419 2 175470-A 1 184610-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196022-A 2 180 4 2045 2 2451 4 175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 2 176050-A 4 186300-A 2 196130-A 2 278 4 2047 2 2483 2 176051-A 4 186340-A 2 196320-A 2 693 4 2052 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	175240-A	1	184540-A	2	195980-A	2	PACKAGE	SUP	2037	1	2348	2
175470-A 1 184610-A 2 196020-A 2 122 4 2044 2 2431 4 175885-A 4 184670-A 2 196022-A 2 180 4 2045 2 2451 4 175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 2 176050-A 4 186300-A 2 196130-A 2 278 4 2047 2 2483 2 176051-A 4 186340-A 2 196320-A 2 693 4 2052 2 176052-A 4 189220-A 2 196340-A 2 709 4 2053 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	175430-A	1	184570-A	2	195982-A	2	•	-	2041	2	2419	2
175885-A 4 184670-A 2 196022-A 2 180 4 2045 2 2451 4 175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 2 176050-A 4 186300-A 2 196130-A 2 278 4 2047 2 2483 2 176051-A 4 186340-A 2 196320-A 2 693 4 2052 2 176052-A 4 189220-A 2 196340-A 2 709 4 2053 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	175470-A	1	184610-A	2	196020-A	2			2044	2	2431	4
175887-A 4 185240-A 2 196040-A 2 202 4 2046 2 2459 176050-A 4 186300-A 2 196130-A 2 278 4 2047 2 2483 2 176051-A 4 186340-A 2 196320-A 2 693 4 2052 2 176052-A 4 189220-A 2 196340-A 2 709 4 2053 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	175885-A	4	184670-A	2	196022-A	2			2045	2	2451	4
176050-A 4 186300-A 2 196130-A 2 278 4 2047 2 2483 2 176051-A 4 186340-A 2 196320-A 2 693 4 2052 2 176052-A 4 189220-A 2 196340-A 2 709 4 2053 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	175887-A	4	185240-A	2	196040-A				2046	2	2459	1
176051-A 4 186340-A 2 196320-A 2 693 4 2052 2 176052-A 4 189220-A 2 196340-A 2 709 4 2053 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	176050-A	4	186300-A	2	196130-A	2			2047	2	2483	2
176052-A 4 189220-A 2 196340-A 2 709 4 2053 2 176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	176051-A	4	186340-A		196320-A				2052			
176053-A 4 190420-A 2 196800-A 2 1018 2 2055 2	176052-A	4	189220-A	2	196340-A	2			2053	2		
470054 4 40040 4 0 400055 4 0 400055 4 0 400055 4	176053-A	4	190420-A	2	196800-A				2055	2		
	176054-A	4	190422-A	2	196955-A				2056	2		
			<u> </u>		I		1	•				

INDEX TO ARTICLES

©Copper	Article Item	Article Iten	n Article Item
### Abrasive Material, natural or of altuminum oxide or sillicion carbide. 1050 Actraste(s):	Α	®Bagging:	
## Abrasive Material, natural or synthetic, consisting chiefly of aluminum oxide or silicon carbide. 1000	@AL-1-4- A-1-1	Burlap, gunny, ixtle (istle), jute or	®Wire, taper sided 22240
### Section of the placer of t		sisal, decorated, dyed NOI, printed	®Wood and wire combined, NOI, SU 22190
Summinum outside or silicon carbide. 1000	•	or surface coated4897	Beans:
### Advantavies—as listed ### Advantavies—as			
## Abrasives - as listed		, . , , ,	
## Scripts ## Sc	Abrasives - as listed 1050		· ·
## Sisal, NOI ## 49010 ## Sisal, NOI ## 49010 ## Worn-out, out or form in pieces. ## 49010 ## ## ## Worn-out, out or form in pieces. ## 49010 ## ## ## ## ## ## ## ## ## ## ## ## ##	Acetate(s):		
## Worn page. 7 waven page and cotton or synthetic fibers or yarns 196200 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 weven page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 were page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 were page and cotton or synthetic fibers or yarns 49440 ## Worn page. 7 were page. 4455 ## Worn page. 7 were page. 4455 ## Worn page	® Chromium 44010		
## Serial		The state of the s	G. , G .
### Action ### Action of synthetic Rivers or yarms ### Action ### Action of synthetic Rivers or yarms ###	• •		, , , ,
Seading Sead			
© Chieroplatinic 43980 © Chieroplatinic 4398			
© Chicroplatinic 43800 Sarrium Aluminate 43310 Sarrium Chloride 43500 Sarrium Fluoride 43530 Sarrium Fluoride 43530 Sarrium Fluoride 43530 Sarrium Fluoride 43530 Sarrium Stearate 43415 Sarrium Stearate 43416 Sarrium Stearate 43415 Sarrium Stearate 43			
### Chloride			
### 44950 ### Affords acelif. on required by DOT to bear a Hazard Class or Hazard Division label or placard 44954 ### Ammonium Blorate 42970 ### Ammonium Carbonate 42970 ### Ammonium Carbonate 42970 ### Ammonium Carbonate 42970 ### Ammonium Blorate 42970 ### Ammonium Carbonate 42990 ### Ammonium Carbonate 42990 ### Ammonium Carbonate 42990 ### Ammonium Carbonate 42990 ### Ammonium Chioride 4990 ### Ammonium Chioride 4990 ### Ammonium Mitrate Amagnesia and Pulp Mixture 4990 ### Ammonium Mitrate Magnesia and Pulp Mixture 4990 ### Ammonium Sulfate 4990 ### Am	·		
Barium Hydrate		Barium Chloride 4335	0 @ <i>Hernia</i> 56828
Barlum Stearate		Barium Fluoride 4337	D Blankets:
### ### ### ### ### ### ### ### ### ##		Barium Hydrate 4338	0 © <i>NOI</i> 49260
## Affile ## Af		Barium Stearate 4341	Bleach:
## Specification of silica combined 49530 ## Trigatic 49710 ## Ammonium Biorate 49290 ## Ammonium Biorate 49290 ## Ammonium Bicarbonate, oter quired by DOT to bear a Hazard Class or Hazard Division label or placard 49290 ## Ammonium Carbonate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 49290 ## Ammonium Carbonate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 49290 ## Ammonium Carbonate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 49290 ## Ammonium Chioride 49290 ## Ammonium Nitrate Mixture 49290 ## Ammonium Nitrate Mixture 5900 ## Ammonium Nitrate Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Nitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Nitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Thiocyanate (Ammonium Sulfocyanate) Crystals 43150 ## Ammonium Thiocyanate (Ammonium Sulfocyanate) Crystals 43150 ## Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 4900 ## Ammonium Sulfate, not required by DOT to b		Barium Sulfide4345	© BLaundry, dry, NOI
©Prosphoric and silice combined. 45530 Alundum*. 1050 Alundum*. 1050 Ammonium Bicarbonate. 42970 &Ammonium Carbonate. 42970 &Ammonium Carbonate. 42970 &Ammonium Carbonate. 42970 &Ammonium Carbonate. 42990 &Ammonium Carbonate. 42990 &Ammonium Chioride 42990 &Ammonium Chioride 5490 &Ammonium Mitrate Mixture. 43000 &Ammonium Mitrate Mixture. 43000 &Ammonium Mitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Pacard Division label or placard. 43000 &Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 &Ammonium Sulfate. 43000 &Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 &Ammonium Sulfate. 43000 &Ammonium Thiocyanate (Ammonium Sulfocyanate) Crystals 43150 &Ammonium Sulfate, and a self-pack and se			
### Allindum" 1050 ### Allindum 1050 ### Allindum" 1050	Phosphoric and silica combined 45530	` '	
Ammonium Bicarbonate	® Tungstic 47210		
Ammonium Biborate. 42940 Ammonium Bicarbonate, av. 42940 Ammonium Bicarbonate, av. 42940 Ammonium Bicarbonate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 42940 Ammonium Carbonate, not required by DOT bear and Early Class or Hazard Division label or placard. 42940 Ammonium Carbonate, not required by DOT to bear are placed class or Hazard Division label or placard. 42940 Ammonium Ritrate and Sodium Nitrate Magnesia and Pulp Mixture. 43040 Ammonium Ritrate, and Sodium Nitrate Mixture. 43040 Ammonium Ritrate, and Sodium Pulp Mixture. 43040 Ammonium Ritrate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43030 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43030 Ammonium Sulfate, and the sulfate of the sul			
**Mammonium Bicarbonate , advance of camposition in the set shan 90% composition in the set sh			· · · · · · ·
## Ammonium Bicarbonate, not required by DOT to bear at Agard Class or Hazard Class or Hazard Division label or placard. ## Ammonium Carbonate. ## Agodo Ammonium Carbonate, not required by DOT to bear at Hazard Class or Hazard Division label or placard. ## Agodo Ammonium Nitrate and Sodium Nitrate Mixture ## Agodo Ammonium Nitrate, Magnesia and Pulp Mixture ## Agodo Ammonium Nitrate, Magnesia and Pulp Mixture ## Agodo Ammonium Nitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard. ## Agodo Ammonium Nitrate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. ## Agodo Ammonium Nitrate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. ## Agodo Ammonium Sulfate, core required by DOT to bear a Hazard Class or Ha			
required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Carbonate. 42970 Ammonium Carbonate. 42990 Ammonium Nitrate and Sodium Nitrate Mixture. 43000 Ammonium Nitrate and Sodium Nitrate Mixture. 43000 Ammonium Nitrate and Sodium Nitrate Mixture. 43000 Ammonium Nitrate, Magnesia and Pulp Mixture and Season of Hazard Class or Hazard Division label or placard. 43000 Ammonium Nitrate, Magnesia and Pulp Mixture. 43000 Ammonium Sulfate, mort required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, or trequired by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, or trequired by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, or trequired by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammon		-	
Class or Hazard Division label or placard 42940 Ammonium Borate 42970 Ammonium Carbonate 42970 Ammonium Carbonate 42970 Ammonium Carbonate 42990 Ammonium Carbonate 42990 Ammonium Carbonate 42990 Ammonium Nitrate dixas or Hazard Class or Hazard Division label or placard 42990 Ammonium Nitrate Magnesia and Pulp Mixture 43030 Ammonium Nitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, mor required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Thiocyanate (Cammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard 54000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard 54000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard 54000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Mazard 54000 Ammonium Sulfate, not required by DOT to bear a Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Mazard 54000 Ammonium Sulfate, not required by DOT to bear a Hazard 54000 Ammonium Sulfate, not required by DOT to bear a Hazard 54000 Ammonium Sulfate, no			
## Ammonium Borate			
Ammonium Carbonate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Nitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, not required by DOT to bear Alexard Division label or placard. Ammonium Sulfate, not required by DOT to bear Alexard			
Ammonium Carbonate, not required by DOT to bear a Hazard Class or Hazard Nixture (Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43900 (Ammonium Nitrate) (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Class or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Class or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Class or Hazard Class or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Class or Hazard Division label or placard 43900 (Ammonium Sulfate, or Hazard Division label or placard 43900 (Ammonium Sulfate, or required by DOT to bear a Hazard Class or Hazard Class or Hazard Division label or placard 43900 (Ammonium Sulfate, or required by DOT to bear a Hazard Class or Hazard Class or Hazard Division label or placard 43900 (Ammonium Sulfate, or required by DOT to bear a Hazard Class or Hazard Class or Hazard Class or Hazard Division label or placard 43900 (Ammonium Sulfate, or required by DOT to bear a Hazard Class or Hazard Class or Hazard Division label or placard 43900 (Ammonium Sulfate, or required by DOT to bear a Hazard Class or Hazar			
Ammonium Carbonate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 42990 (ammonium Nitrate Mixture 43000 (ammonium Nitrate Mi		Baskets:	
by DOT to bear a Hazard Class or Hazard Division label or placard 42990 Ammonium Chloride 43000 Ammonium Nitrate and Sodium Nitrate Mixture 43040 Ammonium Nitrate, Magnesia and Pulp Mixture Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required by DoT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulffoct, or required		Bread shipping, wood or steel and	®Berth, canvas 49050
Ammonium Nitrate and Sodium Nitrate and Sodium Nitrate Mixture.	i i i i i i i i i i i i i i i i i i i	wood combined 2243	0
Ammonium Nitrate and Sodium Assonium Ammonium Nitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43000 Ammonium Sulfate 43000 Ammonium Thiocyanate (Ammonium Thiocyanate (Ammonium Thiocyanate (Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor. 43100 Andirons 69420 Anthracene 48810, 46820 Anthracene 48810, 46820 Anthracene 48810, 46820 Apparatus Electrone or remedical 56840 Assemblies: Electrina 56840 Electrina 56		Canvas, with metal or wood frames,	®Cot, canvas 49050
 BAmmonium Nitrate and Sodium Nitrate Mixture Adammonium Nitrate, Magnesia and Pulp Mixture Ammonium Nitrate, Magnesia and Pulp Mixture Ammonium Nitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, ot required by DOT to bear a Hazard Class or Hazard Division label or placard. Ammonium Sulfate, dry Ammonium Sulfole, dry Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor Ammonium Thiocyanate Ammonium Thiocyanate Ammonium Thiocyanate Ammonium Thiocyanate Ammonium Thiocyanate Aparatus: Distilling, turpentine, copper or copper and iron or steel combined Apparatus: Bolisting, turpentine, copper or copper and iron or steel combined Bolisting, turpentine, copper or copper and iron or steel combined Bolisting, turpentine, copper or dental or medical. Somoke flue, metal Bolacking, woven paper. Backing, woven paper. Backing, woven paper, cotton, rayon and other synthetic fibers or yams Agarchical Sating, wouch paper of the displact of the surface of th		covers or bottoms2245	© BLitter, canvas
## Annonium Nitrate Mixture			
## Ammonium Nitrate, Magnesia and Pulp Mixture	Ammonium Nitrate and Sodium		
## Ammonium Sulfate, Magnesia and Pulp Mixture (and required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulfate (Assor Hazard Division label or placard. 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulface, and Division label or placard. 43090 Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor. 43130 Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor. 43130 Ammonium Sulfocyanate) Liquor. 43130 Ammonium Sulfocyanate) Liquor. 43130 Ammonium Sulfocyanate) Liquor. 43130 Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor. 43130 Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor. 43130 Andirons. 69420 Andirons. 69420 Anthracene. 46810, 46820 Aparatus: and dishes. 22225 Beperboard or pulpboard, NOI, without wooden frames. 22500 Shipping, plastic, stell or wood combined or reducated or reducate			
Ammonium Nitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulfde, dry. 43110 Ammonium Sulfocyanate (Ammonium Sulfocyanate) Crystals 43150 Ammonium Thiocyanate (Ammonium Thiocyanate (Ammonium Thiocyanate (Ammonium Thiosuffate Solution. 43140 Anagrams. 83940 Andirons. 69420 Anthracene. 46810, 46820 Aspirators, suction or pressure, dental or medical. 56840 Assemblies: B BChiltograph printing plate. 29395 (©il cake press, iron or steel. 32600 (Expanded metal. NOI. 32640 (Expanded metal. Solution, capacity not exceeding 2 quarts or 116 cubic inches. 22210 (Industrial material parts handling, wire, wire and expanded metal or wire and expanded metal or wire and expanded metal or wire and touble or lateral parts handling, wire, wire and expanded metal or wire and touble or lateral parts handling, wire, wire and expanded metal or wire and touble or lateral parts handling, wire, wire and expanded metal or vire and touble or lateral parts handling, wire, wire and expanded metal or vire and touble or lateral parts handling, wire, wire and expanded metal or vire and touble or lateral parts handling, wire, wire and expanded metal or vire and touble or lateral parts h	Ammonium Nitrate, Magnesia and		
 Ammonium Nitrate, Magnesia and Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43030 Ammonium Sulfate. 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 Ammonium Sulfide, dry. 43110 Ammonium Thiocyanate (Ammonium Sulfocyanate) Crystals 43150 Ammonium Thiocyanate (Ammonium Thiocyanate) Cammonium Thiocyanate (Ammonium Thiocyanate) Cipuro. 43140 Amagrams 83940 Anthracene 46810, 46820 Anthracene 46810, 46820 Anthracene 46810, 46820 Apparatus: □ Distilling, turpentine, copper or copper and iron or steel combined 11950 Assemblies: □ Copper and iron or steel combined 1950 Assemblies: □ Corbined Imagenetics of Somoke flue, metal. 50755 □ Smoke flue, metal. 50755 □ Smoke flue, metal. 50755 □ Backing, woven paper 49440 Backing, woven paper, 49440 Backing, woven paper 49440 Backing, woven paper, 49440 Backing, woven paper, 49440 Backing, woven paper 49440 Backing, woven paper, 49440 Backing, wov			, ,, ,
Pulp Mixture, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 (aAmmonium Sulfate 43090 (bAmmonium Sulfocyanate 43100 (bAmmonium Sulfocyanate) (Ammonium Sulfocyanate) (characterial Ammonium Sulfocyanate) (characterial Ammonium Sulfocyanate) (characterial Ammonium Thiocyanate (bAmmonium Thiocyanate (characterial Ammonium Sulfocyanate) Liquor 43130 (bAmmonium Sulfocyanate) Liquor 43130 (bAmmonium Thiocyanate (characterial Ammonium Sulfocyanate) Liquor 43130 (bAmmonium Thiocyanate) Liquor 43130 (bAmmonium Thiocyanate) (characterial Ammonium Sulfocyanate) Liquor 43130 (bAmmonium Thiocyanate) Liquor 43130 (bAmmonium Thiocyanate) Liquor 43130 (bAmmonium Thiocyanate) Liquor 43130 (bAmmonium Sulfocyanate) Liquor 43130 (bAmmonium Thiocyanate) Liquor 4	Ammonium Nitrate. Magnesia and		
to bear a Hazard Class or Hazard Division label or placard	, ,		
Division label or placard 43030 Ammonium Sulfate 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfice, dry 43110 Ammonium Sulfocyanate (Ammonium Sulfocyanate) Crystals 43150 Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor 43130 Ammonium Thiosulfate Solution 43140 Anagrams 83940 Andirons 69420 Anthracene 46810, 46820 Anthracene 46810, 46820 Anthracene 46810, 46820 Apparatus: Birchies 9Paperboard or pulpboard, NOI, without wooden frames 22250 Apparatus: Birchies 9Paper or copper and iron or steel combined 119650 Assemblies: Birchies 9Food packaging, plastic, latticed construction, capacity not exceeding 2 quarts or 116 cubic inches. 22210 Blindustrial material parts handling, wire wire and perforated metal 22220 Blundry shipping, wood or steel and wood combined 22225 Bulnch			
Ammonium Sulfate. 43090 Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard 43090 Ammonium Sulfide, dry 43110 Ammonium Sulfide, dry 43110 Ammonium Thiocyanate (Ammonium Sulfocyanate) Crystals 43150 Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor 43130 Ammonium Thiosulfate Solution 43140 Andirons 69420 Anthracene 46810, 46820 Anthracene 46810, 46820 Anthracene 46810, 46820 Anthracene 46810, 46820 Anthracene 56840 Apparatus: Birclitting all heating elements in tops or in tops and bottoms 26720 Birclitting at lements in tops or in tops and bottoms 26720			
Ammonium Sulfate, not required by DOT to bear a Hazard Class or Hazard Division label or placard. 43090 (Ammonium Sulfide, dry. 43110 (Ammonium Thiocyanate (Ammonium Sulfocyanate) Crystals 43150 (Ammonium Sulfocyanate) Liquor. 43130 (Ammonium Sulfocyanate) Liquor. 43140 (Ammonium Sulfocyanate) Liquor. 43150 (Ammonium Sulfocyanate) Liq			
BOT to bear a Hazard Class or Hazard Division label or placard			•
## Hazard Division label or placard 43090 @Ammonium Sulfide, dry 43110 @Ammonium Thiocyanate (Ammonium Sulfocyanate) Crystals 43150 @Ammonium Thiocyanate (Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor 43130 @Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor 43130 @Andirons 69420 @Andirons 69420 @Anthracene 46810, 46820 @Anthracene 46810, 46820 @Aparatus: @Distilling, turpentine, copper or copper and iron or steel combined 119650 @Aspirators, suction or pressure, dental or medical or medical or medical or medical or medical. Basemblies: @Chimney, metal 50755 @Smoke flue, metal 50755 @Smoke flue, metal 50755 @Smoke flue, metal 50755 @Smoke flue, metal 50755 @Store display, open end, steel wire and tubular steel combined, not nested . @Store display, open end, wire, in nests of 12 or more			
® Ammonium Sulfide, dry43110Similar inflaterial parts handling, wire, wire and expanded metal or wire and expanded metal or wire and expanded metal or wire and perforated metal8/Indoor type, electric or gas, with integral heating elements in tops or in tops and bottoms50755® Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor43140® Laundry shipping, wood or steel and wood combined22240& Andirons69420® Lunch, containing eating utensils and dishes22225& Andirons69420® Paperboard or pulpboard, NOI, without wooden frames22250& Appratus:® Distilling, turpentine, copper or copper and iron or steel combined119650& Aspirators, suction or pressure, dental or medical56840Assemblies:® Chimney, metal50755® Chimney, metal50755B Store display, open end, steel combined, not nested22250® Store display, open end, wire, in nests of 12 or more22257® Backing, woven paper49440® Backing, woven paper, cotton, rayon and other synthetic fibers or yarns49440 ® Backing, woven paper, cotton, rayon and other synthetic fibers or yarns			®Electric, other than oven type; with
Ammonium Thiocyanate (Ammonium Sulfocyanate) Crystals 43150 Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor 43130 Ammonium Sulfocyanate) Liquor 43130 Allored 22230 Allored 22230 Allored 22230 Ammonium Sulfocyanate) Liquor 43130 Allored 22230 Ammonium Sulfocyanate) Liquor 43130 Allored 22230 Allored 22230 Allored 22230 Ammonium Sulfocyanate) Liquor 43130 Allored 22230 Allored 22230 Allored 22230 Ammonium Sulfocyanate) Liquor 43130 Allored 22230 Allored 22230 Ammonium Sulfocyanate) Liquor 43130 Allored 22230 Ammonium Sulfocyanate) Liquor 43150 Allored 22230 Ammonium Sulfocyanate) Liquor 43150 Allored 3230 Ammonium Sulfocyana	•	®Industrial material parts handling,	integral heating elements 61065
(Ammonium Sulfocyanate) Crystals 43150 ®Ammonium Thiocyanate (Ammonium Sulfocyanate) Liquor 43130 ®Ammonium Thiosulfate Solution 43140 ®Anagrams 83940 ©Andirons		wire, wire and expanded metal or	
Sammonium Sulfocyanate Crystals 4:3150			integral heating elements in tops or
Wood combined		®Laundry shipping, wood or steel and	in tops and bottoms 26720
Ammonium Sulfocyanate Liquor		wood combined 2243	© Brownie Mixes 73150
## Summonium Thiosulfate Solution			® Buckram
@Anagrams 83940 @Andirons 69420 @Anthracene 46810, 46820 Antimony Lactate, other than toxic 43210 Apparatus: @Distilling, turpentine, copper or copper and iron or steel combined 119650 @Picnic, containing eating utensils and dishes 22225 @Asspirators, suction or pressure, dental or medical 56840 Assemblies: @Shipping, plastic, steel or wood reinforced 22605 @Store display, open end, steel wire and tubular steel combined, not nested 22227 @Store display, open end, wire, in nests of 12 or more 22225 @Backing, woven paper 49440 @Backing, woven paper, cotton, rayon and other synthetic fibers or yarns 49440			,
 ②Andirons 69420 ③Anthracene 46810, 46820 ③Antimony Lactate, other than toxic 43210 Apparatus: ⑤Distilling, turpentine, copper or copper and iron or steel combined 119650 ③Aspirators, suction or pressure, dental or medical 56840 Assemblies: ⑥Chimney, metal 50755 ⑥Smoke flue, metal. 50755 ⑥Smoke flue, metal. 50755 ⑥Backing, woven paper 49440 ⑥Backing, woven paper, cotton, rayon and other synthetic fibers or yarns ⑥Backing woven in a contain in a complex or pulpboard, NOI, without wooden frames 22500 ⑥Paperboard or pulpboard, NOI, without wooden frames 22500 ⑥Paperboard or pulpboard, NOI, without wooden frames 22500 ⑥Picnic containing eating utensils and dishes 22225 ⑥Picnic, containing eating utensils and dishes 22225 ⑥Picnic Butalies 43560 ⑥Butadiene Butylese Butylese Glycol Butylese are 44590 ⑥Butyleserate 22250 ⑥Butyleserate			•
®Anthracene .46810, 46820 ®Antimony Lactate, other than toxic .43210 Apparatus:			, , ,
 BAntimony Lactate, other than toxic 43210 Apparatus: Biginity Distilling, turpentine, copper or copper and iron or steel combined 119650 Aspirators, suction or pressure, dental or medical	BAnthracene 46810, 46820		
Apparatus: ® Distilling, turpentine, copper or copper and iron or steel combined 119650 Assignators, suction or pressure, dental or medical	Antimony Lactate, other than toxic 43210		
© Distilling, turpentine, copper or copper and iron or steel combined 119650 © Aspirators, suction or pressure, dental or medical	Apparatus:		
copper and iron or steel combined 119650 Aspirators, suction or pressure, dental or medical			
Assemblies: Schimney, metal			
dental or medical			
Assemblies: © Chimney, metal			
 © Chimney, metal			o l
B Smoke flue, metal			Ĭ
B store display, open end, wire, in nests of 12 or more 22235 Backing, woven paper 49440 Backing, woven paper, cotton, rayon and other synthetic fibers or yarns Backing, woven have display, open end, wire, in nests of 12 or more 22235 Bwire and wood combined, NOI, SU 22190 Bwire, KD, with plastic liners and paper bottom liner 22230 Bwire and wood combined, NOI, SU 22190 Bwire, KD, with plastic liners and paper bottom liner 22230 Bwire and wood combined, NOI, SU 22190 Bwire, KD, with plastic liners and paper bottom liner 22230 Bwire and wood combined, NOI, SU 22190 Bwire, KD, with plastic liners and paper bottom liner 22230 Bwire and wood combined, NOI, SU 22190 Bwire and wood combined, NOI, SU 22230		The state of the s	
B (a) Store display, open end, wire, in nests of 12 or more	Sillore line, illetal		7
®Backing, woven paper49440®Wire and wood combined, NOI, SU. 22190®Poultry killing39410®Backing, woven paper, cotton, rayon and other synthetic fibers or yarns®Wire, KD, with plastic liners and paper bottom liner22230®Cake Mixes73150®Calcium Aconitate43640®Calcium Bisulfite43650	В	Store display, open end, wire, in	
®Backing, woven paper 49440 ® Wire and wood combined, NOI, SU. 22190 © Cake Mixes 73150 ® Backing, woven paper, cotton, rayon and other synthetic fibers or yarns ® Wire, KD, with plastic liners and paper bottom liner © Cake Mixes 8 © Calcium Aconitate 43640 © Cake Mixes 43640 © Cake Mixes 8 © Calcium Aconitate 43640 © Cake Mixes 43640 © Calcium Bisulfite 43650		nests of 12 or more 2223	
Backing, woven paper, cotton, rayon and other synthetic fibers or yarns BWire, KD, with plastic liners and paper bottom liner 22230 BWire, KD, with plastic liners and paper bottom liner 22230	Backing, woven paper 49440	®Wire and wood combined, NOI, SU 2219	
and other synthetic fibers or yarns paper bottom liner22230 © Calcium Bisulfite43650	Backing, woven paper, cotton, rayon		©Cake Mixes73130
@ Calcium Disumte			
Section Sect			ecalcium bisumte40000
		1	@Calcium Bronnide43000

INDEX TO ARTICLES

Article	Item	Article Item Article	Item
BCalcium Carbide	43690	Cloth(s): (Cont'd)	1050
Calcium Carbonate, recarbonated	. 40000	®Membrane, cotton, glass or ®Cots, folding, NOI	
waste	12710		
		synthetic fiber	
BCalcium Cyanamide		®Motion picture screen	
BCalcium Molybdate		® Natural fiber and cotton or synthetic © Coverlets, NOI	. 49260
BCalcium, NOI	. 43680	fiber, not woven, knitted nor Covers:	
ACalcium Silicate Insulation or		stitched, NOI	
Insulating Material	103300	Natural or synthetic fiber, knit or ODuvet	. 49260
BCalcium Sulfite		woven, NOI	.44160
Caps:		@NO/	
®Broom	32790	®Plush or pile, NOI, knit or woven49265 to bear a Hazard Class or Hazard	
Carbo-nitrate		©Polishing, NOI	44160
	. 43070		
Catalyst:	4.4770	®Ramie	. 43200
®Iron oxide		® Rubber separating or interleaving, ® Crotonaldehyde, other than	
®Phosphoric		cotton or synthetic fiber49150 stabilized	
BChain Saws		Screen, woven, glass or synthetic ©Cryolite	. 44180
A Chainsaws	129060	fiber or yarn	
Chalk:		Synthetic fiber, laminated49170	
®Crude	.43920	®Synthetic fiber, or synthetic fiber sulfocyanate)	
BCheesecloth, cotton		and natural fiber, not woven,	
Chemicals, plosophoric		knitted nor stitched, NOI49160 sulfocyanate)	46660
BChloracetophenone		®Synthetic or natural fiber, knit or ®Tin	
BChloride of Lime		woven, NOI	. 45950
BChloroplatinic Acid		® <i>Terry</i>	
BChromium Acetate	. 44010	Welour, velvet or velveteen, knit or ©Cloth, NOI	. 49260
BChromium Resinate	. 44020	woven	.49260
BChromium Sulfate, basic, dry	.44030	©Wiping, NOI	.44190
©Cloth and Cellulose Film, laminated		®Wool, NOI, other than plush or pile,	
and waxed	40250	in the original piece	. 40700
	. 43230		
Cloth(s):	4050	®Cobalt Salts, NOI	
		©Cobalt Sulfate44070 Dampers:	
®Abrasive, other than belts	1100	Collars: ®Fireplace	.69420
BAnimal fiber, NOI, other than plush		®Stove pipe, aluminum50920 ®Fireplace throat, plate or sheet steel	
or pile, in the original piece	. 49190	©Comforter Covers	
Book binders'	. 49180	Compound(s):	
Brattice, burlap or cotton,		BAcid, containing dissolved gold, ©Diapers, cloth, NOI	
fireproofed	49095	Spiapers, ciotii, Noi	. 49200
Burlap, gunny, ixtle (istle), jute or		models of the plotinum group 42000	. 44240
, , , , , , , , , , , , , , , , , , , ,		Bourses properties malt or wills	
sisal, decorated, dyed NOI, printed		®Beverage preparation, malt or milk DOT to bear a Hazard Class or	
or surface coated	. 48970	and chocolate or cocoa73238 Hazard Division label or placard	
®Burlap, gunny, ixtle (istle), jute or		Beverage stabilizing or chillproofing. 43500 Bicyandiamide Beverage stabilizing or chillproofing. 43500	.44290
sisal, dyed not more than one		® Hair removing, hide57120 ® Diethanolamine	
color, rolled	. 48980	®Malt or milk and chocolate or cocoa, BDiethyl Phthalate	
Burlap, gunny, ixtle (istle), jute or		beverage preparation73238 © Diethyl Phthalate, not required by	. 11210
sisal, NOI	49010	© Dietry i intraduce, not required by	
©Cleaning, NOI		hovered preparation 72220	
Coated with aluminum, plastic,	. 43200	Resting and the artificial and a second seco	. 44240
•	40040	A4000	
pyroxylin or rubber, NOI	. 49210	expanding, dry44080 ®Diisobutyl Carbinol	
Combined with plastic or rubber,		®Plastic or rubber blowing or	.44240
NOI	. 49237	expanding, dry, not required by © Dimethyl Phthalate, not required by	
Corduroy	. 49265	DOT to bear a Hazard Class or DOT to bear a Hazard Class or	
®Cotton and cellulose film combined .	. 49240	Hazard Division label or placard 44080 Hazard Division label or placard	44240
Cotton and wire combined		Place I state a large Heady	
BCotton, asphalt, pitch or tar coated	. 10100	20450	
·	40110		. 46910
or saturated, NOI		©Control 140200	
© Cotton book cover		® Candy 116380 ® Dodecylbenzene	. 44370
®Cotton, laminated	. 49170	©Copper Acetate	.44370
Cotton, or cotton and natural or		©Copper Carbonate	112440
o		®Copper Oleate	
synthetic fiber, not woven, knitted			
synthetic fiber, not woven, knitted	. 49160		
synthetic fiber, not woven, knitted nor stitched, NOI		©Copper Oxide, fertilizer grade	. 49260
synthetic fiber, not woven, knitted nor stitched, NOI ©Cotton, photographic, sensitized	. 49130	Scopper Oxide, fertilizer grade	
synthetic fiber, not woven, knitted nor stitched, NOI ©Cotton, photographic, sensitized ©Cotton, processed for printing	. 49130 . 49140	Scopper Oxide, fertilizer grade	
synthetic fiber, not woven, knitted nor stitched, NOI © Cotton, photographic, sensitized © Cotton, processed for printing © Dusting, NOI	. 49130 . 49140 . 49260	© Copper Oxide, fertilizer grade	124190
synthetic fiber, not woven, knitted nor stitched, NOI © Cotton, photographic, sensitized Cotton, processed for printing Dusting, NOI	.49130 .49140 .49260 1050	© Copper Oxide, fertilizer grade	124190
synthetic fiber, not woven, knitted nor stitched, NOI © Cotton, photographic, sensitized © Cotton, processed for printing © Dusting, NOI Emery Emery, other than belts	.49130 .49140 .49260 1050	© Copper Oxide, fertilizer grade	124190 124190
synthetic fiber, not woven, knitted nor stitched, NOI	.49130 .49140 .49260 1050	® Copper Oxide, Fertilizer grade 44120 ® Copper Oxide, NOI 44130 ⊗ Copper Oxide, NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard Dryer-Washer Combinations, household laundry B Copper Resinate 44140 © Copper Sulfate 44150	124190 124190
synthetic fiber, not woven, knitted nor stitched, NOI © Cotton, photographic, sensitized © Cotton, processed for printing © Dusting, NOI Emery Emery, other than belts	.49130 .49140 .49260 1050	® Copper Oxide, fertilizer grade 44120 ® Copper Oxide, NOI 44130 ® Copper Oxide, NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard Dry Goods, NOI. B Copper Resinate 44130 ® Copper Sulfate 44140 B Copper Sulfate 44150 ® Air distributing, flexible	124190 124190 . 51035
synthetic fiber, not woven, knitted nor stitched, NOI	. 49130 . 49140 . 49260 1050 1100	® Copper Oxide, fertilizer grade 44120 ® Copper Oxide, NOI 44130 ® Copper Oxide, NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard Dryer-Washer Combinations, household laundry B Copper Resinate 44130 ® Copper Sulfate 44150 ® Copperas 44820 ® Air, metal	124190 124190 . 51035 . 51045
synthetic fiber, not woven, knitted nor stitched, NOI	. 49130 . 49140 . 49260 1050 1100	© Copper Oxide, fertilizer grade	124190 124190 . 51035 . 51045 . 51045
synthetic fiber, not woven, knitted nor stitched, NOI	.49130 .49140 .49260 1050 1100	© Copper Oxide, fertilizer grade	124190 124190 . 51035 . 51045 . 51045 . 51035
synthetic fiber, not woven, knitted nor stitched, NOI	.49130 .49140 .49260 1050 1100 .49225 .49270 .49206	 © Copper Oxide, fertilizer grade	124190 124190 . 51035 . 51045 . 51035 . 51045
synthetic fiber, not woven, knitted nor stitched, NOI	.49130 .49140 .49260 1050 1100 .49225 .49270 .49206	© Copper Oxide, fertilizer grade	124190 124190 . 51035 . 51045 . 51045 . 51045 . 51045

INDEX TO ARTICLES Article Item Article Item Article Item © Duvet Covers...... 49260 Fabric(s): (Cont'd) Fireplaces: (Cont'd) **Dye Soap** 60260 ®Synthètic or natural fiber, knit or ®Indoor, ceramic, silicon carbide or woven, NOI 49265 ®Water jacketed, iron...... 69370 ®Velour, velvet or velveteen, knit or **®Fireplaces and Mantels combined,** Elbows: cast stone, without hearth or with woven.......49265 ®Pipe; chimney or smoke flue, metal, hearth detached 69380 ® Voile, cotton 49443 with metal pipe and 2 or more Fishing Tackle, NOI...... 15520 ®Woven cellulose film or woven other chimney or smoke flue cellulose and paper 49420 ®Fishing Tackle, NOI, other than components......50755 plastic or rubber......16300 ®Woven from glass fiber rovings, ® Emery...... 1020 weight per sq. yard not less than ®Fishing Tackle, NOI, plastic or BEmery Cloth or Paper, other than rubber 15520 20 oz. 49430 belts 1100 ®Woven paper, or woven paper and **Emery, or Emery Cloth or Paper** 1050 cotton or synthetic fibers or yarns ... 49440 ® Glass, leather covered...... 88020 Enclosures: ® Electrical apparatus, metal, NOI 61110 ® Dryer section 126181 ® Electrical apparatus, steel, NOI 61110 Paper machine press or dryer ® Abrasive material...... 1020 section, natural or synthetic fiber. Bed. and bed rails. metal or wood 79740 new or reconditioned 126181 ®Cellulose, edible......71390 © Bed, metal or wood 82270 ®Cooked......73030 BEngines and Saws combined, Fenders: portable, NOI 133250 Boat carrying trailer, 18-gauge or **BEthyl Acetate** 44460 thicker steel, nested 191710 **BEthylene Glycol** 44620 Boat or dock, density 30 pcf or BEthylidene Aniline 44480 ® Grain, self-raising 89450 BEveners, wooden, in the rough 112440 ©Boat or dock, NOI.......38650 Boat-carrying trailer 191710 ®Potato......73080 ®Press cake, almond, apricot or ® Fireplace, brass...... 69350 Fabric(s): ®Fireplace, iron or steel 69360 peach kernel......71420 ® Belting 49415 ®Rice......73100 Snow or ice vehicle 191710 ® Sago......73040 ® Coated with aluminum, plastic, ®Snow or ice vehicle, 18-gauge or ®Soybean......73120 pyroxylin or rubber, NOI 49210 thicker steel, nested 191710 ® *Tapioca* 73040 ®Combined with plastic or rubber, (A) Utility trailer 191710 NOI 49237 ®Ferric Sulfate, crude, dry, soluble ® Corduroy 49265 iron content not exceeding 25% by ®Air, metal, other than flexible 51045 ®Cotton, or cotton and natural or weight 44790 (A) Smoke, metal 51045 synthetic fiber, not woven, knitted ®Smoke, metal, other than flexible..... 51045 nor stitched, NOI 49160 ®Ferric Sulfate Solution 44810 **®Foggers, hand held or hand** ® Cotton - specific listing...... 49443 ®Ferrous Sulfate...... 44820 operated...... 177670 ® Erosion control, synthetic fiber and **∂Foggers, handheld or hand operated**177670 Fiber(s) or Fibre(s): paper......49411 Bast (Bass), other than broom ®Foodstuffs, other than frozen, group ® Garment interlining, cotton and synthetic fiber combined with goat Filling, cotton or kapok, old, used ... 196220 ©Footboards, bed, metal or wood 82270 hair, in the original piece......49225 ®Formaldehyde Aniline......44550 Filling(s): ® Cotton 68940 **®Formaldehyde, dry** 44520 ®Glass fiber mesh, not woven 49270 ®Cotton and jute combined...... 68940 ® Hose 49415 ®Refrigerator door inner liner, with ® Jute 68940 molded-in shelves, plastic......75960 ®Refrigerator lining or partitioning, ®Laminated 49170, 49235, 49250 plastic, NOI, nested or in forms not ® Refiner plug...... 126401 ® Refiner shell 126401 ®Meat or poultry packing, cotton Fillings, pulp grinder or refiner plug ®Concentrating table, KD 125380 cheesecloth or gauze, waxed 49410 or shell, paper mill 126401 ®Electrical apparatus, metal, NOI 61110 ®Membrane, cotton, glass or ® Electrical apparatus, steel, NOI 61110 synthetic fiber 49220 ®Cellulose, and cloth or paper, ® Vanning machine. KD...... 125380 ®Natural fiber and cotton or synthetic Fuel(s): laminated and waxed......49250 fiber, not woven, knitted nor ®Cellulose, combined with cotton ®Ration heating, chemical stitched, NOI 49160 cloth or netting...... 49240 composition, not less than 90% ®Natural or synthetic fiber, knit or ®Finials, ridge roll, steel 36490 trioxane 44565 ®Firearms......69300 ARation heating, chemical ®Net or netting, cotton 49443 AFirearms, NOI 69300 composition, not less than 90% Firedogs...... 69420 trioxane and not required by DOT ®Plush or pile, NOI, knit or woven 49265 to bear a Hazard Class or Hazard Fireplaces: ® Quilted 49413 ®Imitation, fiberboard, in sheets or Division label or placard 44565 ®Rubber separating or interleaving, KD flat 69400 cotton or synthetic fiber 49150 ®Imitation, wood or wood ®Furfural, not required by DOT to particleboard faced with imitation bear a Hazard Class or Hazard ®Synthetic fiber, or synthetic fiber Division label or placard 44570 stone, with hearth and mantel. and natural fiber, not woven. portable, SU 69414

INDEX TO ARTICLES Article Item Article Item Article Item G Hampers: (Cont'd) Κ ®Refrigerator22600 Kits: ®Shipping, plastic, steel or wood Glass: ®Medical training aid......56825 A Horse trailer, cut to size and shape... 86630 ®Wheeled, hand, with cloth bodies ... 189680 ARecreational vehicle (RV), cut to ® Wire, NOI22640 size and shape 86630 ® Wood and wire combined, NOI, SU.. 22190 **BLace, cotton**......49443 ® Travel trailer, cut to size and shape .. 86630 BLace, other than cotton.......49445 **Mampers, NOI, including Clothes** ®Glue Stock, bacon skins or rinds, Hampers......22260 fleshings, hide trimmings, horn AHampers, wheeled, hand, with cloth **BLathing**: pith, pizzles, sinews or nonedible bodies 189680 ®Copper, expanded 34850 pigs feet, dry or green.....88820 ©Headboards, bed, metal or wood 82270 **®Glycerine**: ®Steel and paper combined, NOI...... 34850 ®Crude, other than spent lye 44590 ®Fireplace air, and ventilators ®Zinc, expanded......34850 ®Crude (Spent Lye), concentrated...... 44590 combined......69370 ® Crude (Spent Lye), not ALaundry Centers, household 124190 concentrated......44600 ® Lead Oleate 44900 **Hernia Belts** 56828 **®Glycols**......44620 BHexylene Glycol 44620 Goods: ®Leather Scrap, for fertilizer......110760 Hides: © Dry, NOI49260 ®Leno Goods, cotton......49443 ®Cattle, not dressed nor tanned, dry... 99060 ® Cattle, not dressed nor tanned. BLime, chlorinated......44970 ®Piece, natural or synthetic fiber, knit **®Lime Water**......45020 pickled or raw splits 99090 BHorse, not dressed nor tanned, dry... 99060 ®Lime-Nitrogen 43750 Grain(s): Liquor(s): BHorse, not dressed nor tanned, (Abrasive 1050) pickled or raw splits 99090 ®Ammonium thiocyanate (ammonium ®Abrasive material......1020 sulfocyanate) 43130 ®Mule, not dressed nor tanned, dry 99060 Grills: ®*Iron*......44680 Holders: ® Electric, with integral heating ®Potassium cyanide45760 ®Fireplace wood, metal......69460 elements......61065 ®Litharge...... 111640, 195160 Alndoor type, electric or gas, with Hoop(s): integral heating elements in tops or Band saw wheel tire, reinforcement, Logs: in tops and bottoms26720 iron or steel......105545 ®Vessel navigating25020 Grindings: ® Wooden, coiled......112680 Lump(s): ©Abrasive wheel......1050 **Met Chocolate or Hot Cocoa Mixes** 73260 ©Abrasive material......1050 **BGrits**: ®Lye, spent 44590, 44600 Housings: ® Bakers' or brewers'...... 89530 ® Electrical apparatus, metal, NOI 61110 ® Cottonseed or soybean......73120 ® Electrical apparatus, steel, NOI....... 61110 ®NOI......89550 BHydroxy Acetic Acid 44645 Machinery or Machines: **@Grits, bakers' or brewers'** 89530 AHydroxy Acetic Acid, not required ®Dough deposit, forming or make-up 114390 @Grits, NOI 89550 by DOT to bear a Hazard Class or ®Dough working......114440 Guards: Hazard Division label or placard 44645 ® Drying and washing combined, household laundry 124125 ı ®Fireplace, iron or steel 69360 ®Drying, household laundry 124065 **BIndigo** 44650, 44660 Gum(s): Insulation: combined, household laundry 124190 ® Amber 91160 Portable sawmill129060 ® Camphor 91240 ® Calcium silicate and fiber combined 103080 ® Track laying 131680 ®Washing and drying combined, Н **®Iron Carbonate......** 44700 ®Iron Chloride (Iron Muriate), dry 44710 household laundry 124125 ®Halogenated Monomethyldiphenyl-®Iron Chloride (Iron Muriate), other ®Washing, household laundry...... 124185 Methanes 44625 than crude, liquid44720 Mashing, or washing and drying BHampers: combined, household laundry 124190 BIron Liquor......44680 ®Bread shipping, wood or steel and ®Iron Nitrate......44760 wood 22430 ®Iron Sulfate (Copperas)......44820 ®Magnesia, Ammonium Nitrate and ®Canvas, with metal or wood frames, Biron Sulfate, crude, dry, soluble iron covers or bottoms 22450 Magnesia, Ammonium Nitrate and content not exceeding 25% by Pulp Mixture, not required by DOT weight......44790 ® Collapsed cloth or plastic bodies to bear a Hazard Class or Hazard ®Iron Sulfate, dry......44800 and detached folded stands or ®Iron Sulfate, other than dry (Ferric Division label or placard 43030 **Sulfate Solution)**......44810 BMagnesium Fluosilicate 45060 ® Dish draining, rubber- or plastic- Magnesium Silicofluoride45060 **BIron Sulfide** 44830 covered wire, with built-in racks 22660 Manganese Borate45170 lron(s): ®Expanded metal, NOI22640 Manganese Chloride (Manganese ®Fiberboard, NOI, without wooden ®Waffle, electric, with integral heating Muriate) 45175 frames 22500 Manganese Phosphate......45180 elements......61065 ®Laundry shipping, wood or steel and BIsophthalic Acid......45613 ®Mantels and Fireplaces combined. wood 22430 BIsopropylidene Bisphenol......44865 cast stone, without hearth or with ®NOI......22260 hearth detached......69380 ®Paperboard or pulpboard, NOI, ®Marquisette, cotton 49443

® Jardinieres, NOI.......22260

without wooden frames......22500

INDEX TO ARTICLES Article Item Article Item Article Item Material(s): ®Phthalic Anhydride, with .05% or ® Nickel Sulfate 45430 less maleic anhydride 45613 Abrasive, consisting chiefly of aluminum oxide or silicon carbide..... 1050 ®Nitrate of Soda-potash...... 46420 ®Piece Goods, natural or synthetic ®Abrasive, natural or synthetic, Nitrate of Soda-potash, not required consisting chiefly of aluminum by DOT to bear a Hazard Class or oxide or silicon carbide......1020 Hazard Division label or placard 46420 ©Clothing, NOI, cut to size......49260 (A) Insulating, calcium silicate 103300 ®Nitro-carbo-nitrate......45440 ®Pile Fabric, natural or synthetic ®Nitrogen, lime 43750 fiber, knit or woven, NOI 49265 ®Insulating, calcium silicate and fiber combined 103080 ®Nutcrackers: © Pillow Shams, NOI...... 49260 ©Pillowcases, cloth or fabric, NOI....... 49260 ®Road surface adhesion preventing ... 35030 ®In the form of figures or images 56290 ®NOI, other than in the form of Pipe(s): figures or images...... 101200 ®Chimnev. metal. with 2 or more ® Steel...... 101205 other chimney components...... 50755 Nutcrackers, in the form of figures ®Smoke flue, metal, with 2 or more or images...... 56290 other smoke flue components...... 50755 Nutcrackers, steel 101205 ®Press cake, almond, apricot or Plates: peach kernel......71420 Boot, iron or steel, other than card mounted or blister packed 28450 Methallyl Chloride 45240 ®Oil cake press, iron or steel 126060 ®Shoe iron or steel other than card Methoxy Polyethylene Glycol...... 44620 ®Orthonitrotoluol......46980 BMethyl Glucoside 45295 mounted or blister packed 28450 Р **2-Methyl-2,4-Pentanediol**......44620 ®Plush Fabric, natural or synthetic fiber, knit or woven, NOI 49265 Mix(es): Pads: ®Polychlorinated Biphenyls (PCBs)..... 44625 **Sanding......1050** ®Polyethylene Glycol 44620 ®Sanding, expanded plastic or rubber ®Polyglycol......44620 with abrasive surface(s)......1150 Bread, brownie or cake...... 73140 ®Polyhalogenated Biphenyls or Pancake Mixes 73150 Polyhalogenated Terphenyls...... 44625 ®Paper and Cellulose Film, laminated ®Brownie or cake73150 Polypropylene Glycol......44620 Paper(s): Potash Salts, NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard 45870 Muffin or pancake......73150 BPotash Salts, tobacco......45950 ®Emery, other than belts 1100 @Waffle......73150 **®Potash, wood, crude** 45860 Paradichlorobenzene 46990 APotassium Alkali Salts, crude, dry, Mixture(s): not required by DOT to bear a ®Ammonium nitrate and sodium ®Paraphenyl Phenol 45480 **Hazard Class or Hazard Division** Parts: ®Ammonium nitrate, magnesia and label or placard......45660 ®Chair, wooden, finished - mixed **Potassium Borate**......45700 pulp 43030 Ammonium nitrate, magnesia and ®Potassium Bromide 45710 pulp, not required by DOT to bear Potassium Carbonate 45720 a Hazard Class or Hazard Division Potassium Carbonate, not required @Firearm, NOI 69295 label or placard......43030 by DOT to bear a Hazard Class or ®Household laundry machine, metal, ®Nitrate-sulfur, sodium 46430 Hazard Division label or placard 45720 mixed 124145 Potassium Cyanide Liquor 45760 ® Sodium nitrate and ammonium ®Household washer (washing ®Potassium Prussiate...... 45880 machine), NOI, other than metal... 124185 **Monoethanolamine** 45330 ®Potassium Salts, NOI 45870 ®Laundry machine, household, metal, **Mononitrotoluol, other than dry** 46940 Potassium Salts, NOI, not required mixed 124145 © Muffin Mixes 73150 by DOT to bear a Hazard Class or ®Stool, wooden, finished - mixed BMuriate of Ammonia...... 43000 Hazard Division label or placard 45870 packages...... 83340 **®Potassium Sulfide (Sulfuret of** ®Washer (washing machine), household laundry, NOI, other than Powder(s): metal 124185 ®Bleaching, NOI 44970 **®PCBs (Polychlorinated Biphenyls).....** 44625 Preparations: ®Neckyokes, wooden, in the rough.... 112440 ® Pearlash 45720 Beverage, malt or milk and BNeopentyl Glycol......44620 Pearlash, not required by DOT to chocolate or cocoa compound....... 73238 bear a Hazard Class or Hazard ® Propylene Dichloride 46000 BNettina: Division label or placard......45720 ®Propylene Glycol...... 44620 ®Pulp, Ammonium Nitrate and ® Cotton and cellulose film combined .. 49240 ®Cattle, not dressed nor tanned, dry... 99060 Magnesia Mixture 43030 Beautiful Branch ® Cattle, not dressed nor tanned, Pulp, Ammonium Nitrate and ®Plastic or rubber, in tubular form, pickled or raw splits 99090 Magnesia Mixture, not required by ® Horse, not dressed nor tanned, dry .. 99060 DOT to bear a Hazard Class or Netting, hay baling or binding, BHorse, not dressed nor tanned, Hazard Division label or placard 43030 plastic 9910 pickled or raw splits 99090 Netting, plastic or rubber, in tubular ®Mule, not dressed nor tanned, dry 99060 @*Breast*.......56840 form, collapsed 156960 Perchloroethylene......45510 ® Pressure 56840 BNickel Ammonium Sulfate 45370 ®Phosphorus, crude, yellow and red ®Pressure, dental or medical 56840 Nickel Carbonate......45380 mixed 45550 ® Suction 56840 BNickel Chloride 45390 Suction, dental or medical 56840 **®Nickel Oxide** 45400 ®Phosphorus Pentasulfide, dry...... 45600

INDEX TO ARTICLES

Article	Item	Article	Item	Article	Item
		1-			
®Pyroxylin:		Screens:		Solvent(s): (Cont'd)	
Colloid or paste	46025	®Fireplace, brass	69350	Blnk, not required by DOT to bear a	
®Jelly		®Fireplace, iron or steel		Hazard Class or Hazard Division	
					404700
®Liquid	. 103030	Serieplace, NOI		label or placard	. 101720
		®Scrim, cotton	49443	®Paint, lacquer, varnish, gum, resin,	
Jelly Pyroxylin, including		Sets:		plastic, rubber or adhesive, not	
Collodion)	163030	®Cigar or cigarette lighter, electric	63032	required by DOT to bear a Hazard	1
		©Fireplace tool		Class or Hazard Division label or	
R					4.40000
••		©Shams, pillow, NOI	49260	placard	. 149980
Racks:		Sheet(s):		Solvents, ink, not required by DOT	
	61110		49260	to bear a Hazard Class or Hazard	
® Electrical apparatus, metal, NOI		®Cloth (Dry Goods or Textiles), NC	7/ 49390	Division label or placard	101720
					. 101720
®Wood, fireplace	69460			Sponges:	
©Rags, cleaning, dusting, polishing		BFabric (Dry Goods or Textiles), N	<i>IOI</i> 49390	Sanding	1050
erwining NOI	40060	Shot:		Sanding, expanded plastic or rubber	er
or wiping, NOI	49200	®Britannia metal	136220	with abrasive surface(s)	
Rails:			100220		1 100
Bed, and bed ends, metal or wood.	79740	Silica and Phosphoric Acid		Sprayers:	
®Refugo, corkwood	53710	combined		BHand held or hand operated	. 177670
Refuse:		®Silicon Chloride	46060	Handheld or hand operated	. 177670
	10-0	®Single Nickel Salts		Spreaders:	
©Abrasive					120055
®Corkwood	53710	®Singletrees, wooden, in the rough	1 112440	Salt or sand, vehicle mounting	. 130355
®Remnants, mill end, cloth, fabric or		Skins:		Stock(s):	
piece goods, natural or synthetic		®Cattle, not dressed nor tanned, di	ry99060	®Glue, bacon skins or rinds,	
	4000-	BCattle, not dressed nor tanned,	,	fleshings, hide trimmings, horn	
fiber, knit or woven	49265		00000		
Residue(s):		pickled or raw splits		pith, pizzles, sinews or nonedible	
®Alkali, other than liquid	46070	BHorse, not dressed nor tanned, d	iry 99060	pigs feet, dry or green	88820
Soda, other than liquid	46070	BHorse, not dressed nor tanned,		Strip(s):	
	40070	pickled or raw splits	aanan	®Cloth, gummed	49206
Residuum:					
Beet, potassium	45670	®Mule, not dressed nor tanned, dry	y 99060	®Strontium Bromide	
®Cane, potassium	45670	Soda (Alkali) Residue, other than		©Stubs, abrasive wheel	1050
Rings:		liquid	46070	®Styrene	46750
•	105515	®Sodium Chromate, other than dry		Substitute(s):	
Band saw wheel tire	. 105545	(Sodium Chromate Solution)		®Whiting	/3710
Rod(s):				®Sulfuret of Potash	45020
®Dagger, textile machine	. 131350	®Sodium Diacetate			45930
®Protector, textile machine	. 131350	Sodium Fluoride, not required by		Supports:	
•		DOT to bear a Hazard Class or		Children's sled, iron, nested	93640
S		Hazard Division label or placard	46340		
_		Hazard Division label or placard		т	
S ®Sal Ammoniac	43000	Sodium Formate			
Sal Ammoniac	43000	Sodium Formate Sodium Hydrosulfate or Sodium	46350	T ©Tablecloths, cloth or fabric	49260
Sal Ammoniac Salt(s):		Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC	46350 DT		
Sal Ammoniac Salt(s): BAlkali, crude, dry	45660	Sodium Formate Sodium Hydrosulfate or Sodium	46350 DT	©Tablecloths, cloth or fabric ®Tackle, fishing, NOI	
Sal Ammoniac Salt(s): BAlkali, crude, dry Bromine	45660 43560	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard	46350 OT	©Tablecloths, cloth or fabric ®Tackle, fishing, NOI ®Tackle, fishing, NOI, other than	15520
Sal Ammoniac Salt(s): BAlkali, crude, dry	45660 43560	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard	46350 DT J 46360	©Tablecloths, cloth or fabric ®Tackle, fishing, NOI ®Tackle, fishing, NOI, other than plastic or rubber	15520
Sal Ammoniac Salt(s): BAlkali, crude, dry Bromine	45660 43560 43610	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite	46350 DT J 46360	©Tablecloths, cloth or fabric	15520 16300
Sal Ammoniac Salt(s): BAlkali, crude, dry Bromine B Cadmium B Cobalt	45660 43560 43610 44060	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium	46350 DT ii 46360 46390	©Tablecloths, cloth or fabric ®Tackle, fishing, NOI ®Tackle, fishing, NOI, other than plastic or rubber	15520 16300
Sal Ammoniac Salt(s): Salkali, crude, dry Bromine Cadmium Cobalt Lime	45660 43560 43610 44060 43680	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture	46350 OT 1 46360 46390 43040	©Tablecloths, cloth or fabric	15520 16300
Salt(s): Salt(45660 43560 43610 44060 43680 45420	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium	46350 OT 1 46360 46390 43040	©Tablecloths, cloth or fabric	15520 16300 15520
Sal Ammoniac Salt(s): Salkali, crude, dry Bromine Cadmium Cobalt Lime	45660 43560 43610 44060 43680 45420	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals	46350 OT 1 46360 46390 43040 46660	©Tablecloths, cloth or fabric	15520 16300 15520 . 130700
Salt(s): Salt(45660 43560 43610 44060 43680 45420	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required by	46350 OT 1 46360 46390 43040 46660	©Tablecloths, cloth or fabric	15520 16300 15520 . 130700
Sal Ammoniac Salt(s): Salkali, crude, dry Scadmium Cobalt Lime Nickel Potash, tobacco Potassium alkali, crude, dry, not	45660 43560 43610 44060 43680 45420 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or	46350 DT ii 46360 46390 43040 46660 Dy	©Tablecloths, cloth or fabric	15520 16300 15520 . 130700 . 130730
Sal Ammoniac Salt(s): Salkali, crude, dry	45660 43560 43610 44060 43680 45420 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard	46350 DT i1 46360 46390 43040 46660 Dy 46360	©Tablecloths, cloth or fabric	15520 16300 15520 . 130700 . 130730
Sal Ammoniac Salt(s): BAlkali, crude, dry	45660 43560 43610 44060 43680 45420 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Sodium Thiocyanate Crystals	46350 DT i1 46360 46390 43040 46660 Dy 46360	©Tablecloths, cloth or fabric	15520 16300 15520 . 130700 . 130730
Sal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt BLime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard	45660 43560 43610 44060 43680 45420 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Sodium Thiocyanate Crystals	46350 DT i1 46360 46390 43040 46660 Dy 46360	©Tablecloths, cloth or fabric	15520 16300 15520 . 130700 . 130730 49270
Sal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cobalt Lime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard	45660 43560 43610 44060 43680 45420 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s):	46350 DT i1 46360 46390 43040 46660 Dy 46360	©Tablecloths, cloth or fabric	15520 16300 15520 . 130700 . 130730 49270 28340
Sal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt BLime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard	45660 43560 43610 44060 43680 45420 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Sacid, containing dissolved gold,	46350 DT i1 46360 46390 43040 46660 Dy 46360	©Tablecloths, cloth or fabric	15520 16300 15520 . 130700 . 130730 49270 28340
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt Lime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI	45660 43560 43610 44060 45420 45950 45660 45870	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or	46350 DT il 46360 46390 46660 Dy 46360 46360 46660	©Tablecloths, cloth or fabric	15520 16300 15520 . 130700 . 130730 49270 28340
BSal Ammoniac Salt(s): BAlkali, crude, dry Beromine Cadmium Cobalt BLime BNickel BPotash, tobacco. Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard BPotassium (Potash), NOI Potassium (Potash), NOI, not required by DOT to bear a Hazard	45660 43560 43610 44060 45420 45950 45660 45870	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group	46350 OT 1 46360 43040 46660 Oy 46360 46360 43980	©Tablecloths, cloth or fabric	15520 16300 15520 .130700 .130730 49270 28340 44160
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt BLime Nickel Potash, tobacco. Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or label or required by DOT to bear a Hazard Class or Hazard Division label or Class or Hazard Division label or	45660 43560 43610 44060 45420 45950 45660 45870	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or	46350 OT 1 46360 43040 46660 Oy 46360 46360 43980	©Tablecloths, cloth or fabric. ®Tackle, fishing, NOI. ®Tackle, fishing, NOI, other than plastic or rubber. ©Tackle, fishing, NOI, plastic or rubber. Tanks: ®Butchers' rendering, steel	15520 16300 15520 .130700 .130730 49270 28340 44160
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt. BLime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard	45660 43560 43610 44060 45820 45950 45660 45870	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group Ammonium thiosulfate	46350 DT d 46360 46390 43040 46660 Dy 46360 46360 43980 43140	©Tablecloths, cloth or fabric. ®Tackle, fishing, NOI. ®Tackle, fishing, NOI, other than plastic or rubber. ©Tackle, fishing, NOI, plastic or rubber. Tanks: ®Butchers' rendering, steel	15520 16300 15520 .130700 .130730 49270 28340 44160
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt BLime Nickel Potash, tobacco. Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or label or required by DOT to bear a Hazard Class or Hazard Division label or Class or Hazard Division label or	45660 43560 43610 44060 45820 45950 45660 45870	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis		©Tablecloths, cloth or fabric	15520 16300 15520 . 130700 . 130730 49270 28340 44160
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt BLime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard BPotassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard BRochelle	45660 43560 43610 44060 45820 45950 45870 45870 45870 46040	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis Chrome chloride		©Tablecloths, cloth or fabric. ®Tackle, fishing, NOI. ®Tackle, fishing, NOI, other than plastic or rubber. ©Tackle, fishing, NOI, plastic or rubber. Tanks: ®Butchers' rendering, steel	15520 16300 15520 . 130700 . 130730 49270 28340 44160
Sal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt Lime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard Brotassium (Potash), NOI hot required by DOT to bear a Hazard Class or Hazard Division label or placard Brochelle Brochelle	45660 43560 43610 44060 4580 45950 45660 45870 45870 45870 45870	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate		©Tablecloths, cloth or fabric	15520 16300 15520 . 130730 130730 49270 28340 44160
BSal Ammoniac Salt(s): BAlkali, crude, dry	45660 43560 43610 44060 45420 45950 45660 45870 45870 45870 45430 45430 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis Chrome chloride		©Tablecloths, cloth or fabric	15520 16300 15520 .130730 .130730 49270 28340 44160
Sal Ammoniac Salt(s): BAlkali, crude, dry	45660 43560 43610 44060 45420 45950 45660 45870 45870 45870 45430 45430 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Copper plating		©Tablecloths, cloth or fabric	15520 16300 15520 .130700 .130730 49270 28340 44160 / / 50755 47040 47050
BSal Ammoniac Salt(s): BAlkali, crude, dry	45660 43560 43610 44060 45420 45950 45660 45870 45870 45870 45430 45430 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group Ammonium thiosulfate Solnome chloride Chrome sulfate Copper plating Ferric sulfate		©Tablecloths, cloth or fabric	15520 16300 15520 .130700 .130730 49270 28340 44160 /, 50755 47040 47050 49265
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine BCadmium Cobalt BLime BNickel BPotash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard BPotassium (Potash), NOI Potassium (Potash), NOI Potassium (Potash), NOI not required by DOT to bear a Hazard Class or Hazard Division label or placard BRochelle	45660 43560 43610 44060 45420 45950 45660 45870 45870 45870 45430 45430 45950	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Copper plating Ferric sulfate. Nickel plating Nickel plating Sodium Thiocyanate Crystals Cobsequence of the platinum group. Blood analysis Solution(s) Solut		©Tablecloths, cloth or fabric	15520 16300 15520 .130700 .130730 49270 28340 44160 /, 50755 47040 47050 49265
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine BCadmium Cobalt BLime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI not required by DOT to bear a Hazard Class or Hazard Division label or placard Rochelle Single nickel Single nickel Tobacco potash	45660 43560 43610 44060 43680 45420 45950 45870 45870 45870 45430 45950 47400	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Copper plating Ferric sulfate. Nickel plating Sodium butyrate		©Tablecloths, cloth or fabric	15520 16300 15520 .130700 .130730 49270 28340 44160 / / 50755 47040 47050 49265
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt BLime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard Brotassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard Brobacco potash Sinc Zinc Zinc, NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard	45660 43560 43610 44060 43680 45420 45950 45870 45870 45870 45870 45430 45950 47400	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Copper plating Ferric sulfate. Nickel plating Nickel plating Sodium Thiocyanate Crystals Cobsequence of the platinum group. Blood analysis Solution(s) Solut		©Tablecloths, cloth or fabric ®Tackle, fishing, NOI ®Tackle, fishing, NOI, other than plastic or rubber ©Tackle, fishing, NOI, plastic or rubber Tanks: ®Butchers' rendering, steel ®Digester, NOI, iron or steel Tape(s): ®Glass fiber Taps: ©Boot ®Tartar, cream Tees: ®Pipe; chimney or smoke flue, metal with metal pipe and 2 or more other chimney or smoke flue components. ©Tellurium Oxide ®Terrebene ®Terry Cloth ®Tetrachloronaphthalene. ©Textiles, NOI	15520 16300 15520 .130700 .130730 49270 28340 44160 , 47040 47050 49265 46990 49260
BSal Ammoniac Salt(s): BAlkali, crude, dry	45660 43560 43610 44060 43680 45420 45950 45870 45870 45870 45870 45430 45950 47400	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required be DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Grypatinum, palladium or metals of the platinum group. Solution Shorome chloride Chrome chloride Copper plating Ferric sulfate Nickel plating Sodium butyrate Sodium chromate		©Tablecloths, cloth or fabric ATackle, fishing, NOI BTackle, fishing, NOI, other than plastic or rubber Tackle, fishing, NOI, plastic or rubber Tanks: Butchers' rendering, steel Boigester, NOI, iron or steel Tape(s): Galass fiber Taps: Boot Bartar, cream Tees: Pipe; chimney or smoke flue, metal with metal pipe and 2 or more other chimney or smoke flue components. BTellurium Oxide Terebene BTerry Cloth BTetrachloronaphthalene CTextiles, NOI BTin Chloride, solid (Tin Crystals)	15520 16300 15520 .130700 .130730 49270 28340 44160 , 50755 47040 47050 49265 4990 49260
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt BLime Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard Brotassium (Potash), NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard Brobacco potash Sinc Zinc Zinc, NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard	45660 43560 43610 44060 43680 45420 45950 45870 45870 45870 45870 45430 45950 47400	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfocyanate Crystals ODT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Copper plating Ferric sulfate. Sodium butyrate Sodium chromate Tear gas.		©Tablecloths, cloth or fabric	15520 16300 15520 .130730 130730 49270 28340 44160 /, 50755 47040 47050 49265 46990 47130 47120
BSal Ammoniac Salt(s): BAlkali, crude, dry	45660 43560 43610 44060 43680 45420 45950 45870 45870 45870 45870 45430 45950 47400	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required be DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Copper plating Ferric sulfate. Nickel plating Sodium butyrate Sodium chromate Tear gas.		©Tablecloths, cloth or fabric ATackle, fishing, NOI BTackle, fishing, NOI, other than plastic or rubber Tackle, fishing, NOI, plastic or rubber Tanks: Butchers' rendering, steel Digester, NOI, iron or steel Tape(s): Galass fiber Taps: Boot Taps: Bripe; chimney or smoke flue, metal with metal pipe and 2 or more other chimney or smoke flue components Tery Cloth Terebene Terry Cloth Tertrachloronaphthalene CTextiles, NOI Tin Chloride, solid (Tin Crystals) Tin Chloride (Tin Muriate), liquid Tin Tetrachlorode, anhydrous	15520 16300 15520 .130730 130730 49270 28340 44160 /, 50755 47040 47050 49265 46990 47130 47120
BSal Ammoniac Salt(s): BAlkali, crude, dry	45660 43560 43610 44060 45820 45950 45870 45870 45870 45430 45950 47400 47400	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Scopper plating Ferric sulfate. Nickel plating Sodium butyrate Sodium chromate Tear gas Solvent, paint, lacquer, varnish, gum, resin, plastic, rubber or		©Tablecloths, cloth or fabric	15520 16300 15520 .130730 130730 49270 28340 44160 /, 50755 47040 47050 49265 46990 47130 47120
Salt(s): Salt(45660 43560 43610 44060 43680 45420 45950 45870 45870 45870 45430 45430 47400 47400 1050 1100	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Sodium Sulfate Sodium Sulfate Sodium Sulfate Sodium Sulfate Sodium Chromate Sodium Chromate Tear gas Solvent, paint, lacquer, varnish, gum, resin, plastic, rubber or adhesive, not required by DOT to		©Tablecloths, cloth or fabric	15520 16300 15520 .130730 .130730 49270 28340 44160 47050 49265 49265 49260 47130 47150
Salt(s): Salt(45660 43560 43610 44060 43680 45420 45950 45870 45870 45870 45430 45430 47400 47400 1050 1100	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group. Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Scopper plating Ferric sulfate. Nickel plating Sodium butyrate Sodium chromate Tear gas Solvent, paint, lacquer, varnish, gum, resin, plastic, rubber or		©Tablecloths, cloth or fabric	15520 16300 15520 .130730 .130730 49270 28340 44160 47050 49265 49265 49260 47130 47150
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI not required by DOT to bear a Hazard Class or Hazard Division label or placard Rochelle	45660 43560 43610 43680 45420 45950 45870 45870 45870 45870 45950 47400 47400 1050 1100 129060	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Sodium Sulfate Sodium Sulfate Sodium Sulfate Sodium Sulfate Sodium Chromate Sodium Chromate Tear gas Solvent, paint, lacquer, varnish, gum, resin, plastic, rubber or adhesive, not required by DOT to		©Tablecloths, cloth or fabric	15520 16300 15520 .130730 .130730 49270 28340 44160 47050 49265 46990 47130 47150 45950
Salt(s): Salt(45660 43560 43610 43680 45420 45950 45870 45870 45870 45870 45950 47400 47400 1050 1100 129060	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Copper plating Ferric sulfate Sodium butyrate Sodium butyrate Sodium chromate Tear gas Solvent, paint, lacquer, varnish, gum, resin, plastic, rubber or adhesive, not required by DOT to bear a Hazard Class or Hazard Division label or placard		©Tablecloths, cloth or fabric	15520 16300 15520 .130700 .130730 49270 28340 44160 // 50755 47040 47050 49265 46990 47130 47120 47950 45950 469420
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium Cobalt Nickel Potash, tobacco Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard Potassium (Potash), NOI Potassium (Potash), NOI not required by DOT to bear a Hazard Class or Hazard Division label or placard Rochelle	45660 43560 43610 43680 45420 45950 45870 45870 45870 45870 45950 47400 47400 1050 1100 129060	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required be DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Division label or placard Solution Solut		©Tablecloths, cloth or fabric	15520 16300 15520 .130700 .130730 49270 28340 44160 // 50755 47040 47050 49265 46990 47130 47120 47950 45950 469420
BSal Ammoniac Salt(s): BAlkali, crude, dry	45660 43560 43610 43680 45420 45950 45870 45870 45870 45870 45950 47400 47400 1050 1100 129060 129060	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required b DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Acid, containing dissolved gold, silver, platinum, palladium or metals of the platinum group Ammonium thiosulfate Blood analysis Chrome chloride Chrome sulfate Copper plating Ferric sulfate Sodium butyrate Sodium butyrate Sodium chromate Tear gas Solvent, paint, lacquer, varnish, gum, resin, plastic, rubber or adhesive, not required by DOT to bear a Hazard Class or Hazard Division label or placard		©Tablecloths, cloth or fabric ®Tackle, fishing, NOI ®Tackle, fishing, NOI, other than plastic or rubber ©Tackle, fishing, NOI, plastic or rubber Tanks: ®Butchers' rendering, steel ®Digester, NOI, iron or steel Tape(s): ®Glass fiber Taps: ©Boot ®Tartar, cream Tees: ®Pipe; chimney or smoke flue, metal with metal pipe and 2 or more other chimney or smoke flue components ©Tellurium Oxide ®Terebene ®Terry Cloth ®Tetrachloronaphthalene ©Textiles, NOI ©Tin Chloride, solid (Tin Crystals) ®Tin Tetrachloride, anhydrous ®Tobacco Crystals (Tobacco Potash Salts) Noil ®Fireplace ®Toweling, Turkish Towels:	15520 16300 15520 .130700 .130730 49270 28340 44160 47050 47050 49265 47120 47150 45950 49265
BSal Ammoniac Salt(s): BAlkali, crude, dry Bromine Cadmium. Cobalt Lime Nickel Potash, tobacco. Potassium alkali, crude, dry, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Potassium (Potash), NOI Potassium (Potash), NOI not required by DOT to bear a Hazard Class or Hazard Division label or placard. Brothelle Single nickel Calcinc Azinc, NOI, not required by DOT to bear a Hazard Class or Hazard Division label or placard. Asandpaper Sandpaper, other than belts Chain Power operated, portable, NOI Saws and Engines combined, portable, NOI	45660 43560 43610 43680 45420 45950 45870 45870 45870 45870 45950 47400 47400 1050 1100 129060 129060	Sodium Formate Sodium Hydrosulfate or Sodium Hydrosulfide, not required by DC to bear a Hazard Class or Hazard Division label or placard Sodium Hyposulfite Sodium Hyposulfite Sodium Nitrate and Ammonium Nitrate Mixture Sodium Sulfocyanate Crystals Sodium Sulfocyanate Crystals Sodium Sulfydrate, not required be DOT to bear a Hazard Class or Hazard Division label or placard Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Thiocyanate Crystals Solution(s): Sodium Division label or placard Solution Solut		©Tablecloths, cloth or fabric	15520 16300 15520 .130700 .130730 49270 28340 44160 47050 47050 49265 47120 47150 45950 49265

INDEX TO ARTICLES										
Article Item	Article	Item	Article	Item						
®Triethanolamine 45330 ®Triethylene Glycol 44620 Trusses:	Welour, Velvet or Velveteen, I or synthetic fiber, knit or we service of the synthetic fiber, knit or we service or synthetic fiber, knit or we service or synthetic fiber. Well or synthetic fiber, knit or well or synthetic fiber. Well or synthetic fiber.	 49265 69370 44090	®Wire and cotton cloth combine Y Yarn(s): ® Cellulose sponge coated ® Coconut husk (cocoa or coir) ® Cotton and synthetic fiber bler	200300 200320						
ventilator, gasoline tank filler, exhaust, oil filler or strainer suction, or radiator outlet, steel, copper plate or terne plate	Waffle Mixes Wagons:		Scotton and synthetic liber bier NOI, other than in skeins, ba hanks or on cards	ills, 200430 200340 ins, 200380 200420 n in						
 ®Exhaust, automobile, steel, copper plate or terne plate	©Household laundry		© Zinc Borate, dry	47310 47320 47360 y DOT ard						
®Tungsten Oxide 47210 ®Tungstic Acid 47210 ®Turkish Toweling 49265	®Pulp grinding	1020	Division label or placard	47400						

ITEM 183-C

FCDC-REGISTERED THIRD PARTY PACKAGE TESTING LABORATORIES

The package testing laboratories named below are registered with the Freight Classification Development Council and are qualified to conduct the performance test procedures detailed in Items 180 and 181. For the most up-to-date list of registered labs, please refer to the FCDC's website, www.nmfta.org/pages/FCDCRegistered.

Laboratory	Location	Contact	Phone Number
Advanced Packaging Technology Laboratories, Inc.	Wheeling, IL	Monica White	847.520.4343 x215
ANAMA Package & Container Testing Services, Inc.	Stamford, CT	Anton Cotaj	203.658.8490
Bureau Veritas Consumer Products Services Vietnam	Ho Chi Minh City, Vietnam	Ryan Nguyen	84.966.357953
★Bureau Veritas Shenzhen Company Limited	Shenzhen, Guangdong, China	Larry Ching	86.755.86000151
China Packaging Research & Test Center	Tianjin, China	Wang Qing	86.22.66237185
FedEx Services Packaging Lab	Collierville, TN	Evan Edwards	901.850.3597
Intertek Testing Service Shenzhen Limited, Guangzhou Branch	Guangzhou, Guangdong, China	Bo Wang	86.20.82139764
Intertek Testing Services Shenzhen Ltd.	Shenzhen, Guangdong, China	Carrey Wen	86.755.2602.0307
Keystone Package Testing	New Castle, PA	Scott Bischoff	724.657.9940
Multi-Wall Packaging Corp.	Danville, VA	Rob Reynolds	434.836.7802
Outlook Technical Services (Vietnam) Ltd.	Di An City, Binh Duong Province, Vietnam	Christine Nguyen	84.774.356.503
Packaging Corporation of America	Mundelein, IL	Brandon Hink	847.388.6034
Performance Testing Laboratories, LLC	Orange, CA	Mary Beth Proctor	714.957.9300
Pro-Pack Testing Laboratory, Inc.	Belleville, IL	Manuel Rosa, Jr.	618.277.1160
PT. Outlook Technical Service	Sidoarjo, Jawa Timur, Indonesia	Daud Musafar	62.31.891.7907
SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch	Guangdong Province, China	Heather Meng	86.757.2280.5851
WestRock	Carol Stream, IL	Jim Rivera	630.384.5237

ITEM 680-B

PACKING OR PACKAGING—GENERAL

General

Sec. 1. (a) The separate descriptions of articles provide the minimum, acceptable packaging requirements, see Note 1. Numbered packages or other packaging provisions (other than 'DOT Specification Number' packages, for which, see DOT's hazardous materials regulations) are authorized for use only when item descriptions contain reference thereto. The definitions of or specifications for packaging requirements are provided in: (1) Items 200 through 299, (2) numbered packages and (3) Note references. The minimum requirements notwithstanding, articles must be tendered for shipment in such a manner as to withstand the normal rigors of the less-than-truckload environment. Whether or not part of the specific requirements, protective packing forms or other packaging materials must be used where necessary to afford adequate protection against damage to the articles being shipped. Articles or articles and necessary interior packing forms must reasonably occupy the full cubic capacity of the outer shipping container, see Notes 2(a), 3 and 4. Articles unitized or secured on lift truck skids, pallets or platforms must reasonably occupy the full surface area of the lift truck skid, pallet or platform, see Note 2(b) and (c).

Note 1—The term 'packaging requirements' as used in this Classification or in tariffs governed thereby means the provisions which specify: (1) the kinds or specifications of the containers, packages or other manner in which the articles shall be packed or protected for shipment, and (2) how the articles shall be packed or protected by or within such containers, packages or other manner.

Note 2—

- (a) Reasonable Occupancy of Shipping Container. Unless otherwise provided, commodities in shipping containers (not containers within containers) shall be deemed to be in compliance when filled to not less than 65 percent of the capacity of such containers. When filled to less than 65 percent of capacity, the gross weight of the container and its contents will be subject to the class applicable to either the container or its contents, whichever is higher.
- (b) Reasonable Occupancy of Lift Truck Skid, Pallet or Platform Deck. Unless otherwise provided, and except as permitted in paragraph (c), commodities unitized or secured on lift truck skids, pallets or platforms shall be deemed to be in compliance when occupying not less than 65 percent of the full surface area (deck) of the lift truck skid, pallet or platform. The surface area occupied shall be determined by multiplying the greatest straight-line dimensions of length and width of the commodity(ies). Banding, strapping, wrapping or other materials used for securement to the lift truck skid, pallet or platform will not be considered in the determination of occupancy. When less than 65 percent of the surface area of the lift truck skid, pallet or platform is occupied, the gross weight of the lift truck skid, pallet or platform and the commodity(ies) unitized or secured thereon will be subject to the class applicable to either the lift truck skid, pallet or platform or the commodity(ies), whichever is higher.

Any part of the commodity(ies) shipped that may overhang the lift truck skid, pallet or platform will not be used in determining occupancy of the surface area, but will be used in the computation of density. (See Item 110, Sec. 8-8(d).)

(Continued on following page)

ITEM 680-B-Continued

(c) Maximum Allowable Dimensions of Lift Truck Skids, Pallets or Platforms for 'Potentially Unstable Commodities.' For the purpose of this rule, commodities having an overall height 1.5 times or more their shortest base dimension shall be considered potentially unstable. ▶To provide adequate stability, such commodities may be unitized or secured on a standard lift truck skid, pallet or platform measuring not less than 40 x 40 inches nor more than 48 x 48 inches. Alternatively, the commodities may be unitized or secured on a lift truck skid, pallet or platform having maximum dimensions as determined using the following formulas. If the lift truck skid, pallet or platform exceeds the allowable length or width, the gross weight of the handling unit will be subject to the class applicable to either the lift truck skid, pallet or platform or the commodity(ies) being shipped, whichever is higher.

The Maximum Allowable Length is the larger result of the following calculations:

Maximum Allowable Length (in) = Commodity's(ies') Height (in) x 0.67

Maximum Allowable Length (in) = Commodity's(ies') Length (in) + 12 (in)

The Maximum Allowable Width is the larger result of the following calculations:

Maximum Allowable Width (in) = Commodity's(ies') Height (in) x 0.67

OR

Maximum Allowable Width (in) = Commodity's(ies') Width (in) + 12 (in)

▶This paragraph does not apply when the commodity(ies) occupies 65 percent or more of the surface area of the lift truck skid, pallet or platform, in accordance with Note 2(b).

Note 3—Unless otherwise provided, articles tendered on reels shall be deemed to be in compliance when the reel is filled to not less than 65 percent of capacity. When filled to less than 65 percent of capacity, the gross weight of the reel and its contents will be subject to the class applicable to either the reel or its contents, whichever is higher.

Note 4—Unless otherwise provided and unless subject to classes based on density, liquid, powdered or granular commodities or materials packaged in rigid or semirigid primary containers in an authorized outer shipping container must occupy at least 65 percent of the primary container's cubic capacity. When filled to less than 65 percent of the primary container's cubic capacity, the gross weight of the commodity as packaged for shipment will be subject to the class applicable to either the primary container or its contents, whichever is higher. Does not apply when primary inner containers are in intermediate inner containers and then placed in an outer shipping container.

Sec. 1. (b) Unless otherwise provided for in the separate descriptions of articles, where classes are provided for 'loose' or 'in bulk,' such classes will also apply on the same articles when in packages; or if no packing or form of acceptance is mentioned, the classes will also apply on the same articles when loose or in packages. See also Secs. 5(a) and (b).

Carrier's Option to Accept or Refuse

Sec. 2. Except as provided in Item 423, whether or not the authorized minimum packing requirements are observed, outer (shipping) containers or packages, inner containers, interior protection devices, method of packing within containers or packages, or other form of shipment authorized must be made of materials of such strength or be of such nature as to afford a reasonable and proper protection of lading and to protect against damage to other freight or equipment, and carriers may for good reason refuse to accept freight the transportation of which, in their judgment, would not be reasonably safe and practicable and so notify the shipper.

Liquids, or Commodities that will Expand, Liquefy or Vaporize

Sec. 3. Liquids, or commodities that will expand, liquefy or vaporize under any conditions during transportation must be secured in containers that will prevent leakage from such containers.

Recoopering

Sec. 4. Provided that the shipper is notified beforehand, the carrier shall have the right to perform necessary recoopering at owner's or shipper's expense except when necessitated by carrier's negligence.

Definitions of the Terms 'In Packages' and 'Loose'

- **Sec. 5. (a)** When the term 'in packages' is provided in connection with the separate descriptions of articles, such articles will be accepted for transportation in any container or in any other form tendered to carrier which will permit handling into or out of vehicles as units, provided such containers or tendered forms will render the transportation of freight reasonably safe and practicable so that it will withstand the normal rigors of the less-than-truckload environment. The term 'in packages' includes articles securely fastened to lift truck skids, pallets or platforms, or unitized quantities, but does not include articles 'in bulk,' 'loose,' 'on skids' or articles racked or braced in vehicles.
- Sec. 5. (b) The term 'loose' is defined as freight that is not packaged, not unitized, not on skids and not securely fastened to lift truck skids, pallets or platforms. When the term 'loose' is provided in connection with the separate descriptions of articles or where no packing or form of acceptance is specified, articles may be tendered loose for transportation only when the transportation of the articles is reasonably safe and practicable so that it will withstand the normal rigors of the less-than-truckload environment. Where necessary to afford adequate protection against damage, articles must be packaged or otherwise protected by packing forms or other packaging materials.

Outer Containers (Packages) versus Inner Containers (Packages)

- **Sec. 6. (a)** Outer containers are the shipping packages specified in individual item descriptions. Unless otherwise provided, the classes shown in connection therewith apply whether or not the contents are in inner containers.
- Sec. 6. (b) Inner containers are packages that contain or hold the article(s) being shipped and are packed within an outer container (shipping package).
- Sec. 6. (c) Unless otherwise provided in individual item descriptions, classes shown for articles in glass inner containers will also apply on the same articles in earthenware or molded plastic inner containers.
- Sec. 6. (d) Where in individual items classes are provided for articles in metal inner containers, such classes apply only on articles in inner containers constructed of metal and having rigid, self-supporting sides.

(Continued on following page)

ITEM 680-B-Continued

Articles Secured to Skids or to Lift Truck Skids. Pallets or Platforms, or Bundled Together

Sec. 7. (a) Articles in packages or shipping forms, as authorized in individual item descriptions, will be accepted when secured on skids meeting the requirements of Item 270. When articles are authorized to move 'on skids' within individual item descriptions, skids must meet the requirements of Item 270.

Sec. 7. (b)

- (1) Except as required in Paragraphs (2) and (3), articles in packages or shipping forms, as authorized in individual item descriptions, will be accepted when unitized or secured on lift truck skids, pallets or platforms meeting the requirements of Item 265. Unless otherwise provided, when in the specifications of numbered packages or in individual item descriptions articles are required to move on lift truck skids, pallets or platforms, such skids, pallets or platforms must meet the requirements of Item 265. Except where required by the applicable provisions, it is recommended that articles unitized or secured on lift truck skids, pallets or platforms not overhang the skid, pallet or platform deck.
- (2) Articles in bags complying with the construction requirements for such containers, as authorized in individual item descriptions, will be accepted when unitized on lift truck skids, pallets or platforms meeting the requirements of Item 265, provided the bottom tiers of bags are placed within a fiberboard tray, with or without a separate fiberboard sleeve, on the lift truck skid, pallet or platform deck. Depth of the tray or tray and sleeve, as the case may be, must extend at least 20 inches from the lift truck skid, pallet or platform deck (see Note 5). Bags, tray and, where present, sleeve must not overhang the deck, and the entire handling unit must be secured together with plastic film and with strapping in opposing directions, at least two straps in each direction. Fiberboard protectors or a barrier sheet of fiberboard, heavy-duty Kraft paper or similar material must be used to prevent direct contact between straps and bags. See Note 6.

Note 5—When bags are stacked to a height of less than 20 inches, depth of the tray or tray and sleeve, as the case may be, must extend the full height of the bags.

Note 6—For requirements applicable to flexible intermediate bulk containers (FIBCs), see Item 280. Sec. 2.

(3) Articles in pails complying with the construction requirements for such containers, as authorized in individual item descriptions, will be accepted when unitized or secured on lift truck skids, pallets or platforms meeting the requirements of Item 265, except spacing between deck boards must not exceed ▶25 percent of the pails' base diameter. Bottom tier of pails must firmly rest on deck boards or on a sheet of fiberboard or wood placed directly on the deck boards, and a fiberboard or wood sheet may be placed between each tier of pails. Pails must not overhang the deck, and bails or handles must not come into direct contact with one another. Stack height of pails must be less than 1.5 times the shortest dimension of the bottom tier of pails.

The entire handling unit must be wrapped with plastic film in a manner that secures the freight together and to the lift truck skid, pallet or platform, so as to withstand the normal rigors of the less-than-truckload environment. In lieu of plastic film, ▶strapping in opposing directions must be used to secure the pails to the lift truck skid, pallet or platform, with at least two straps in each direction. When strapping is used to secure the handling unit, a fiberboard or wood sheet or cap must be placed over the top tier of pails to help prevent strapping ▶and pails from shifting in transit.

Sec. 7. (c) Articles in fiberboard boxes complying with the construction requirements for such containers, as authorized in individual item descriptions, will be accepted when unitized into bundles with stretch or heat-shrinkable plastic film, or the strapping materials named in Item 680, Sec. 9. Materials used to bundle containers must be of sufficient number and strength to maintain the integrity of the unit during transportation.

Packing—Mixed Shipments

Sec. 8. Unless otherwise provided in the separate description of articles, the package specifications, conditions and all other requirements governing articles in straight shipments apply on the same articles when in mixed shipments.

Strapping or Taping of Articles or Packages

- **Sec. 9.** (a) Unless otherwise provided, where the use of rope, wire or metal bands or straps is specifically authorized or required, or where an article must be 'strapped,' metal, plastic or synthetic fiber strapping, or adhesive tape, may be used provided such strapping or tape is of sufficient strength so as to withstand the normal rigors of the less-than-truckload environment.
- Sec. 9. (b) Unless otherwise provided, article(s) or package(s) may be secured to lift truck skids, pallets or platforms with metal, plastic or synthetic fiber strapping of sufficient strength so as to withstand the normal rigors of the less-than-truckload environment. Strapping must be placed in opposing directions, with at least two straps in each direction. Additional strapping is required on handling units exceeding 48 inches in length or width. When two or more articles each ▶having an overall height 3 times or more than their shortest base dimension are tendered side-by-side on the same lift truck skid, pallet or platform, at least two straps must be used around the perimeter of the articles to adequately secure them together ▶so as to prevent them from moving relative to each other. Contact points that may be damaged by strapping must be protected by packing forms or other packaging materials.

Definition of 'Wrapped'

- **Sec. 10. (a)** When in the separate description of articles the word 'wrapped' is referred to as a form of exterior packaging, such articles must be enclosed or enfolded within packaging material which completely covers the article. Such wrappers must be securely fastened. This method of packaging must render the transportation of freight reasonably safe and practicable so that it will withstand the normal rigors of the less-than-truckload environment.
- Sec. 10. (b) Except as provided elsewhere in this Classification, when plastic film wrap is used, the film strength should afford sufficient protection to the freight. The plastic film must be wrapped so as to adequately secure the freight together and to the lift truck skid, pallet or platform, when present.

In order to test the sufficiency of plastic film wrap, performance tests may be conducted. To simulate fork truck handling, test according to ASTM D880, Test Method for Impact Testing for Shipping Containers and Systems; D4003, Methods of Programmable Horizontal Impact Test for Shipping Containers and Systems; D6055, Test Methods for Mechanical Handling of Unitized Loads and Large Shipping Cases and Crates; or D6179, Test Methods for Rough Handling of Unitized Loads and Large Shipping Cases and Crates. For guidance on the intensities and durations for these procedures, refer to Section 10.3.2 of Schedule A – Handling – Manual and Mechanical of ASTM D4169, Standard Practice for Performance Testing of Shipping Containers and Systems. To test for resistance to impact of the plastic wrap on shipping packages, use ASTM D6344, Standard Test Method for Concentrated Impacts to Transport Packages.

Substitution of Fiberboard Boxes for Packages, Bales, Bundles or Wrapped


Sec. 11. When in the separate description of articles the terms 'in packages,' 'in bales,' 'in bundles,' or 'wrapped' are referred to as a form of exterior packaging, such articles may be enclosed in corrugated fiberboard boxes. When the corrugated boxes used do not meet the requirements of Item 222, they must not bear a box manufacturer's certificate as provided for in Item 222-1.

(Continued on following page)

ITEM 680-B-Continued

Top-Heavy Articles

Sec. 12. Articles as tendered for shipment weighing 200 pounds or greater and greater than 48 inches in height which exhibit a high center of gravity in their normal orientation of loading for in-transit movement must be placarded on two opposite sides conspicuously displaying the following symbol as a precautionary warning:



TOP HEAVY

Top-heavy articles are those having a center of gravity higher than $^1/_2$ their standing height and having a height of two times or greater of the shorter base dimensions, as packaged.

Environmental or Event Monitors, Indicators or Recorders

- **Sec. 13. (a)** Environmental or event monitors, indicators or recorders are devices that can be placed on or within a package, handling unit or vehicle to monitor the shipping and storage environment. These devices are intended to detect if an event has occurred or an environmental threshold has been surpassed for many types of shipping conditions such as, but not restricted to, shock/impact, vibration, tilting, temperature, humidity, atmospheric pressure or exposure to light.
- Sec. 13. (b) The reliability of environmental or event monitors, indicators or recorders is not always certain. Consequently, these devices might not constitute sufficient evidence of mishandling of the freight.

Articles or Containers with Wheels or Casters

Sec. 14. Articles that are tendered for shipment with wheels or casters attached, or in containers with wheels or casters attached, must be equipped with locking or retracting devices or be packaged in such a manner as to prevent movement during transportation. When tendered on lift truck skids, pallets or platforms, articles or containers with wheels or casters attached must be secured to prevent any shifting during transportation and to prevent wheels or casters from falling through the lift truck skid, pallet or platform deck.

Where Damage to the Shipping Package Will Result in a Claim

Sec. 15. Unless otherwise provided in individual descriptions of articles, when damage to the shipping package, including cosmetic damage, will result in a claim for loss or damage, such package(s) must be overpacked or otherwise protected by packaging materials sufficient to prevent damage to the package(s). See also Item 222-1, Note 6.

Freight Requiring Protection from Rust or Corrosion, or from Freezing of Internal Liquids

- Sec. 16. (a) Articles liable to damage by rust or corrosion must be coated with rust- or corrosion-preventative compounds or preparations, or be protected by rust- or corrosion-prevention packaging.
- Sec. 16. (b) Machinery or vehicles, including aircraft, automobiles or boats, containing water or other liquid subject to freezing must be drained or have such water or liquid adequately protected by suitable antifreeze compounds or preparations.

Freight that Must be Floor-Loaded

Sec. 17. Freight that cannot be safely top-loaded or decked for transport must be so marked on at least two adjacent sides of the handling unit (see Item 682, Sec. 15). Such freight may include, but is not limited to: hazardous materials; top-heavy or unstable handling units; liquid or semi-liquid products in drums or pails; handling units consisting of articles in bags (see Item 680, Sec. 7(b)(2)); or freight in intermediate bulk containers (IBCs) that lack an integral stacking alignment or securing design feature (see Item 280).

1010-A 1011-A 1020-A 1021-A 1022-A *1050	ARTICLE ABRASIVES GROUP, etc⊠Cancel; no further application. NOTE—⊠Cancel; see item 1051. Abrasives, etc⊠Cancel; see item 1050. NOTE—⊠Cancel; no further application. NOTE—⊠Cancel; no further application.	CLA
1011-A 1020-A 1021-A 1022-A	NOTE—⊠Cancel; see item 1051. Abrasives, etc⊠Cancel; see item 1050. NOTE—⊠Cancel; no further application.	
1020-A 1021-A 1022-A	Abrasives, etc⊠Cancel; see item 1050. NOTE—⊠Cancel; no further application.	
1021-A 1022-A	NOTE—⊠Cancel; no further application.	
1022-A	• • • • • • • • • • • • • • • • • • • •	
I	NOTE—⊠Cancel: no further application.	
★ 1050		
	Abrasives, see Note, item 1051, viz.:	
	Abrasive Belts;	
	Abrasive Cloth or Paper, including Emery Cloth or Paper or Sandpaper;	
	Abrasive Wheels;	
	Bonded Abrasive Blocks;	
	Crude or Lump;	
	Flour or Grain;	
	Refuse, including Broken Wheels, Wheel Stubs or Wheel Grindings;	
	Sanding Pads, Sponges or Blocks;	
	In bags, boxes or drums, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8.	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 11	30 or greater	60
★ 1051	NOTE—Applies only on Alundum [®] , corundum, emery or other natural or synthetic abrasive material consisting chiefly of	
	aluminum oxide or silicon carbide, as well as articles made from, or having abrasive surface(s) of, such material.	
4000 4	Alundum® is a registered trade name of Norton Company.	
1060-A	Belts, abrasive, etc⊠Cancel; see item 1050.	
1100-A	Cloth or Paper, abrasive, including Emery Cloth or Paper or Sandpaper, other than belts, etc⊠Cancel; see item	
4450 4	1050.	
1150-A	Pads, Sponges or Blocks, sanding, etc…⊠Cancel; see item 1050.	
	AGRICULTURAL IMPLEMENT PARTS GROUP: subject to item 10540	
11080-A	Housings, Shrouds or Hoods, ▶in packages, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92
Sub 8	12 but less than 15	8
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	6
Sub 11	30 or greater	60
	THE CRACE INTENTIONALLY LEFT BLANK	
	THIS SPACE INTENTIONALLY LEFT BLANK	
I		
1		
	I	

_	SOLI ELIMENT 4 TO NIVIL 100-AV	1
ITEM	ARTICLE	CLASS
		_
	ATHLETIC GOODS GROUP: subject to item 15500	
15520-A	Athletic or Sporting Goods, viz.:	
	Athletic or Sporting Goods, NOI;	
	Basketball Nets:	
	Blinds, hunters', with or without accessories and camouflage materials;	
	Boards, water sports, NOI, see Notes, items 15523 and 15524;	
	Boxes, Buckets, Cages, Canteens, Containers or Pails, live bait;	
	Decoys, bird, NOI;	
	Exercising or Gymnasium Apparatus or Equipment, NOI;	
	► Fishing Tackle, NOI;	
	Floats, Rafts or Toys, water sports, NOI, see Note, item 15524;	
	Golf Mats or Platforms, NOI, with or without tees;	
	Playground Apparatus, NOI, see Note, item 15525;	
	Sandboxes or Wading Pools, molded plastic;	
	Snowboards or Snowboard Bindings;	
	Swimming Fins, Goggles, Masks, Nose Clips or Snorkels;	
	Weight Lifting Benches or Athletic Utility Benches, NOI;	
	In boxes or crates, see Note, item 15522, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 1		
	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 10	30 or greater	60
	NOTE The following departure from positing requirements are permitted:	00
△15522-A	NOTE—The following departures from packing requirements are permitted:	
	Playground apparatus may be shipped in packages.	
	2. Molded plastic sandboxes or wading pools may be shipped in woven plastic film bags of not less than 4 mil	
	thickness.	
	Motorized exercise treadmills may be shipped in Package 2484.	
	4. Not currently used.	
	5. Trampolines, KD, may be shipped in packages.	
△15523-A	NOTE—Applies on products such as Bodyboards, Kickboards, Kneeboards, Paddleboards, Sailboards, with or	
Z10020 / (without sails, or Surfboards , not exceeding 96 inches in greatest dimension. For provisions applicable to articles	
^ 4FF04 A	exceeding 96 inches in greatest dimension, see item 24670.	
△15524-A	NOTE—Applies on articles used by children or adults for play, instruction or safety.	
∆15525-A	NOTE—Does not apply on inflatable or air-supported enclosures, structures or promotional or advertising figures or	
	images, nor on amusements, such as games, bouncers, rides or slides for use at outdoor picnics, birthday parties,	
	fund-raising or promotional events or other such festivities. For applicable provisions, see item 63595.	
16300-A	Fishing Tackle, NOI, other than plastic or rubber, etc…⊠Cancel; see item 15520.	
	BARKS: subject to item 21500	
21580-A	Hickory, not ground nor powdered, etc⊠Cancel; obsolete.	
Z 1300-A	Thereby, not ground not powdered, etc	
	THIS SPACE INTENTIONALLY LEFT BLANK	
	THE STAGE INTENTIONALET LET I BEAUX	
1		
-		

	SUPPLEMENT 4 TO NMF 100-AV	
ITEM	ARTICLE	CLASS
22150-A	BASKETS OR HAMPERS:⊠Cancel; no further application.	
22190-A	Baskets or Hampers, wood and wire combined, NOI, SU, etc \(\times\) Cancel; see item 22260.	
22190-A	NOTE—\(\subseteq Cancel\): no further application.	
22200-A	Baskets or Hampers, consisting of collapsed cloth or plastic bodies and detached folded metal stands or frames,	
2220071	etc\suCancel; see item 22260.	
22210-A	Baskets, see Note, item 22212, food packaging, plastic, of latticed construction, capacity not exceeding 2 quarts	
	liquid measure or 116 cubic inches, etc…⊠Cancel; see item 22260.	
22212-A	NOTE—⊠Cancel; no further application.	
22220-A	Baskets, industrial material parts handling, wire, wire and expanded metal or wire and perforated metal, see Note,	
	item 22222, with or without plastic coating, with or without built-in racks or holders…⊠Cancel; see item 22260.	
22222-A	NOTE—⊠Cancel; no further application.	
22225-A	Baskets, lunch or picnic, containing eating utensils and dishes, with or without other fittings or accessories,	
00007 4	etc © Cancel; see item 22260.	
22227-A	Baskets, store display, open end, steel wire and tubular steel combined, with or without plastic coating, not nested,	
22230-A	with or without mounting hardware, etc…⊠Cancel; see item 22260. Baskets, wire, KD, with plastic liners and paper bottom liner, etc…⊠Cancel; see item 22260.	
22235-A	Baskets, wire, store display, open end, frame made of 1 gauge or heavier wire and lacing made of 12 gauge or	
22200-7	heavier wire, with or without dividers, nested in nests of 12 or more, etc	
22240-A	Baskets, wire, with or without plastic coating, taper sided, top frame made of 3 gauge or heavier wire, sides, ends	
	and bottom made of 12 gauge or heavier wire, or top frame made of 6 gauge or heavier wire, sides, ends and	
	bottom of 13 gauge or heavier wire, bottom reinforced diagonally with two wires of 9 gauge or heavier,	
	etc…⊠Cancel; see item 22260.	
▶22260-A	Baskets or Hampers, viz.:	
	Baskets or Hampers, NOI;	
	Clothes Hampers;	
	Lunch or Picnic Baskets, see Note, item 22261;	
0.4	In boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:	400
Sub 1	Less than 1	400
Sub 2 Sub 3	1 but less than 2	300 250
Sub 4	4 but less than 6.	175
Sub 5	6 but less than 8.	125
Sub 6	8 but less than 10.	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 11	30 or greater	60
★22261 22430-A	NOTE—Applies on baskets with or without utensils, dishes or other accessories. Bread or Laundry Shipping (Boxes), with lock or seal covers, wood or steel and wood combined, etc Cancel;	
22450-A	see item 22260. Canvas, with metal or wooden frames, covers or bottoms, etc…⊠Cancel; see item 22260.	
22500-A	Fiberboard, Paperboard or Pulpboard, NOI, without wooden frames, with or without covers, etc \(\times \) Cancel; see	
22300-7	item 22260.	
22502-A	NOTE—⊠Cancel; no further application.	
22504-A	NOTE—⊠Cancel; no further application.	
22506-A	NOTE—⊠Cancel; no further application.	
22600-A	Refrigerator, etc⊠Cancel; see item 22260.	
22605-A	Shipping, plastic, steel or wood reinforced, with or without covers, etc…⊠Cancel; see item 22260.	
22640-A	Wire or Expanded Metal, NOI, coated or not coated with rubber or plastic, etc⊠Cancel; see item 22260.	
22642-A	NOTE—⊠Cancel; no further application.	
22660-A	Wire, rubber or plastic covered, dish draining, etc…⊠Cancel; see item 22260.	
23020-A	Beans, castor, etc ©Cancel; see item 45322.	
	BOAT GROUP: subject to item 24500	
25020-A	Logs, vessel navigating, etc⊠Cancel; obsolete.	
	BOILERS, FURNACES, STOVES AND RELATED ARTICLES GROUP: subject to item 25400	
26720-A	Ovens, Ranges or Stoves, cooking, and Related Cooking Equipment, electric or gas, viz.:	
	Convection Ovens, including Air Fryers;	
	▶Grills or Broilers, indoor type, with integral heating elements in tops or in tops and bottoms;	
	Hotplates; Microwave Ovens;	
	Ovens, NOI;	
	Pizza Ovens;	
	Ranges, NOI;	
	Stoves, NOI, indoor type;	
	Stovetops, Cooktops or Grills, NOI, indoor type;	
	Toaster Ovens;	
	►Waffle Irons;	
	In boxes, crates or Packages 112, 131, 972, 1019, 1082, 1462 or 2260, see Note, item 26721, subject to Item	
0 1 1	170 and having a density in pounds per cubic foot of:	4
Sub 1	Less than 8	175
Sub 2	8 or greater	92.5
		l

ITEM	ARTICLE	CLASS
≙26721-A	NOTE—Articles weighing each greater than 110 pounds must be tendered in authorized packages secured on a lift truck skid, pallet or platform.	
	BOOT GROUP: subject to item 28120	
28450-A	Plates or Taps, iron or steel, with or without nails, other than card mounted or blister packed, etc⊠Cancel; obsolete.	
	BOX GROUP: subject to item 28900	
	Boxes: subject to item 28940	
29395-A	Lithograph Printing Plate, wooden, not exceeding 4¹/₂ inches in thickness, etc⊠Cancel; obsolete.	
00700 4	BROOMS GROUP: subject to item 32770	
32790-A	Broom Caps, iron or tin, etc	
34850-A	BUILDING MATERIALS, MISCELLANEOUS, GROUP: subject to item 33570 Lathing, etc Cancel; obsolete.	
35030-A	Material, road surface adhesion preventing, etc⊠Cancel; obsolete.	
	BUILDING METALWORK GROUP: subject to item 35600	
36490-A	Finials, ridge roll, steel, etc⊠Cancel; obsolete.	
36610-A	Grids, suspension ceiling, see Note, item 36611, ▶in boxes:	
Sub 1 Sub 2	AluminumSteel	70 50
∆36611-A	NOTE—Applies on mixtures of aluminum or steel angles, bars, beams, channels, furring, studding or molding comprising	50
	the essential suspension components of suspension-type ceilings, and on necessary accompanying fittings, fixtures	
	or hardware for installation.	
★ 38650	Bumpers or Fenders, boat or dock, NOI, see Note, item 38651, in packages, subject to Item 170 and having a density	
Sub 1	in pounds per cubic foot of: Less than 6	200
Sub 2	6 but less than 15	100
Sub 3	15 but less than 30	70
Sub 4	30 or greater	55
★ 38651	NOTE—Applies on bumpers or fenders for use in marine, freight dock or warehouse applications.	
∆39245-A	CABINETS, OR PARTS NAMED: subject to item 39200 Cabinets, radio, phonograph, tape player or recorder, television, amplifier or loudspeaker, NOI, separate or	
<u> </u>	combined, without mechanism or electrical apparatus, see Note, item 39247:	
Sub 1	SU:	
Sub 2	Box type or portable, in Packages 3F, 5F, 25F, 829 or 1078	150
Sub 3	Console, in Packages 1F, 2F, 3F, 5F, 829 or 1078	200
Sub 4 39247-A	KD, in Packages 1F, 3F or 5FNOTE—The terms of ▶paragraphs (c) and (d) of Note, item 79022 need not be complied with.	85
39410-A	Poultry Killing, KD, etc Scancel; obsolete.	
	CHEMICALS GROUP: subject to item 42600	
42605-A	Abietic Acid, etc⊠Cancel; see items 45322 and 43940.	
40040 4	Ammonium: subject to item 42930	
42940-A	Bicarbonate , ▶not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard Division label or placard, see Note, item 42941:	
Sub 1	In inner containers in boxes	70
Sub 2	In bulk in drums, or Packages 351 or 2183	60
★ 42941	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see provisions elsewhere in this Classification.	
42970-A	Borate or Biborate, etc⊠Cancel; obsolete.	
42990-A	Carbonate, ▶not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard Division	
0	label or placard, see Note, item 42991:	77.
Sub 1 Sub 2	In inner containers in boxes	77.5 70
★42991	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	, ,
-	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
40000 4	provisions elsewhere in this Classification.	
43000-A 43030-A	Chloride (Muriate of Ammonia or Sal Ammoniac), etc…⊠Cancel; see item 45322. Nitrate, Magnesia and Pulp Mixture, ▶not required by the U.S. Department of Transportation to bear a Hazard	
43030-A	Class or Hazard Division label or placard, see Note, item 43031, in drums	70
★ 43031	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	_
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
43040-A	provisions elsewhere in this Classification. Nitrate, Sodium Nitrate Mixture, etc⊠Cancel; obsolete.	
43040-A 43090-A	►Sulfate, not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard Division label	
	or placard, see Note, item 43091:	
Sub 1	In inner containers in boxes	65
Sub 2	In bulk in bags or drums	50
★ 43091	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
	provisions elsewhere in this Classification.	
43110-A	Sulfide, dry, etc…⊠Cancel; obsolete.	
43130-A	Thiocyanate (Ammonium Sulfocyanate) Liquor, etc⊠Cancel; obsolete.	
43140-A 43150-A	Thiosulfate Solution, etc…⊠Cancel; obsolete. Thiocyanate Crystals (Ammonium Sulfocyanate Crystals), etc…⊠Cancel; obsolete.	
45150-A	Thiocyanate orystals (Allimonium sumocyanate orystals), etc@Callet, UDSURTE.	
4		

ITEM	ARTICLE	CLAS
TTENT	CHEMICALS GROUP: subject to item 42600	OLINO
43200-A	Antimony Crocus, etc⊠Cancel; obsolete.	
43210-A	Antimony Lactate, etc⊠Cancel; see item 45615.	
	Barium: subject to item 43300	
43310-A	Aluminate, etc⊠Cancel; obsolete.	
43350-A	Chloride, etc…⊠Cancel; see item 45615.	
43370-A	Fluoride, etc⊠Cancel; obsolete.	
43380-A	Hydrate , etc…⊠Cancel; obsolete.	
43415-A	Stearate, etc ©Cancel; obsolete.	
43450-A	Sulfide, etc⊠Cancel; obsolete.	
43500-A	Beverage Stabilizing or Chillproofing Compounds, etc Cancel; obsolete.	
43560-A	Bromine Salts, crude, NOI, for treating ores, etc…⊠Cancel; obsolete. ©Butadiene, etc…⊠Cancel; see item 85890.	
43565-A 43580-A	Butyl Lactate, etc⊠Cancel; obsolete.	
43590-A	Butyl Stearate, etc Scancel; obsolete.	
43610-A	Cadmium Salts, NOI, etc⊠Cancel; obsolete.	
4001071	Calcium: subject to item 43620	
43640-A	Aconitate, etc⊠Cancel; obsolete.	
43650-A	⊅Bisulfite , etc⊠Cancel; obsolete.	
43660-A	Bromide, etc…⊠Cancel; obsolete.	
43680-A	©Calcium or Lime Salts , NOI, etc⊠Cancel; obsolete.	
43690-A	©Carbide , etc…⊠Cancel, see item 44515.	
43692-A	NOTE—⊠Cancel; no further application.	
43710-A	Carbonate, recarbonated waste (Whiting Substitute), etc⊠Cancel; obsolete.	
43750-A	©Cyanamide (Lime-Nitrogen) , etc⊠Cancel; see item 44155.	
43780-A	Molybdate, etc SCancel; obsolete.	
43860-A	Sulfite, etc⊠Cancel; obsolete.	
43870-A 43920-A	Carbo-nitrate, etc…⊠Cancel; obsolete. Chalk, crude, etc…⊠Cancel; obsolete.	
43940-B	©Chemicals, NOI, see Note, item 43942:	
Sub 1	▶In glass carboys	100
Sub 2	In bags, boxes, drums or Packages 2258, 2456 or 2499	85
∆43942-B	NOTE—Also applies on accompanying accessorial bleeding sets or holders with or without needles attached. The total	
	weight of such named accessorial articles must not exceed 10 percent of the weight upon which charges are	
	assessed.	
43944-A	©Chemicals , plosophoric, etc⊠Cancel; see item 44515.	
43946-A	NOTE—⊠Cancel; no further application.	
43950-A	3Chloracetophenone , etc⊠Cancel; see item 45615.	
43980-A	OChloroplatinic Acid; or Acid Compounds or Solutions containing dissolved gold, silver, platinum, palladium, or	
42000 4	metals of the platinum group, etc Cancel; see item 44155.	
43990-A 44000-A	©Chrome Chloride Solution , etc⊠Cancel; see item 44155. Chrome Sulfate Solution , etc⊠Cancel; obsolete.	
44010-A	Chromium Acetate, etc	
44020-A	3Chromium Resinate , etc⊠Cancel; obsolete.	
44030-B	Chromium Sulfate, basic, dry, etc⊠Cancel; obsolete.	
44060-A	Cobalt Salts, NOI, etc⊠Cancel; obsolete.	
44070-A	Cobalt Sulfate, etc⊠Cancel, see item 45322.	
44080-A	Compounds , plastic or rubber blowing or expanding, dry, ▶not required by the U.S. Department of Transportation to	
	bear a Hazard Class or Hazard Division label or placard, see Note, item 44081, in paper lined burlap bags or in	
	boxes or drums	70
★ 44081	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
I	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see provisions elsewhere in this Classification.	
44090-A	Copper Acetate (Verdigris), etc⊠Cancel; see item 45322.	
44100-A	Copper Carbonate, etc⊠Cancel; obsolete.	
44110-A	Copper Oleate, etc⊠Cancel; obsolete.	
44120-A	Copper Oxide, etc Scancel; obsolete.	
44122-A	NOTE—⊠Cancel; no further application.	
44130-A	Copper Oxide, NOI, ▶not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard	
l	Division label or placard, see Note, item 44131, in boxes, drums or five-ply paper bags	70
★ 44131	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
I	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
44440 .	provisions elsewhere in this Classification.	
44140-A	©Copper Resinate, etc⊠Cancel; see item 44500.	
44150-B	©Copper Sulfate (Blue Vitriol), etc⊠Cancel; see item 45322.	
∆44155-A Sub 1	Corrosive Materials, NOI, see Note, item 44156, in U.S. DOT-authorized packaging: In Packing Group I	92.
I		92. 85
I	· ·	70
∆44156-A		'
	Material, as defined in 49 CFR §173.136 and required to bear a notice to that effect on bills of lading and packaging.	
	5 · · · · · · · · · · · · · · · · · · ·	
Sub 2 Sub 3 ∆44156-A	In Packing Group II	

	SUPPLEMENT 4 TO NMF 100-AV	I
ITEM	ARTICLE	CLASS
	CHEMICALS GROUP: subject to item 42600	
44160-A	Cream Tartar, ▶not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard Division	
14100 /	label or placard, see Note, item 44161, in boxes, drums or five-ply paper bags	70
★ 44161	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
444=0.4	provisions elsewhere in this Classification.	
44170-A	©Crotonaldehyde, etc⊠Cancel; see item 45615.	
44180-A 44190-A	Cryolite, etc⊠Cancel; see item 45322. Cyanamide, etc⊠Cancel; obsolete.	
44190-A 44230-A	Obsolete. Obsolete. Obsolete. Obsolete. Obsolete.	
44240-A	Dibutyl, Diethyl or Dimethyl Phthalate, ▶not required by the U.S. Department of Transportation to bear a Hazard	
	Class or Hazard Division label or placard, see Note, item 44241, in boxes or drums	55
★ 44241	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
44290-A	provisions elsewhere in this Classification.	
44290-A 44320-A	Dicyandiamide, etc⊠Cancel; obsolete. �Diisobutyl Carbinol, etc⊠Cancel; obsolete.	
44320-A 44370-A	Dodecylbenzene or Dodecyltoluene, etc⊠Cancel; obsolete.	
44460-A	©Ethyl Acetate , etc⊠Cancel; see item 44500.	
44480-A	Ethylidene Aniline, etc	
∆44500-A	≎Flammable Liquids , NOI; or Combustible Liquids in bulk containers with a maximum capacity greater than 119	
_	gallons, NOI; see Note, item 44501, in U.S. DOT-authorized packaging:	,
Sub 1	In Packing Group I	100
Sub 2	In Packing Group II	92.5
Sub 3	In Packing Group III	85
≙44501-A	or Combustible Liquid in bulk containers; as defined in 49 CFR §173.120 and required to bear a notice to that effect	
	on bills of lading and packaging.	
∆44515-C	≎Flammable Solid, Spontaneously Combustible or Dangerous When Wet Materials, NOI, see Note, item 44516,	
	in U.S. DOT-authorized packaging:	
Sub 1	Offered for transportation as a Hazard Class 4, Division 4.3:	
Sub 2	In Packing Group I	110
Sub 3	In Packing Group II	100
Sub 4	In Packing Group III	92.5
Sub 5 Sub 6	Offered for transportation as a Hazard Class 4, Division 4.2: In Packing Group I	150
Sub 6 Sub 7	In Packing Group II	92.5
Sub 8	In Packing Group III	85
Sub 9	Offered for transportation as a Hazard Class 4, Division 4.1:	
Sub 10	In Packing Group I	125
Sub 11	In Packing Group II	85
Sub 12	In Packing Group III	77.5
∆44516-C	NOTE—Applies on materials regulated by the U.S. Department of Transportation as a Hazard Class 4: Division 4.1,	
	Flammable Solid, other than Self-reactive Material; Division 4.2, Spontaneously Combustible Material; or Division 4.3, Dangerous When Wet Material; as defined in 49 CFR §173.124 and required to bear a notice to that effect on	
	bills of lading and packaging. For classes applicable to Self-reactive Material, see item 46047.	
44520-A	Formaldehyde, dry, etc	
44550-A	Formaldehyde Aniline, etc⊠Cancel; obsolete.	
▶44565-A	Fuel, ration heating, chemical composition, containing not less than 90 percent trioxane (Fuel Heating Bars), not	
	required by the U.S. Department of Transportation to bear a Hazard Class or Hazard Division label or placard,	70
±14566	see Note, item 44566, in boxes	70
★ 44566	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
	provisions elsewhere in this Classification.	
44567-A	≎Fumaric Acid , dry, etc⊠Cancel; obsolete.	
44570-A	Furfural, etc \(\times \) Cancel; see item 45615.	
44571-A	NOTE—⊠Cancel; no further application.	
44590-A	©Glycerine , crude (Spent Lye), concentrated, or Crude Glycerine, other than spent lye, etc⊠Cancel; obsolete.	
44600-A	Glycerine, crude (Spent Lye), not concentrated, etc ©Cancel; obsolete.	
44610-A	Glycerine, other than crude, etc ©Cancel; obsolete.	
44620-A 44625-A	Glycols, etc…⊠Cancel; obsolete. OHalogenated Monomethyldiphenyl-Methanes, Polychlorinated Biphenyls (PCBs), Polyhalogenated	
7702J-A	Biphenyls or Polyhalogenated Terphenyls, see Note, item 44626⊠Cancel; see items 45322 and 43940.	
44626-A	NOTE—Signification in the company of	
44645-A	Hydroxy Acetic Acid, ▶not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard	
	Division label or placard, see Note, item 44646, in bulk in drums	70
★ 44646	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
11650 A	provisions elsewhere in this Classification.	
44650-A 44660-A	Indigo, dry, etc⊠Cancel; obsolete. Indigo, liquid or paste, etc⊠Cancel; obsolete.	
44000-A	mayo, ngala or paste, etcoancer, obsolete.	

	SUPPLEMENT 4 TO NMF 100-AV	1
ITEM	ARTICLE	CLASS
	CUEMICAL C CROUP.	
	CHEMICALS GROUP: subject to item 42600	
44670-A	Iron:⊠Cancel; no further application.	
44680-A	Acetate (Iron Liquor), etc⊠Cancel; obsolete.	
44700-A	Carbonate, etc⊠Cancel; obsolete.	
44710-A	Chloride (Iron Muriate), dry, etc⊠Cancel; see item 44155.	
44720-A	©Chloride (Iron Muriate), other than crude, liquid, etc…⊠Cancel; see item 44155.	
44760-A 44770-A	Onitrate, etc⊠Cancel; see item 45467.	
►44770-A	Oxide Catalyst, etc…⊠Cancel; see item 44515. Iron Oxide, other than spent:	
Sub 1	In bags, in bulk in drums or in Package 2231	55
Sub 1	In containers in boxes or drums	65
44790-A	Sulfate (Ferric Sulfate), crude, dry, soluble iron content not to exceed 25 percent by weight, etc⊠Cancel;	63
44730-7	obsolete.	
44800-A	Sulfate (Ferric Sulfate), dry, etc⊠Cancel; obsolete.	
44810-A	Sulfate (Ferric Sulfate), other than dry (Ferric Sulfate Solution), etc⊠Cancel; obsolete.	
44820-A	Sulfate (Ferrous Sulfate) (Copperas), etc \(\sigma\) Cancel; see item 45322.	
44830-A	Sulfide, etc\SCancel; obsolete.	
44865-A	Isopropylidene Bisphenol, etc⊠Cancel; see item 45322.	
44870-A	Lead:⊠Cancel; no further application.	
44900-A	Oleate, etc⊠Cancel; see item 44500.	
44930-A	Resinate, etc⊠Cancel; obsolete.	
44940-A	Silicate, etc…⊠Cancel; obsolete.	
44970-A	Lime, chlorinated (Chloride of Lime, Bleach, NOI, or Bleaching Powder, NOI), see Note, item 44982⊠Cancel;	
	no further application.	
44980-A	�Dry, etc…⊠Cancel; see item 45467.	
44982-A	NOTE—⊠Cancel; no further application.	
45000-A	≎Liquid (aqueous solution), etc⊠Cancel; see item 45467.	
45020-A	Lime Water, etc⊠Cancel; obsolete.	
	Magnesium: subject to item 45030	
45050-A	Chloride:	
Sub 1	In inner containers in boxes	77.5
Sub 2	▶In bulk in drums or Package 27	60
45060-A	≎Fluosilicate (Magnesium Silicofluoride) , etc…⊠Cancel; see item 45615.	
45470 A	Manganese: subject to item 45150	
45170-A 45175-A	Borate, etc…⊠Cancel; obsolete. Chloride (Manganese Muriate), etc…⊠Cancel; obsolete.	
45175-A 45180-A	Phosphate, etc⊠Cancel; obsolete.	
45240-A	Omethallyl Chloride, etc⊠Cancel; see item 44500.	
45295-A	Methyl Glucoside, etc⊠Cancel; obsolete.	
∆45322-B	©Miscellaneous Hazardous Materials, NOI, including Environmentally Hazardous Substances, NOI, or Other	
	Regulated Substances, NOI, see Notes, items 45323 and 45324, in U.S. DOT-authorized packaging, subject	
	to Item 170 and having a density in pounds per cubic foot of:	
Sub 1	Less than 20	100
Sub 2	20 but less than 30	70
Sub 3	30 or greater	60
. 45323-B	NOTE—Applies on materials regulated by the U.S. Department of Transportation as a Hazard Class 9, Miscellaneous	
	Hazardous Material, other than Hazardous Waste, as defined in 49 CFR §173.140 and required to bear a notice to	
	that effect on bills of lading and packaging. For provisions applicable to Hazardous Waste, see item 196160.	
∆45324-B	NOTE—Also applies on Marine Pollutants not specifically listed in 49 CFR §172.101, Hazardous Materials Table, and	
45000 4	that do not meet the definition of Hazard Classes 1 through 8.	
45330-A	©Monoethanolamine, Diethanolamine or Triethanolamine, etc…⊠Cancel; see item 44155.	
45370-A	Nickel Ammonium Sulfate, etc (Cancel; obsolete.	
45380-A	Nickel Carbonate, etc⊠Cancel; obsolete.	
45390-A 45400-A	Nickel Chloride, etc⊠Cancel; obsolete. Nickel Oxide, etc⊠Cancel; obsolete.	
45410-A 45410-A	Nickel Plating Solution, etc⊠Cancel; obsolete.	
45420-A	©Nickel Salts, NOI, etc⊠Cancel; see item 45615.	
45430-A	Onickel Sulfate or Single Nickel Salts, etc ©Cancel; see items 45322 and 43940.	
45440-A	Onitro-carbo-nitrate, etc⊠Cancel; see item 44500.	
△45467-A	Oxidizers , NOI, see Note, item 45468, in U.S. DOT-authorized packaging:	
Sub 1	In Packing Group I	125
Sub 2	In Packing Group II	100
Sub 3	In Packing Group III	85
∆45468-A	NOTE—Applies on materials regulated by the U.S. Department of Transportation as a Hazard Class 5, Division 5.1,	
	Oxidizer, as defined in 49 CFR §173.127 and required to bear a notice to that effect on bills of lading and packaging.	
45480-A	Paraphenyl Phenol, etc⊠Cancel; see item 45615.	
45510-A	©Perchloroethylene , etc⊠Cancel; see item 45615.	
45530-A	Phosphoric Catalyst (Silica and Phosphoric Acid combined), etc⊠Cancel; see item 44155.	
45550-A	©Phosphorus , crude, yellow and red mixed, etc…⊠Cancel; obsolete.	
45560-A	©Phosphorus, NOI, etc⊠Cancel; obsolete.	
45600-A	©Phosphorus Pentasulfide, dry, etc⊠Cancel; obsolete.	
45613-B	⊙Phthalic Anhydride , with equal to or less than 0.05% maleic anhydride, or Isophthalic Acid , etc⊠Cancel;	
	obsolete.	

ITEM	ARTICLE	CLASS
11 E W	CHEMICALS GROUP: subject to item 42600	02/100
∆45615-B	ூPoisonous or Toxic Materials , see Note, item 45616, in U.S. DOT-authorized packaging:	
<u>⊶</u> 43013-Б Sub 1	In Packing Group I:	
Sub 2	Poisonous by inhalation	150
Sub 3	Other than poisonous by inhalation	125
Sub 4	In Packing Group II	85
Sub 5	In Packing Group III	70
∆45616-B	NOTE—Applies on materials regulated by the U.S. Department of Transportation as a Hazard Class 6, Division 6.1,	
	Poisonous or Toxic Material, as defined in 49 CFR §173.132 and required to bear a notice to that effect on bills of lading and packaging.	
	Potassium (Potash): subject to item 45640	
45660-A	► Alkali Salts, crude, dry, not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard	
	Division label or placard, see Note, item 45661, in bags, boxes or drums	50
★ 45661	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see provisions elsewhere in this Classification.	
45670-A	Beet or Cane Residuum, etc⊠Cancel; obsolete.	
45700-A	Borate, etc Cancel; obsolete.	
45710-A	Bromide, etc⊠Cancel; obsolete.	
45720-B	Carbonate (Pearlash), ▶not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard	
	Division label or placard, see Note, item 45721:	
Sub 1	Other than crude:	
Sub 2 Sub 3	In inner containers in boxes	55 55
Sub 3 Sub 4	Crude, in bulk in drums	50 50
★45721	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	00
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
	provisions elsewhere in this Classification.	
45760-A	©Cyanide Liquor , etc…⊠Cancel; see item 45615.	
45860-A	Potash, wood, crude, etc \(\overline{\overl	
45870-A	▶Potassium (Potash) Salts, NOI, not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard Division label or placard, see Note, item 45871:	
Sub 1	In inner containers in boxes	100
Sub 2	In bulk in boxes, drums or intermediate bulk containers (IBCs)	85
★ 45871	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
45000 A	provisions elsewhere in this Classification.	
45880-A 45930-A	Prussiate, etc…⊠Cancel; obsolete. Sulfide (Sulfuret of Potash), etc…⊠Cancel; obsolete.	
45950-A 45950-A	Tobacco Crystals (Tobacco Potash Salts), etc⊠Cancel; obsolete.	
46000-A	©Propylene Dichloride , etc⊠Cancel; see item 44500.	
46025-A	②Pyroxylin, colloid or paste, etc…⊠Cancel; see item 44500.	
46040-A	Rochelle Salts, etc⊠Cancel; obsolete.	
46060-A	©Silicon Chloride , etc⊠Cancel; see item 44155.	
46070-A	Soda (Alkali) Residue, other than liquid, etc…⊠Cancel; obsolete.	
46210-A	Sodium (Soda): subject to item 46080 Butyrate Solution, etc⊠Cancel; obsolete.	
46280-A	Chromate, other than dry (Chromate Solution), etc⊠Cancel; obsolete.	
46320-A	Diacetate, etc⊠Cancel; obsolete.	
46340-A	Fluoride, not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard Division label	
	or placard, see Note, item 46341, etc⊠Cancel; obsolete.	
46341-A	NOTE—⊠Cancel; no further application.	
46350-A 46360-A	Formate, etc⊠Cancel; see item 45615. Hydrosulfide (Sodium Hydrosulfate or Sodium Sulfydrate), not required by the U.S. Department of	
40000-A	Transportation to bear a Hazard Class or Hazard Division label or placard, see Note, item 46361,	
	etc⊠Cancel; obsolete.	
46361-A	NOTE—⊠Cancel; no further applicaiton.	
46390-A	Hyposulfite, etc⊠Cancel; see item 44155.	
46420-A	Nitrate of Soda-potash, not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard	
Sub 1	Division label or placard, see Note, item 46421: In inner containers in boxes or drums	70
Sub 1 Sub 2	In bulk in bags, boxes or drums	50
★ 46421	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
	provisions elsewhere in this Classification.	
46430-A	Nitrate-sulfur Mixture, paraffined, etc (Cancel; obsolete.	
46660-A	Thiocyanate Crystals (Sodium Sulfocyanate Crystals), etc ©Cancel; obsolete.	
46715-A	Solutions, blood analysis, consisting of distilled water and mineral additives not exceeding 5 percent, etc⊠Cancel; obsolete.	
46717-A	Solution, copper plating, etc⊠Cancel; see item 44155.	
46720-A	Strontium Bromide, etc SCancel; obsolete.	
46750-A	≎Styrene, liquid, etc…⊠Cancel; see item 44500.	

ITEM		
	ARTICLE	CLAS
	CHEMICALS GROUP: subject to item 42600	
	Tar Products: subject to item 46790	
46810-A	Anthracene, crude, etc⊠Cancel; obsolete.	
46820-A	Anthracene, other than crude, etc⊠Cancel; obsolete.	
46840-A 46910-A	≎Coal Tar Naphtha Solvent , etc⊠Cancel; see item 44500. Diphenyl , etc⊠Cancel; obsolete.	
46940-A	Mononitrotoluol, other than dry, etc⊠Cancel; obsolete.	
46980-A	Orthonitrotoluol, etc ⊠Cancel; obsolete.	
46990-A	⊘Paradichlorobenzene (Paradichlorobenzol) or Tetrachloronaphthalene, see Note, item 46992,	
	etc…⊠Cancel; obsolete.	
46992-A	NOTE—⊠Cancel; no further application.	
47030-A	©Tear Gas Solutions, etc⊠Cancel; see item 45615.	
47040-A 47050-A	Tellurium Oxide, etc…⊠Cancel; obsolete. Terebene, etc…⊠Cancel; obsolete.	
47120-A	©Tin Chloride (Tin Muriate) , liquid, etc…⊠Cancel; see item 44155.	
47130-A	Tin Chloride, solid (Tin Crystals), etc…⊠Cancel; obsolete.	
47150-A	≎Tin Tetrachloride , anhydrous, etc⊠Cancel; see item 44155.	
47210-A	Tungsten Oxide or Tungstic Acid, etc⊠Cancel; obsolete.	
47250-A	Wool Stripping Compound, liquid, etc…⊠Cancel; obsolete.	
47280-A ▶47290-B	Zinc:⊠Cancel; no further application. Zinc Ammonium Chloride, in bags, drums or Package 390	65
47290-Б 47300-А	Borate, dry, etc⊠Cancel; see item 45322.	65
47300-A 47310-A	Carbonate, etc	
47320-A	Chloride, etc⊠Cancel; obsolete.	
47360-A	≎Hydrosulfite, etc…⊠Cancel; see item 45322.	
►47400-A	Zinc Salts, NOI, not required by the U.S. Department of Transportation to bear a Hazard Class or Hazard Division	
0	label or placard, see Note, item 47401:	400
Sub 1	In inner containers in boxes or drums	100
Sub 2 ★47401	In bulk in multiple-wall paper bags, boxes or drums	92.
X 47401	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see	
	provisions elsewhere in this Classification.	
►47410-B	Zinc Sulfate:	
Sub 1	In bags, or in bulk in boxes or drums	55
Sub 2	In inner containers in boxes	60
48920-A	CLOTH, ▶FABRIC, DRY GOODS OR TEXTILES GROUP: see Note, item 48921	
►48921-A	NOTE—Except where otherwise specified, provisions subject to this grouping do not apply on cloth, fabric, dry goods or textiles that require temperature control during transit.	
48970-A	Bagging or Cloth, burlap, gunny, ixtle (istle), jute or sisal, decorated, dyed NOI, printed or surface coated,	
4007071	etc	
48980-A	Bagging or Cloth, burlap, gunny, ixtle (istle), jute or sisal, dyed not more than one color, rolled, etc⊠Cancel; see	
	item 49260.	
49010-A	Bagging or Cloth, burlap, gunny, ixtle (istle), jute or sisal, NOI, with or without paper or plastic film lining,	
400E0 A	etc⊠Cancel; see item 49260.	
49050-A 49080-A	Bottoms, canvas, etc…⊠Cancel; see item 49260. Buckram, cotton, etc…⊠Cancel; see item 49260.	
49090-A	Buckram, other than cotton, etc⊠Cancel; see item 49260.	İ
49095-A		
	Cloth, brattice, burlap or cotton, fireproofed, etc…⊠Cancel; see item 49260.	
49100-A	Cloth, cotton and wire combined, coated or not coated, etc…⊠Cancel; see item 49260.	
49110-A	Cloth, cotton and wire combined, coated or not coated, etc…⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc…⊠Cancel; see item 49260.	
49110-A 49130-A	Cloth, cotton and wire combined, coated or not coated, etc…⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc…⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc…⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260.	
49110-A 49130-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see	
49110-A 49130-A 49140-A 49150-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note,	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B 49170-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B 49170-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B 49170-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B 49170-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton book cover (book binders' cloth), plain, embossed or finished in imitation of leather, etc⊠Cancel; see item 49260. Cloth, wool or other animal fiber, with or without other fibers, NOI, other than plush or pile cloth, in the original piece,	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B 49170-A 49172-A 49180-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton book cover (book binders' cloth), plain, embossed or finished in imitation of leather, etc⊠Cancel; see item 49260. Cloth, wool or other animal fiber, with or without other fibers, NOI, other than plush or pile cloth, in the original piece, not finished articles ready for immediate use, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49170-A 49172-A 49180-A 49190-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton book cover (book binders' cloth), plain, embossed or finished in imitation of leather, etc⊠Cancel; see item 49260. Cloth, wool or other animal fiber, with or without other fibers, NOI, other than plush or pile cloth, in the original piece, not finished articles ready for immediate use, etc⊠Cancel; see item 49260. Cloth, motion picture screen, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49170-A 49172-A 49180-A 49190-A 49200-A 49205-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton book cover (book binders' cloth), plain, embossed or finished in imitation of leather, etc⊠Cancel; see item 49260. Cloth, wool or other animal fiber, with or without other fibers, NOI, other than plush or pile cloth, in the original piece, not finished articles ready for immediate use, etc⊠Cancel; see item 49260. Cloth, motion picture screen, etc⊠Cancel; see item 49260. Cloth, ramie, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B 49170-A 49172-A 49180-A 49190-A 49200-A 49200-A 49206-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton book cover (book binders' cloth), plain, embossed or finished in imitation of leather, etc⊠Cancel; see item 49260. Cloth, wool or other animal fiber, with or without other fibers, NOI, other than plush or pile cloth, in the original piece, not finished articles ready for immediate use, etc⊠Cancel; see item 49260. Cloth, motion picture screen, etc⊠Cancel; see item 49260. Cloth, ramie, etc⊠Cancel; see item 49260. Cloth or Cloth Strips, gummed, NOI, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B 49170-A 49172-A 49180-A 49190-A 49200-A 49200-A 49208-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton book cover (book binders' cloth), plain, embossed or finished in imitation of leather, etc⊠Cancel; see item 49260. Cloth, wool or other animal fiber, with or without other fibers, NOI, other than plush or pile cloth, in the original piece, not finished articles ready for immediate use, etc⊠Cancel; see item 49260. Cloth, motion picture screen, etc⊠Cancel; see item 49260. Cloth, ramie, etc⊠Cancel; see item 49260. Cloth or Cloth Strips, gummed, NOI, etc⊠Cancel; see item 49260. Cloth, screen, woven, glass or synthetic fiber or yarn, coated or not coated, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B 49170-A 49172-A 49180-A 49200-A 49205-A 49206-A 49208-A 49210-B	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton book cover (book binders' cloth), plain, embossed or finished in imitation of leather, etc⊠Cancel; see item 49260. Cloth, wool or other animal fiber, with or without other fibers, NOI, other than plush or pile cloth, in the original piece, not finished articles ready for immediate use, etc⊠Cancel; see item 49260. Cloth, motion picture screen, etc⊠Cancel; see item 49260. Cloth, ramie, etc⊠Cancel; see item 49260. Cloth or Cloth Strips, gummed, NOI, etc⊠Cancel; see item 49260.	
49110-A 49130-A 49140-A 49150-A 49152-A 49160-B 49162-B 49170-A 49172-A 49180-A 49190-A 49200-A 49205-A 49206-A 49208-A	Cloth, cotton and wire combined, coated or not coated, etc⊠Cancel; see item 49260. Cloth, cotton, saturated or coated with asphalt, pitch or tar, NOI, etc⊠Cancel; see item 49260. Cloth, cotton, photographic, sensitized, etc⊠Cancel; see item 49260. Cloth, cotton, processed for printing, etc⊠Cancel; see item 49260. Cloth or Fabric, cotton or synthetic fiber, rubber separating or interleaving, see Note, item 49152, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth or Fabric, cotton or synthetic fiber, or cotton or synthetic fiber and natural fiber combined, not woven, knitted nor stitched, NOI, see Note, item 49162, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton or synthetic fiber, laminated, or cotton or synthetic fiber laminated with other fabrics or paper, see Note, item 49172, etc⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application. Cloth, cotton book cover (book binders' cloth), plain, embossed or finished in imitation of leather, etc⊠Cancel; see item 49260. Cloth, wool or other animal fiber, with or without other fibers, NOI, other than plush or pile cloth, in the original piece, not finished articles ready for immediate use, etc⊠Cancel; see item 49260. Cloth, motion picture screen, etc⊠Cancel; see item 49260. Cloth, ramie, etc⊠Cancel; see item 49260. Cloth, ramie, etc⊠Cancel; see item 49260. Cloth, screen, woven, glass or synthetic fiber or yarn, coated or not coated, etc⊠Cancel; see item 49260. Cloth or Fabric, other than with pile or loop surfaces; coated with aluminum, plastic, pyroxylin or rubber, NOI, see	

ITEM	SUPPLEMENT 4 TO NMF 100-AV ARTICLE	CLASS
i i ⊑iVi	10000	CLASS
40000 4	CLOTH, FABRIC, DRY GOODS OR TEXTILES GROUP: subject to item 48920	
49220-A 49222-A	Cloth or Fabric, membrane (coating reinforcement), cotton, glass or synthetic fiber, etc…⊠Cancel; see item 49260. NOTE—⊠Cancel; no further application.	
49225-A 49225-A	Cloth or Fabric, garment interlining, in the original piece, cotton and synthetic fiber combined with goat hair,	
70220-A	etc	
49235-A	Cloth or Fabric, consisting of fibers, yarns or mesh laminated between sheets of cellulose or paper, etc⊠Cancel;	
1	see item 49260.	
49237-A	Cloth or Fabric, other than rugs or carpeting, combined with plastic or rubber, NOI, etc⊠Cancel; see item 49260.	
49240-A	Cloth or Netting, cotton, combined with cellulose film, etc⊠Cancel; see item 49260.	
49250-A	Cloth or Paper and Cellulose Film, laminated and waxed, etc⊠Cancel; see item 49260.	
★ 49260	Cloth, Fabric, Dry Goods or Textiles, NOI, see Notes, items 49261, 49262 and 49263, in boxes or wrapped bales	
Sub 1	or rolls, subject to Item 170 and having a density in pounds per cubic foot of:	400
Sub 1 Sub 2	Less than 1	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70 65
Sub 10	22.5 but less than 30.	65 60
Sub 11 ★49261	30 or greater	60
★49261 ★49262	NOTE—Also applies on cloth, labile, dry goods of textiles coated of combined with other materials, NOT. NOTE—Provisions for dry goods include, but are not limited to:	
7,40202	Bedspreads or Coverlets, NOI;	
	Blankets, NOI;	
	Cloths or Rags, cleaning, dusting, polishing or wiping, NOI, new or used, including waste;	
	Comforter or Duvet Covers;	
	Curtains or Draperies, NOI;	
	Diapers, cloth, NOI;	
	Napkins, table; Parts or Pieces, clothing, NOI, cut to size;	
	Pillowcases or Pillow Shams, NOI;	
	Sheets, NOI;	
	Tablecloths;	
	Towels, NOI;	
	Washcloths, NOI.	
★ 49263	NOTE—Does not apply on materials regulated by the U.S. Department of Transportation as hazardous and required to	
	bear a Hazard Class or Hazard Division label or placard. For classes applicable to such hazardous materials, see provisions elsewhere in this Classification.	
49265-A	Cloth, Fabric or Piece Goods, natural or synthetic fiber, separate or combined, knit or woven, see Notes, items	
4020071	49266 and 49267, etc⊠Cancel; see item 49260.	
49266-A	NOTE—⊠Cancel; no further application.	
49267-A	NOTE—⊠Cancel; no further application.	
49270-A	Cloth or Fabric, glass fiber mesh, not woven; or Tape, glass fiber, woven or not woven; with or without binder or	
40000 :	paper backing, etc⊠Cancel; see item 49260.	
49390-A	Dry Goods or Textiles, etc⊠Cancel; see item 49260.	
49392-A 49410-A	NOTE—⊠Cancel; see item 49263. Fabric, cotton cheesecloth or gauze, waxed, not medicated, meat or poultry packing, etc…⊠Cancel; see item 49260.	
49411-A	Fabric, cotton cheesectorn of gauze, waxed, not medicated, meat of pounty packing, etc⊠Cancel, see item 49260. Fabric, erosion control, synthetic fiber and paper combined, etc⊠Cancel; see item 49260.	
49413-A	Fabric, quilted, see Note, item 49414, etc	
49414-A	NOTE—⊠Cancel; no further application.	
49415-A	Fabric, tire, hose or belting, etc⊠Cancel; see item 49260.	
49420-A	Fabric, woven cellulose film or woven cellulose and paper combined, etc⊠Cancel; see item 49260.	
49430-A	Fabric, woven from glass fiber rovings only, having a weight per square yard of not less than twenty ounces,	
40440.4	etc©Cancel; see item 49260.	
49440-A	Fabric or Bagging or Backing, woven paper or woven paper combined with cotton, rayon or other synthetic fibers or yarns, etc⊠Cancel; see item 49260.	
49443-A	Fabrics, cotton, etc⊠Cancel; see item 49260.	
49445-A	Fabrics, lace, other than cotton, etc \(\times \) Cancel; see item 49260.	
	CONDUITS, OTHER THAN EARTHEN, GROUP: subject to item 50750	
50755-A	Assemblies, chimney or smoke flue, metal, etc⊠Cancel; see item 51045.	
50757-A	NOTE—⊠Cancel; no further application.	
50759-A	NOTE—⊠Cancel; no further application.	
50920-A	Collars, stove pipe, aluminum, etc⊠Cancel; see item 51045.	
51035-A	Duct, air distributing, ventilating or exhaust system, flexible, etc…⊠Cancel; see item 51045.	
51036-A	NOTE—⊠Cancel; no further application.	
1		
ĺ		
ĺ		
1		

	SUPPLEMENT 4 TO NMF 100-AV	
ITEM	ARTICLE	CLAS
	CONDITIES OTHER THAN EARTHEN CROLID subject to item 50750	
E104F 1	CONDUITS, OTHER THAN EARTHEN, GROUP: subject to item 50750	
▶51045-A	Duct or Flues, air or smoke; or Fittings therefor, NOI; metal, with or without components of other materials:	
Sub 1	In boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:	000
Sub 2	Less than 4	300
Sub 3	4 or greater	175
Sub 4	In packages other than boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:	400
Sub 5	Less than 4	400
Sub 6	4 or greater	200
51046-A	NOTE—⊠Cancel; no further application.	
	CORK: subject to item 53500	
53520-A	Bark (Corkwood), other than virgin bark, unmanufactured, etc…⊠Cancel; obsolete.	
53710-A	Corkwood Refuse (Refugo), other than cork waste or virgin bark, having value for grinding purposes only,	
	etc…⊠Cancel; obsolete.	
	DENTAL, HOSPITAL OR MEDICAL SUPPLY GROUP: subject to item 56400	
56680-A	Dental, Medical or Surgical Instruments or Machines, NOI, including Clinical Thermometers, see Note, item	
	56682, other than dental units, in boxes or ▶Package 2376	150
∆56682-A	NOTE—Applies only on self-registering thermometers for determining the temperature of a human or animal body.	
56825-B	▶ Manikins (Mannequins), medical or rescue training, see Note, item 56826, in boxes, subject to Item 170 and having	
	a density in pounds per cubic foot of:	
Sub 1	Less than 7	175
Sub 2	7 or greater	100
▶56826-B	NOTE—Applies on manikins (mannequins) or parts, such as heads, torsos or limbs, for teaching patient care, infant care,	
	or emergency medical treatment procedures. Also applies on complement of electrical or electronic equipment or	
	other accessories when packaged in same box.	
56828-A	Medical Supplies, viz.:	
	Bandages or Dressings, NOI;	
	Blankets, emergency first aid for burn victims;	
	Braces or Supports, ankle, knee, joint or leg;	
	Collars, cervical;	
	Compresses, hot or cold, NOI;	
	Pads, lap;	
	Splints, NOI;	
	Sponges, dental, medical or surgical, NOI;	
	▶Trusses, medical or surgical, or Hernia Belts;	
	In boxes, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 11	30 or greater	60
▶56840-A	Pumps or Aspirators, suction or pressure, including Breast Pumps, with or without appliances for drainage or other	405
1.50044	treatment of body cavities, see Note, item 56841, in boxes	125
★ 56841	NOTE—Does not apply on devices that attach to central dental, hospital or medical vacuum supply systems. For	
57000-A	applicable provisions, see item 56680.	
57000-A 57120-A	Trusses, surgical, etc⊠Cancel; see item 56828. ②Depilatory, tanners' (Compound for removing hair from hides), NOI, etc⊠Cancel; obsolete.	
57120-A 57157-A	Devices, terminal control, forced air distribution, see Note, item 57158, ▶in boxes or crates, subject to Item 170 and	
31 131-A	having a density in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 1	1 but less than 2	300
Sub 2 Sub 3	2 but less than 4	250
Sub 3 Sub 4	4 but less than 6	175
Sub 4 Sub 5	6 but less than 8	125
Sub 5 Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.
Sub 7 Sub 8	12 but less than 15	85
Sub 6 Sub 9	15 but less than 22.5	70
Sub 9 Sub 10	22.5 but less than 30	65
Sub 10	30 or greater	60
∆57158-A	NOTE—Applies on terminal devices for controlling air pressure, temperature or volume in forced air cooling or heating	00
	systems, with or without heating or cooling coils or electric resistance grids.	
	DRAWING INSTRUMENTS, OPTICAL GOODS OR SCIENTIFIC INSTRUMENTS: subject to	
50000 :	item 57670	
58080-A	Optical Comparators or Contour Projectors, gauging, see Note, item 58081, ▶in boxes	100
A FOOC 4 4 1		1
≙58081-A	NOTE—Applies on products used to measure or compare detailed specifications or dimensions by use of laser or other	
≙58081-A 60260-A	optical technology. Dye Soap, ▶in boxes	100

	SUPPLEMENT 4 TO NMF 100-AV	1
ITEM	ARTICLE	CLASS
	ELECTRICAL EQUIPMENT GROUP: subject to item 60500	
61065-A	Broilers, Grills or Waffle Irons, etc⊠Cancel; see item 26720.	
►61110-A	Cabinets, Enclosures, Frames, Housings or Racks, electrical apparatus, metal, NOI, with or without side, top or bottom panels or doors, see Note, item 61111, in boxes or crates, see Notes, items 61112 and 61113:	
Sub 1	Having a height two times or greater than the shortest base dimension, see Note, item 61114, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 2	Less than 6	300
Sub 3	6 but less than 10	175
Sub 4	10 or greater	100
Sub 5	Other than as set forth in sub 1, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 6	Less than 6	200
Sub 7 Sub 8	6 but less than 10	125
61111-A	10 or greater	85
01111-A	network or related equipment. Units may be stand-alone or configured into a modular system to form multi-bay assemblies.	
★ 61112	NOTE—Articles must be protected by packing forms or other packaging materials necessary to afford adequate protection against damage.	
★ 61113	NOTE—Articles tendered for shipment on lift truck skids, pallets or platforms must be securely fastened to and must not overhang the edges of the lift truck skid, pallet or platform deck.	
★ 61114	NOTE—When tendered for shipment on lift truck skids, pallets or platforms, the height and base dimensions will include the lift truck skid, pallet or platform.	
61700-A	Electrical Appliances or Instruments, NOI, see Note, item 61701, ▶in boxes, crates or Packages 829 or 1241, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3 Sub 4	2 but less than 4	250 175
Sub 4 Sub 5	4 but less than 6	175
Sub 5 Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5.	70
Sub 10	22.5 but less than 30.	65
Sub 11	30 or greater	60
	NOTE—Provisions also apply on:	
	 (1) Television Tuners or Tuning Sections, Digital Television Converters or Decoders, Set Top Boxes (STBs), Set Top Units (STUs) or Digital Video Recorders (DVRs). (2) Video Game Controllers or Joysticks or other electronic accessories designed to be used in conjunction with a video game console for the purpose of playing a video game, but not on the complete video game or video game console. 	
	(3) Battery Chargers, including Cell Phone Chargers.	
63032-A	Sets, cigar or cigarette lighter, see Note, item 63033, etc…⊠Cancel; obsolete.	
63033-A	NOTE—⊠Cancel; no further application.	
68090-A	Fenders or Bumpers, boat or dock, NOI, etc⊠Cancel; see item 38650.	
68095-A	Fenders or Bumpers, boat or dock, etc⊠Cancel; see item 38650.	
68096-A	NOTE—⊠Cancel; no further application.	
	FIBERS: subject to item 68200	
68220-A	Bast (Bass), other than broom splints, etc⊠Cancel; obsolete.	
68940-A	Filling, cotton, jute or cotton and jute combined, etc⊠Cancel; obsolete.	
★ 69295	Firearm Parts, NOI, in boxes, see Note, item 69302	100
69300-A ≙69302-A	▶ Firearms, NOI, in boxes, see Note, item 69302	100
2.09302-A	with advertising or with uncoded information as to the nature, identity, model or caliber of the articles contained therein. Packing lists affixed to the outside of shipping container must be enclosed in a sealed, opaque envelope or pouch.	
	FIREPLACES OR FIREPLACE ACCESSORY GROUP: subject to item 69310	
69320-A 69340-A	Andirons (Firedogs), etc⊠Cancel; see item 69420. Dampers, fireplace throat, plate or sheet steel, etc⊠Cancel; see item 69420.	
69350-A	Fenders or Fireplace Guards or Screens, brass, etc⊠Cancel; see item 69420.	
69360-A	Fenders or Fireplace Guards or Screens, iron or steel, plain or brass coated or plated or with brass trimmings, etc Cancel; see item 69420.	
69370-A	Fireplace Air Heaters and Ventilators combined, iron, or Water Jacketed Fireplaces, iron, etc⊠Cancel; see item 69420.	
69372-A 69380-A	NOTE—⊠Cancel; no further application. Fireplaces and Mantels combined, cast stone, without hearth or with hearth detached, etc⊠Cancel; see item 69420.	
69390-B	Fireplaces, indoor, ceramic, silicon carbide or reinforced concrete, finished or unfinished, etc⊠Cancel; see item 69420.	
69400-A 69414-A	Fireplaces, imitation, fiberboard, in sheets or KD flat, etc⊠Cancel; see item 69420. Fireplaces, imitation, wood or wood particleboard faced with imitation stone, other than cast stone, with hearth and mantel, portable, SU, with or without electric logs or heaters, etc⊠Cancel; see item 69420.	

ITEM	
	ARTICLE
	FIREPLACES OR FIREPLACE ACCESSORY GROUP: subject to item 69310
►69420-A	Fireplaces and Related Articles, viz.:
	Andirons (Firedogs), Grates, Grate Baskets or Grate Parts, with or without electric heating units;
	Dampers, fireplace;
	Fireplace Fenders, Guards or Screens, NOI;
	Fireplace Inserts, see Note, item 69422;
	Fireplaces or Imitation Fireplaces, NOI, see Note, item 69422;
	Heaters, Heat Exchangers or Extractors, fireplace grate type;
	Logs or Log Sets, electric (Electric Logs);
	Logs or Log Sets, gas-fired fireplace (Gas Logs);
	Tools or Tool Sets, fireplace;
	In boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:
Sub 1	Less than 1
Sub 2	1 but less than 2
Sub 3	2 but less than 4
Sub 4	4 but less than 6
Sub 5	6 but less than 8
Sub 6	8 but less than 10
Sub 7	10 but less than 12
Sub 8	12 but less than 15
Sub 9	15 but less than 22.5
Sub 10	22.5 but less than 30
Sub 11	30 or greater
69422-A	NOTE—Applies on the articles named, with or without log grates, gas logs, electric logs or heaters, ▶mantels or other
	accessories in the same package.
69423-A	NOTE—⊠Cancel; no further application.
69460-A	Holders or Racks, fireplace wood, etc⊠Cancel; see item 164390.
69480-A	Sets, fireplace tool, etc⊠Cancel; see item 69420.
69482-A	NOTE—⊠Cancel; no further application.
	FLOOR OR WALL COVERINGS AND RELATED ARTICLES GROUP: subject to item 70500
70680-A	Carpets; Carpeting; Carpet Remnants; or Rugs, see Note, item 70681; ▶in boxes or wrapped bales or rolls, ▶see
	Notes, items 70682 and 70683:
Sub 1	Greatest dimension exceeding 192 inches, subject to Item 170 and having a density in pounds per cubic foot of:
Sub 2	Less than 12
Sub 3	12 or greater
Sub 4	Greatest dimension exceeding 96 inches but not exceeding 192 inches, subject to Item 170 and having a density
	in pounds per cubic foot of:
Sub 5	Less than 12
Sub 6	12 or greater
Sub 7	Greatest dimension not exceeding 96 inches, subject to Item 170 and having a density in pounds per cubic foot of:
Sub 8	Less than 12
Sub 9	12 or greater
70681-A	NOTE—The provisions for rugs apply only when:
	Power machine tufted or power loom woven;
	2. Of soft surface (pile) fabric;
	3. Of cloth combined with foam rubber not exceeding $^3/_8$ inch thick; or
	4. Of woven paper fabric combined with cellular or expanded plastic or rubber not exceeding $\frac{3}{8}$ inch thick.
	For provisions applicable to other rugs, see item 71000 for 'Rugs, NOI,' item 78460 for 'Fur Rugs, NOI,' and
	item 196200 for 'Rugs, worn-out.'
70682	NOTE—Articles tendered in rolls not on lift truck skids, pallets or platforms must be wrapped in plastic film, enclosed in
	a plastic film bag, or otherwise protected to withstand the normal rigors of the less-than-truckload environment.
	Plastic film must be of sufficient thickness, or be wrapped in multiple layers to provide sufficient thickness, so as to
	resist abrasion and tearing and thereby remain intact during transport.
70683	NOTE—Articles tendered for shipment on lift truck skids, pallets or platforms must be securely fastened to and must not
	overhang the edges of the lift truck skid, pallet or platform deck. Exposed surfaces and edges must be completely
	wrapped with plastic film or corrugated fiberboard or protected by wood or similar material. Articles not tendered for
	shipment on lift truck skids, pallets or platforms must be tendered in such a manner so as to allow handling with
	mechanical equipment.
71390-A	Flour, cellulose, edible, etc⊠Cancel; see item 73150.
71420-A	Flour or Meal, press cake, almond, apricot or peach kernel, etc⊠Cancel; see item 73150.
	FOODSTUFFS GROUP: subject to item 72000
73030-A	Flour, cooked, etc Scancel; see item 73150.
73040-A	Flour, cassava, sago or tapioca, etc…⊠Cancel; see item 73150.
73060-A	Flour, gelatinized, etc⊠Cancel; see item 73150.
	Flour, potato, etc⊠Cancel; see item 73150.
13080-A	Flour, rice, etc⊠Cancel; see item 73150.
73080-A 73100-A	Flour, Grits or Meal, cottonseed or soybean, etc⊠Cancel; see item 73150.
73100-A	, , , ,
73100-A 73120-A	NOTE—⊠Cancel; no further application.
73100-A 73120-A 73122-A	NOTE—⊠Cancel; no further application. Flour or Corn Meal, edible, NOL including Cake, Bread, Brownie or Muffin Mixes, etc⊠Cancel; see item 73150.
73100-A 73120-A 73122-A 73140-A	Flour or Corn Meal, edible, NOI, including Cake, Bread, Brownie or Muffin Mixes, etc⊠Cancel; see item 73150.
73100-A 73120-A 73122-A 73140-A 73142-A	Flour or Corn Meal, edible, NOI, including Cake, Bread, Brownie or Muffin Mixes, etc⊠Cancel; see item 73150. NOTE—⊠Cancel; no further application.
73100-A 73120-A 73122-A 73140-A	Flour or Corn Meal, edible, NOI, including Cake, Bread, Brownie or Muffin Mixes, etc⊠Cancel; see item 73150.

	SUPPLEMENT 4 TO NMF 100-AV	I
ITEM	ARTICLE	CLASS
	FOODSTUFFS GROUP: subject to item 72000	
★ 73150	Flour or Meal, viz.:	
	Flour, NOI;	
	Meal, NOI, including Corn Meal;	
	Mixes, baking, NOI, including Bread, Brownie, Cake, Cookie, Muffin, Pancake or Waffle Mixes, see Note, item	
	73151; Mixes, batter, breading or coating, NOI;	
	In bags, boxes, drums or Packages 128 or 2456, subject to Item 170 and having a density in pounds per cubic	
	foot of:	
Sub 1	Less than 10	125
Sub 2	10 but less than 15	85
Sub 3	15 but less than 30	70
Sub 4	30 or greater	55
★ 73151	NOTE—Also applies on other ingredients or complement of accessories necessary for completion of the finished product	
73238-B	when packaged in same box. Foodstuffs, other than frozen, Group II, etc…⊠Cancel; see item 73260.	
73260-A	Foodstuffs, other than frozen, Group IV, viz.:	
7020071	Bakery Goods, NOI, also in Packages 128 or 2428;	
	Coffee, Tea or Herbal Tea, NOI, see Note, item 73261, also in Packages 128, 2330 or 2380;	
	Cookies or Crackers, NOI, also in Packages 128 or 2428;	
	Foodstuffs, NOI;	
	► Hot Chocolate or Hot Cocoa Mixes;	
	Sauces or Toppings, ice cream or dessert, NOI, in other than pressurized containers, including Marshmallow Creme, Nuts (Nutmeats) in Syrup, or Sprinkles;	
	Snack Foods, NOI;	
	In bags, boxes, drums or Packages 1000, 1400, 2404, 2414 or 2416, subject to Item 170 and having a density	
	in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3 Sub 4	2 but less than 4	250 175
Sub 4 Sub 5	6 but less than 8	125
Sub 6	8 but less than 10.	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10 Sub 11	22.5 but less than 30	65 60
∆73261-A	30 or greater	60
Z/3201-A	tea in premeasured servings, with or without integral filter; or Coffee Service Kits or Sets , consisting of coffee in	
	premeasured servings, with or without integral filter, and with or without non-dairy creamer, sugar or artificial	
	sweetener, stirrers, tea, herbal tea or hot chocolate in same box.	
75960-A	Forms, refrigerator door inner liner, with molded-in shelves, plastic, etc ©Cancel; obsolete.	
75980-A 76580-A	Forms, refrigerator lining or partitioning, NOI, plastic, nested or in forms not curved nor bent, etc⊠Cancel; obsolete. Frames, mirror or picture, NOI, with or without sample pictures, ▶in boxes or crates, subject to Item 170 and having a	
70000-A	density in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6 Sub 7	8 but less than 10	100 92.5
Sub 7 Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 11	30 or greater	60
76581-A	NOTE—⊠Cancel; no further application.	
I		

	SUPPLEMENT 4 TO NMF 100-AV	
ITEM	ARTICLE	CLA
79000-A 79022-A	FURNITURE GROUP: Articles consist of Furniture, see Notes, items 79022, 79023, 79024 ▶and 79026, as described in items subject to this grouping. NOTE— (a) ▶Furniture may be packed in wood boxes as specified in Item 221. All finished or upholstered surfaces must be protected against damage by adequate interior packaging materials. Bills of lading must describe package as 'wood box.' The class applicable will be the lowest provided in the specific item for the article of furniture in the form in which shipped.	
	 (b) ►Where bursting tests or edge crush tests are specified for containers, wrappers or interior packaging, fiberboard must comply with the requirements set forth in Item 222. (c) ►All packages constructed of corrugated fiberboard, wood or a combination thereof must be conspicuously marked on at least one panel as follows: 	
	UP	
	FURNITURE	
	FRAGILE, HANDLE WITH CARE	
	OR	
	↑ UP	
	FURNITURE, INCLUDING MIRRORS OR GLASS	
	FRAGILE, HANDLE WITH CARE	
	(d) ▶Furniture in form-fitting, L-shaped containers that may be shipped inverted upon each other without damage must be conspicuously marked to indicate loading in either vertical direction, as follows:	
	↑	
	FURNITURE	
	FRAGILE, HANDLE WITH CARE	
79023-A 79024-A 79026-A 79030-A 79031-A 79032-A 79720-A 79740-A 79741-A 79742-A 79744-A 80985-A	 (e) ►All numbered packages specifying a corrugated fiberboard outer shipping container must conspicuously bear the certificate of box manufacturer as shown in Item 222-1(a)(2) and (3). (f) ► All numbered packages must also bear the package certificate, as shown in Item 299. (g) ► Bills of lading must show package number of the package in which furniture is shipped. (h) ► Articles with sliding doors in operating position must have such doors secured in place. NOTE—► Articles must be secured within package by protective packing forms or other packaging materials so as to prevent shifting. NOTE—► Where packaging specifications reference this Note, articles must be adequately protected by blankets or pads so as to prevent damage and abrasion within the package. NOTE—► Detachable mirrors, tops or other furniture components must be detached and tendered in same package with the article(s) or in boxes. NOTE—□Cancel; no further application. NOTE—□Cancel; no further application. NOTE—□Cancel; no further application. Metallic or Wooden: subject to item 79600 Beds, folding, upright, door, recess or wall, disappearing type, with or without rollers, steel, etc □Cancel; see item 82270. Beds, KD (Ends and Rails), or Bed Ends, including Headboards or Footboards, etc □Cancel; see item 82270. NOTE—□Cancel; no further application. Rother application.<td></td>	

	SUPPLEMENT 4 TO NMF TOU-AV	
ITEM	ARTICLE	CLASS
	FURNITURE GROUP: subject to item 79000	
	Metallic or Wooden: subject to item 79600	
81000-A	Cots or Beds, folding, NOI, etc⊠Cancel; see item 82270.	
81002-A	NOTE—⊠Cancel; no further application.	
81003-A	Aluminum frame with linked or woven wire springs, with or without mattresses or pads, KD, etc Cancel; see	
81005-A	item 82270. Aluminum and fabric, KD flat, etc…⊠Cancel; see item 82270.	
81005-A	Metal, NOI, or wood and fabric, etc Scancel; see item 82270.	
81020-A	Linked or woven wire springs and steel frames, etc⊠Cancel; see item 82270.	
81040-B	Steel frame, NOI, etc⊠Cancel; see item 82270.	
81042-B	NOTE—⊠Cancel; no further application.	
81060-B	Steel frame, with coiled wire springs, folded, etc⊠Cancel; see item 82270.	
82270-C	Metallic or Wooden Furniture, viz.:	
	 ▶Bed Ends, including Headboards or Footboards; ▶Beds or Cots, NOI, with or without mattresses or box springs; 	
	Bins or Shelving, NOI;	
	Freestanding Panels, Partitions or Screens;	
	Metallic or Wooden Furniture, NOI;	
	In Packages 1F, 2F, 3F, 5F, 19F, 21F, 22F, ▶24F, 25F, 40F, 138F, 150F or 151F, see Note, item 82271,	
Cub 1	subject to Item 170 and having a density in pounds per cubic foot of:	400
Sub 1 Sub 2	Less than 1	400 300
Sub 2 Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9 Sub 10	15 but less than 22.5	70 65
Sub 10	30 or greater	60
∆82271-C	NOTE—Aluminum furniture will be accepted in packages authorized for shipment of same articles made of steel or wood.	
. №82750-A	FURNITURE PARTS GROUP: see Note, item 82751	
82751-A	NOTE—Articles subject to this grouping which are susceptible to ▶damage must, in addition to being packaged as	
	required by the individual descriptions, ▶bear precautionary markings as required by Note, item 79022,	
, 00070 B	▶ paragraphs (c) and (d).	
∆83270-B Sub 1	Furniture Parts, NOI, in boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of: Less than 1	400
Sub 1 Sub 2	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12.	92.5
Sub 8 Sub 9	12 but less than 15	85 70
Sub 10		65
Sub 11	30 or greater	60
83340-A	Parts, chair or stool, wooden, finished, etc…⊠Cancel; see item 83270.	
83342-A	NOTE—⊠Cancel; no further application.	
	GAMES OR TOYS GROUP: subject to item 83900	
83940-A	Anagrams, etc⊠Cancel; obsolete.	
	GASES OR CRYOGENIC LIQUIDS GROUP: subject to item 85500	
△85890-A	©Gases or Gas Mixtures, flammable, see Note, item 85891, in metal cylinders, or in containers in boxes or crates.	125
≙85891-A	NOTE—Applies on materials regulated by the U.S. Department of Transportation as a Hazard Class 2, Division 2.1, Flammable Gas, as defined in 49 CFR §173.115 and required to bear a notice to that effect on bills of lading and	
	packaging.	
	GLASS: subject to item 86500	
	Aircraft Glass, cut to shape, 120 united inches or less, bent or not bent, ▶in boxes, crates or Package 1180	85
86540-A	Glass, automobile or boat, including Windshields or Windshield Glass, with or without frames or fittings, see Note,	
86540-A ≙86630-B		1
	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see	
<u></u> 86630-B	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see Note, item 86632:	
∆86630-B Sub 1	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see Note, item 86632: Greatest dimension exceeding 96 inches, subject to Item 170 and having a density in pounds per cubic foot of:	500
∆86630-B Sub 1 Sub 2	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see Note, item 86632: Greatest dimension exceeding 96 inches, subject to Item 170 and having a density in pounds per cubic foot of: Less than 4	500
№86630-B Sub 1 Sub 2 Sub 3	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see Note, item 86632: Greatest dimension exceeding 96 inches, subject to Item 170 and having a density in pounds per cubic foot of: Less than 4	250
∆86630-B Sub 1 Sub 2	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see Note, item 86632: Greatest dimension exceeding 96 inches, subject to Item 170 and having a density in pounds per cubic foot of: Less than 4	1
№86630-B Sub 1 Sub 2 Sub 3 Sub 4	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see Note, item 86632: Greatest dimension exceeding 96 inches, subject to Item 170 and having a density in pounds per cubic foot of: Less than 4	250
Sub 1 Sub 2 Sub 3 Sub 4 Sub 5	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see Note, item 86632: Greatest dimension exceeding 96 inches, subject to Item 170 and having a density in pounds per cubic foot of: Less than 4	250 125 400 200
Sub 1 Sub 2 Sub 3 Sub 4 Sub 5 Sub 6 Sub 7 Sub 8	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see Note, item 86632: Greatest dimension exceeding 96 inches, subject to Item 170 and having a density in pounds per cubic foot of: Less than 4	250 125 400
Sub 1 Sub 2 Sub 3 Sub 4 Sub 5 Sub 6 Sub 7	item 86631, in boxes, crates or Packages 304, 315, 1180, 2034 or 2147, or on shipping carriers or racks, see Note, item 86632: Greatest dimension exceeding 96 inches, subject to Item 170 and having a density in pounds per cubic foot of: Less than 4	250 125 400 200

	SUPPLEMENT 4 TO NMF 100-AV	
ITEM	ARTICLE	CLAS
∆86632-B	NOTE—Glass must be held securely in place within package or on shipping carrier or rack and be protected by packing	
	forms necessary to afford adequate protection against damage.	
	GLASSWARE GROUP: subject to item 87500	
87700-A	Bottles, Carboys or Jars, NOI, other than cut, with or without complement of caps, covers, stoppers or tops, ▶in	
Cub 1	boxes or Package 1251, subject to Item 170 and having a density in pounds per cubic foot of:	400
Sub 1 Sub 2	Less than 1	400 300
Sub 3	2 but less than 4.	250
Sub 4	4 but less than 6.	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8 Sub 9	12 but less than 15	85 70
Sub 9 Sub 10	22.5 but less than 30.	65
Sub 11	30 or greater	60
88020-A	Flasks, leather covered, etc…⊠Cancel; obsolete.	
88160-B	Glassware, NOI, with or without components or trim of other materials, ▶in boxes or Package 213, released to a	
	value not exceeding \$19.00 per pound, see Note, item 88161, subject to Item 170 and having a density in	
Cub 1	pounds per cubic foot of: Less than 1	400
Sub 1 Sub 2	1 but less than 2	400 300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8 Sub 9	12 but less than 15	85 70
Sub 9 Sub 10	22.5 but less than 30.	65
Sub 11	30 or greater	60
∆88161-B	NOTE—Unless otherwise provided in individual participating carriers' tariffs, glassware moving under the provisions of	
	item 88160 shall only be accepted subject to a maximum liability of \$19.00 per pound. If shipper fails to declare a	
	value, or declares a value in excess of \$19.00 per pound, shipment will not be accepted, but if the shipment is	
	inadvertently accepted, it will be considered as being released to a value not exceeding \$19.00 per pound and the shipment will move subject to such limitation of liability. In no instance will carriers' liability exceed the actual value	
	of the glassware lost or damaged.	
88820-A	Glue Stock, consisting of bacon skins or rinds, fleshings, hide trimmings, horn pith, pizzles, sinews or nonedible pigs	
	feet, etc⊠Cancel; obsolete.	
	GRAIN PRODUCTS GROUP: subject to item 89300	
89430-A	Grain Flour, NOI, etc…⊠Cancel; see item 73150.	
89432-A	NOTE—⊠Cancel; no further application.	
89450-A 89452-A	Grain Flour, self-rising, etc…⊠Cancel; see item 73150. NOTE—⊠Cancel; no further application.	
89650-A	Meal, corn, etc⊠Cancel; see item 73150.	
03030-74	GUMS: subject to item 91100	
91160-A	Amber, etc⊠Cancel; obsolete.	
91240-A	Camphor, etc⊠Cancel; obsolete.	
91480-A	Olibanum, etc⊠Cancel; obsolete.	
	HARDWARE GROUP: subject to item 92900	
93640-A	Brackets or Supports, children's sled, for attaching body or top to runners, iron, nested, etc⊠Cancel; obsolete.	
98530-A	Heaters, street surface or tool (Fire Wagons)⊠Cancel; obsolete.	
	HIDES GROUP: subject to item 98800	
00060 4	Hides, Pelts or Skins, not dressed nor tanned: subject to item 98950	
99060-A 99090-A	Cattle, Horse or Mule, dry, etc⊠Cancel; obsolete. Cattle or Horse, pickled or raw splits (flesh side of split hides), etc⊠Cancel; obsolete.	
55550-A	HOUSEHOLD UTENSILS GROUP: subject to item 100500	
101200-A	Nutcrackers, other than in the form of figures or images, see Note, item 101201, or Nutpicks, NOI, etc⊠Cancel;	
	obsolete.	
101201-A	NOTE—⊠Cancel; no further application.	

	SUPPLEMENT 4 TO NMF 100-AV	1
ITEM	ARTICLE	CLASS
	INCLUATION OF INCLUATING MATERIAL CROUD, without the 400000	
	INSULATION OR INSULATING MATERIAL GROUP: subject to item 103000	
103080-A	Calcium Silicate and Fiber combined, with or without metal jacketing, etc⊠Cancel; see item 103300.	
103300-A	Insulation or Insulating Material, viz.:	
	Barriers, Shields, Windows or Glass Window Lights or Blocks, radiation shielding, with or without frames, see	
	Note, item 103301;	
	▶Calcium Silicate;	
	Felt or Felt Paper;	
	Fire Blocking or Sound Attenuation Material, consisting of glass fibers and unexpanded vermiculite, in sheet	
	form, cut, grooved or bent;	
	Insulation or Insulating Material, NOI;	
	Mineral Wool (Rock, Slag or Glass Wool) or Synthetic Vitreous Fiber;	
	Silencers or Sound Traps, air duct, sheet steel or sheet steel and insulating material combined;	
	Sleeves or Hollow Shapes, mold riser, exothermic compound;	
	Sound Deadening Material, NOI;	
	In packages, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 11	30 or greater	60
△103301-A	NOTE—Shipments must have protruding parts adequately protected from possible damage, or such parts must be	
	detached and separately boxed.	
	IRON OR STEEL: subject to item 104000	
105545-A	Hoops or Rings, band saw wheel tire, reinforcement, etc…⊠Cancel, obsolete.	
108640-A	Lacing, leather, etc⊠Cancel; obsolete.	
	LEATHER OR LEATHERBOARD: subject to item 110600	
110760-A	Leather Scrap, having value only for fertilizer purposes, etc⊠Cancel; obsolete.	
111640-A	Litharge , wet with water, etc⊠Cancel; obsolete.	
11104071	LUMBER GROUP: subject to item 112000	
110110 1		
112440-A	Doubletrees, Eveners, Neckyokes or Singletrees, wooden, in the rough, whether or not creosoted or otherwise	
440000 A	preservatively treated⊠Cancel; obsolete.	
112680-A	Hoops, coiled, wooden, etc⊠Cancel; obsolete.	
	MACHINERY GROUP: subject to item 114000	
	Bakers': subject to item 114300	
★ 114390	Dough Deposit, Forming or Make-Up Machines, see Note, item 114391:	
Sub 1	In boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 2	Less than 10	125
Sub 3	10 but less than 15	85
Sub 4	15 or greater	70
Sub 5	In packages other than boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 6	Less than 10	150
Sub 7	10 but less than 15	92.5
Sub 8	15 or greater	77.5
★ 114391	NOTE—Does not apply on machines that mix but do not otherwise work or prepare dough. For applicable provisions,	
44440	see item 125750.	
114440-A	Dough Working Machines, etc ©Cancel; see item 114390.	
	Bearings or Bushings, NOI: subject to item 114800	
114820-A	Ball or roller, see Note, item 114822, ▶in boxes, drums or Packages 1241 or 1273	77.5
△114822-A	NOTE—Will also apply on ball or roller bearing or bushing parts, other than plastic, such as cups, cones and retainers,	
4400== :	with or without balls or rolls, but will not apply on anti-friction bearing or bushing balls or rolls.	
116380-A	Candy Coolers, NOI, without legs or with legs detached, etc⊠Cancel; obsolete.	
1100=0 1	Distilling Apparatus: subject to item 119640	
119650-A	Turpentine, copper or copper and iron or steel combined⊠Cancel; obsolete.	
	Laundry: subject to item 124000	
1010==:	Household: subject to item 124035	
124065-A	Dryers (Drying Machines), etc⊠Cancel; see item 124190.	
124125-A	Machines, washing and drying combined (Washer-Dryer Combinations or Combination Washer-Dryers),	
10111-	etc ©Cancel; see item 124190.	
124145-A	Parts, laundry machine, metal, in mixtures, etc…⊠Cancel; see provisions otherwise applicable.	
124146-A	NOTE—Signature (Marking Marking) and Posts the sast NOI with a three states of NOI with a three states	
124185-A	Washers (Washing Machines); or Parts thereof, NOI, other than metal, etc⊠Cancel; see item 124190 and	
404400	provisions otherwise applicable.	
124186-A	NOTE—⊠Cancel; no further application.	

ITEM	ARTICLE	CLAS
	MACHINERY GROUP: subject to item 114000	
	Laundry: subject to item 124000	
	Household: subject to item 124035	
★ 124190	Washers (Washing Machines) or Dryers (Drying Machines), see Note, item 124191, in boxes, crates or	
	Packages 1019, 1022, 1082, 1254, 2030, 2386, 2408, 2540 or 2541, subject to Item 170 and having a	
	density in pounds per cubic foot of:	
Sub 1	Less than 5	250
Sub 2	5 or greater	125
★ 124191	NOTE—Also applies on Washer-Dryer Combinations, including Laundry Centers.	
►124670-A	Machines, pneumatic tire changing, iron or steel, air-powered or other than air-powered, or Parts thereof, NOI, in	
Cult 1	boxes, crates or Package 2190, subject to Item 170 and having a density in pounds per cubic foot of:	405
Sub 1 Sub 2	Less than 10	125 77.5
Sub Z	Mining, Ore Milling or Smelting: subject to item 125200	11.
125380-A	Frames, concentrating table or vanning machine, KD, etc⊠Cancel; obsolete.	
125850-A	Mufflers, Exhaust Systems, Automobile Pipe, Surge Suppressors and related articles, viz.:	
	Automobile Pipe or Tubing, steel, copper plate or terne plate, straight or bent, further processed than cut to	
	length, see Note, item 125853;	
	Exhaust Systems, internal combustion engine, see Note, item 125851;	
	Hydraulic Accumulators;	
	Industrial Noise, Pulsation or Surge Suppressors or Silencers, see Note, item 125852;	
	Mufflers, Resonators, Spark Arresters or Silencers, internal combustion engine;	
Sub 1	▶In packages, subject to Item 170 and having a density in pounds per cubic foot of: Less than 1	400
Sub 1	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 3	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 11	30 or greater	60
∆125851-A	NOTE—Exhaust systems consist of mufflers, resonators or silencers and exhaust or tail pipes, with or without head	
∆125852-A	pipes, collectors, manifolds or mounting hardware. NOTE—Also applies on named commodities when combined with spark arresters or when having spark arresting	
<u> 123632-A</u>	capabilities.	
∆125853-A	NOTE—Applies on the following types of automobile pipe or tubing: crankcase breather, crankcase ventilator, gasoline	
	tank filler, exhaust, oil filler, oil strainer suction, radiator outlet, tailpipe or tailpipe extensions, or gas tank filler pipe	
	fittings.	
	Oil Mill: subject to item 125900	
126060-A	Oil Cake Press Boxes or Plates, iron or steel, etc⊠Cancel; obsolete.	
100101 1	Paper Machine Clothing, new or reconditioned: subject to item 126180	
126181-A	Felts or Fabrics, press or dryer section, natural or synthetic fiber, separate or combined or combined with metal	0.5
127630-A	fiber, in boxes, closed-end fiberboard tubes, or wrapped rolls	85
121030-A	Pumps, fuel dispensing and metering, power, with or without display compartments, hoses, nozzles or other components necessary for operation, see Note, item 127631, ▶in boxes, crates or Packages 1389 or 2339	125
∆127631-A	NOTE—Applies on fuel dispensing pumps commonly found at gas stations and other similar locations for dispensing	120
	measured amounts of fuel.	
128020-A	Pumps , measuring, power, with or without enclosed display compartments, other than fuel dispensing pumps, see	
	Note, item 128021:	
Sub 1	Used, having value only for reconditioning or for salvage of parts, actual value not exceeding \$50.00 each, see	
	Note, item 128022, loose or in packages	70
Sub 2	NOI, ▶in boxes, crates or Packages 1389 or 2339	85
128021-A	NOTE—For provisions applicable to fuel dispensing pumps, see item 127630, 'Pumps, fuel dispensing and metering,	
^ 120022 A	power.'	
∆128022-A	NOTE—Shipper must certify on shipping orders and bills of lading at time of shipment that the actual value of each pump does not exceed \$50.00. If the shipper fails to so certify the actual value, sub 2 of the item will apply.	
★ 129060	Saws, power operated, portable, NOI, including Portable Sawmill Machines or Chainsaws:	
Sub 1	In boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 2	Less than 8	175
Sub 3	8 but less than 12	100
Sub 4	12 or greater	70
Sub 5	In packages other than boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 6	Less than 8	200
Sub 7	8 but less than 12	110
Sub 8	12 or greater	77.5

	SOFF ELIVERITY TO THIS TOO-AV	
ITEM	ARTICLE	CLASS
	MACHINERY GROUP: subject to item 114000	
±1202EE	Spreaders, salt or sand, vehicle mounting:	
★130355		
Sub 1 Sub 2	In boxes or crates:	200
	Greatest dimension exceeding 96 inches	
Sub 3	Greatest dimension not exceeding 96 inches	175
Sub 4 Sub 5	In packages other than boxes or crates: Greatest dimension exceeding 96 inches	250
Sub 5 Sub 6	Greatest dimension exceeding 96 inches	200
Sub 6	Tanks: subject to item 130660	200
130700-A	Butchers' Rendering, steel…⊠Cancel; obsolete.	
130730-A	Digester, NOI, iron or steel, etc⊠Cancel; obsolete.	
130730-7	Textile Machine Parts: subject to item 131000	
131350-A	Protector or Dagger Rods, etc⊠Cancel; obsolete.	
131680-A	Track Laying Machines, KD…⊠Cancel; obsolete.	
133250-A	Wood Sawing Machines (Saws and Engines combined), portable, NOI, etc…⊠Cancel; see item 129060.	
10020071	METALS GROUP: subject to item 135300	
136220-A	Shot, britannia metal, etc⊠Cancel; obsolete.	
△137400-A	Mirrors, NOI, see Notes, items 79022, 137452 and 137456:	
∆137420-A	Bent, in boxes:	
Sub 1	Not exceeding 15 feet in length nor $7^{1}/_{2}$ feet in width	125
Sub 1 Sub 2	Exceeding 15 feet in length or 7½ feet in width	
Sub 2 . 137440-A	Not bent, in boxes:	300
	,	100
Sub 1	120 united inches or under, also in Packages 1F, 5F, 6F, 52F, 61F, 79F, 93F, 115F or 139F	100
Sub 2	Exceeding 120 united inches, but not exceeding 15 feet in length nor $7\frac{1}{2}$ feet in width	125
Sub 3	Exceeding 15 feet in length or 71/2 feet in width	250
△137452-A	NOTE—Shipments must be so packed and so loaded that glass rests on full flat edge.	
△137456-A	NOTE—The term 'united inches' means the sum of the two greatest dimensions (length and width) of package.	
	PLASTIC OR RUBBER ARTICLES, OTHER THAN EXPANDED, GROUP: subject to item 156500	
156830-A	Film or Sheeting , NOI, see Note, item 156831, ▶in boxes, crates, wrapped bundles or rolls, or Packages 2057, 2059	
0 1 4	or 2221, see Note, item 156832:	
Sub 1	Food or pharmaceutical grade, see Note, item 156834, subject to Item 170 and having a density in pounds per	
0.1.0	cubic foot of:	440
Sub 2	Less than 15	110
Sub 3	15 but less than 30	77.5
Sub 4	30 or greater	65
Sub 5	Other than food or pharmaceutical grade as defined in Note, item 156834, subject to Item 170 and having a density	
Cub C	in pounds per cubic foot of:	00.5
Sub 6	Less than 15	92.5
Sub 7	15 but less than 30	65 55
Sub 8	30 or greater	55
△156831-A	NOTE—Does not apply on self-supporting (rigid) plastic sheet or plate. For applicable provisions, see item 156300.	
△156832-A	NOTE—Film or sheeting tendered for shipment on lift truck skids or pallets must not overhang the skid or pallet deck, and all exposed surfaces and edges must be completely wrapped with plastic film or corrugated fiberboard. Film or	
	sheeting stacked on lift truck skids or pallets must be secured to the lift truck skid or pallet by means necessary to	
	withstand the normal rigors of the less-than-truckload environment.	
△156834-A	NOTE—The term 'food or pharmaceutical grade' embraces film or sheeting that will be used in connection with food,	
△ 130034-A	foodstuffs, pharmaceuticals or other applications, and where exposure of the film or sheeting to hazardous materials,	
	odor-emitting freight, debris or other contaminants will result in a claim for, or refusal of, all or part of the shipment.	
	Bills of lading and shipping orders must be so notated, and shipping containers or packages must also be so marked.	
164200 4	RACKS: subject to item 163900	
164390-A	Racks and Related Articles, viz.:	
	Corrals, shopping cart (Cart Corrals), see Note, item 164393; ▶Firewood Racks or Holders;	
	Racks, NOI;	
	Spice Racks, see Note, item 164394;	
	Swimming Pool Cover Racks or Reels;	
	In packages, subject to Item 170 and having a density in pounds per cubic foot of:	
Sub 1	Less than 1	400
Sub 1	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 3	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10.	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9	15 but less than 22.5	70
Sub 10	22.5 but less than 30	65
Sub 11	30 or greater	60
 ∆ 164393-A	NOTE—Applies on containment systems or structures for storing or holding shopping carts in parking lots.	
∆164394-A	NOTE—Spice racks may be shipped with complement of empty bottles or jars in same package.	
4		
1		
	Only and single in the NMFC of the time the transport of the survey of the province of the survey of	

TEM	ARTICLE
175885-A	Signals, road traffic, light flashing, including Traffic Lights, in boxes or crates; or when trailer mounted, ▶in packages; subject to Item 170 and having a density in pounds per cubic foot of:
Sub 1	Less than 1
Sub 2	1 but less than 2
Sub 3	2 but less than 4
Sub 4	4 but less than 6
Sub 5	6 but less than 8
Sub 6	8 but less than 10
Sub 7	10 but less than 12
Sub 8 Sub 9	12 but less than 15
Sub 9	22.5 but less than 30.
Sub 10	30 or greater
175887-A	NOTE—⊠Cancel; no further application.
176050-A	Signs, NOI, prepaid, see Notes, items 176051 and 176052, in boxes, crates or Packages 1160 or 2337, see ▶Note, item 176053, subject to Item 170 and having a density in pounds per cubic foot of:
Sub 1	Less than 1
Sub 2	1 but less than 2
Sub 3 Sub 4	2 but less than 4
Sub 4 Sub 5	4 but less than 6
Sub 5 Sub 6	8 but less than 10
Sub 7	10 but less than 12
Sub 8	12 but less than 15
Sub 9	15 but less than 22.5.
Sub 10	22.5 but less than 30
Sub 11	30 or greater
176051-A	NOTE—Also applies on letters, numbers, figures or symbols not of themselves constituting complete signs.
176052-A	NOTE—Provisions also apply on sign faces or facings.
176053-A	NOTE—Neon signs may also be shipped in Package 546.
176054-A	NOTE—⊠Cancel; no further application.
177670-A	Sprayers, handheld or hand operated; or Foggers, handheld or hand operated; with or without motors, see ▶Note, item 177674, ▶in packages, ▶see Note, item 177684, subject to Item 170 and having a density in pounds per cubic foot of:
Sub 1	Less than 1
Sub 2	1 but less than 2
Sub 3	2 but less than 4
Sub 4	4 but less than 6
Sub 5	6 but less than 8
Sub 6	8 but less than 10
Sub 7	10 but less than 12
Sub 8	12 but less than 15
Sub 9	15 but less than 22.5.
Sub 10	22.5 but less than 30
Sub 11	30 or greaterNOTE—Applies on sprayers or spraying devices other than when: wheeled; trailer mounted; with integral skid bases; or
177674-A 177680-A	designed for trailer, vehicle or wheel mounting. Sprayers, NOI, see Note, item 177682; Steam or Water Cleaning Outfits, separate or combined; or Snowmaking
	Machines; wheeled; trailer mounted; with integral skid bases; or for trailer, vehicle, aircraft or wheel mounting; with or without engines:
Sub 1	In boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:
Sub 2	Less than 8
Sub 3	8 or greater
Sub 4	▶In packages other than boxes or crates, see Note, item 177684, subject to Item 170 and having a density in pounds
Cub E	per cubic foot of: Less than 8
Sub 5 Sub 6	
Sub 6 177682-A	8 or greater
177684-A	NOTE—Applies on sprayers or liquids or powders. NOTE—Small detachable parts must be ▶in boxes or in sprayer barrel or tank.
504-7	VEHICLE PARTS: subject to item 190500
191710-A	Fenders, boat-carrying or utility trailer, or snow or ice vehicle:
Sub 1	In boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:
Sub 1	Less than 8
Sub 3	8 but less than 12
Sub 4	12 or greater.
Sub 5	In packages other than boxes or crates, subject to Item 170 and having a density in pounds per cubic foot of:
Sub 6	Less than 8
Sub 7	8 but less than 12
Sub 8	12 or greater

	SUPPLEMENT 4 TO NMF 100-AV	
ITEM	ARTICLE	CLASS
	WASHERS; GASKETS; OR PACKING DEVICES, FORMS OR SHAPES, OTHER THAN	
	PACKAGING: subject to item 194000	
194120-A	Washers; Gaskets; or Packing Devices, Forms or Shapes, other than packaging; NOI, in bags, boxes or crates,	
19412U-A	or in wrapped rolls secured > on lift truck skids or pallets, subject to Item 170 and having a density in pounds	
	per cubic foot of:	
Sub 1	Less than 1	400
Sub 2	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6 Sub 7	8 but less than 10	100
Sub 7 Sub 8	10 but less than 12	92.5 85
Sub 9	15 but less than 22.5.	70
Sub 10	22.5 but less than 30.	65
Sub 11	30 or greater	60
200280-A	YARN:⊠Cancel; no further application.	
200300-A	Cellulose Sponge Coated, etc⊠Cancel; see item 200420.	
200320-A	Coconut Husk (Cocoa or Coir Yarn), etc⊠Cancel; see item 200420.	
200340-A	Cotton Mop, etc⊠Cancel; see item 200420.	
200380-A	Cotton, NOI, other than in skeins, balls, hanks or on cards, etc…⊠Cancel; see item 200420.	
200400-A	Jute, other than in skeins, balls or hanks, etc⊠Cancel; see item 200420.	
★ 200420	Yarn , NOI, in bales, boxes or Packages 2015, 2017, 2018, 2120, 2123, 2151, 2152, 2153, 2154, 2155, 2156 or 2295, authors to Item 470 and basing a despite in payred par subjected of	
Sub 1	subject to Item 170 and having a density in pounds per cubic foot of: Less than 1	400
Sub 1	1 but less than 2	300
Sub 3	2 but less than 4	250
Sub 4	4 but less than 6	175
Sub 5	6 but less than 8	125
Sub 6	8 but less than 10	100
Sub 7	10 but less than 12	92.5
Sub 8	12 but less than 15	85
Sub 9 Sub 10	15 but less than 22.5	70 65
Sub 10	30 or greater	60
200430-B	Synthetic Fiber, NOI; or Cotton and Synthetic Fiber Blended, NOI, etc \(\times\) Cancel; see item 200420.	
200432-B	NOTE—⊠Cancel; no further application.	
200440-A	Yarn, NOI, etc…⊠Cancel; see item 200420.	

SPECIFICATIONS FOR NUMBERED PACKAGES						
⊠Cancel; no further application.	Package 84					
Estation, no further application.						
⊠Cancel; no further application.	Package 122					
⊠Cancel; no further application.	Package 180					
⊠Cancel; no further application.	Package 202					
⊠Cancel; no further application.	Package 278					
⊠Cancel; no further application.	Package 693					
⊠Cancel; no further application.	Package 709					
⊠Cancel; no further application.	Package 1247					
⊠Cancel; no further application.	Package 2058					
⊠Cancel; no further application.	Package 2067					
⊠Cancel; no further application.	Package 2068					
⊠Cancel; no further application.	Package 2081					
⊠Cancel; no further application.	Package 2083					
⊠Cancel; no further application.	Package 2088					
⊠Cancel; no further application.	Package 2089					
⊠Cancel; no further application.	Package 2092					
⊠Cancel; no further application.	Package 2095					

	SUPPLEMENT 4 TO NIME TOU-AV					
SPECIFICATIONS FOR NUMBERED PACKAGES						
⊠Cancel; no further application.	Package 2103					
⊠Cancel; no further application.	Package 2105					
⊠Cancel; no further application.	Package 2106					
⊠Cancel; no further application.	Package 2108					
⊠Cancel; no further application.	Package 2112					
⊠Cancel; no further application.	Package 2131					
⊠Cancel; no further application.	Package 2136					
⊠Cancel; no further application.	Package 2162					
⊠Cancel; no further application.	Package 2172					
⊠Cancel; no further application.	Package 2186					
⊠Cancel; no further application.	Package 2208					
⊠Cancel; no further application.	Package 2282					
⊠Cancel; no further application.	Package 2431					
⊠Cancel; no further application.	Package 2451					

SUPPLEMENT 4 TO 100-AV	
THIS PAGE INTENTIONALLY LEFT BLANK	

DOCUMENTS AND GOVERNING RULES FOR TENDERING SHIPMENTS

►ITEM 250150-A

UNIFORM STRAIGHT BILL OF LADING

ORIGINAL—NOT NEGOTIABLE

Carrier's Pro No. (Sticker):					Date:	() "				
					Shipper's Bill o	of Lading No.:				<u> </u>
Pick Up Carrier's Name/SCAC: Delivering Carrier's Name/SCAC:					PO No.:					
Delivering	g Carrier's N	iame/	SCAC:		Load No.:					
Shipper's	Name:				Ship	per's Contact			4	
Address:				City:			State:		Zi	p:
Consigne	e's Name:									
Address:				City:	_	State:			Zip:	
Consigne	e's Contact	Perso	on:		Consignee's	Contact Pho	ne No. or Email	:		
Send freig	ht bill to:									
Company			Contact Person:							
Address,	City, State,	Zip:								
Freight char	ges are DRFI	י שועם	unless marked collect. CHECK		-CT []					
			e delivery of this shipment with			lawful charges	i.			
	-				_		7			
Additional	Shipment I	nform	nation.			-8-	- #			
	d Additional									
			tact Name & Phone No.:		A					
Contact to	notify if pro	blem	s enroute or at delivery:							
** Informat	ion provide	d in ta	able below is subject to con	rection**						
No. &	No.					Requires additional			Total	Extreme
Type of Handling Units	Type of Individual Packages	⊕ HM	Description of Articles, Pa Exceptions (See Notes 1			care or attention (Y/N; See Note 3)	Number & Subprovision	NMFC Class	Weight (Pounds)	Dimensions (inches) L x W x H
						,				
							<u> </u>	<u> </u>	<u> </u>	
Aark "X"	to designate	Hazar	dous Materials as defined in U	SDOT Regulation	ons.					
NOTE (1) W	here the rate	is dep	pendent on value, shippers are	required to state	e specifically in wri	ting the agreed	or declared value	of the pro	perty as follo	ows:
"The agr	eed or declar	ed val	ue of the property is specifically	y stated by the s	shipper to be not ex	ceeding	per"			
NOTE (2) Li	iability Limit	ation f	for loss or damage on this sh	ipment may be	e applicable. See	19 U.S.C. § 147	'06(c)(1)(A) and (I	В).		
	ommodities re e. See NMFC		g special or additional care or a 250100.	attention in hand	dling or stowing mu	ist be so marke	d and packaged a	s to ensu	re safe trans	portation with
he carrier a	nd available t	o the	s and/or contracts agreed upor shipper upon request. The prop vn. Carrier, either by direct serv	erty described,	except as noted, v	as received in	apparent good ord	ler, excep	t that the cor	ntents of packages
			formed by the carrier are subjection in the subjection of the subj							
	Sh	ipper	Certification			Ca	rrier Certification	1		
This is to c		• •	e-named materials are properly	Carrier a	cknowledges recei				ired placards	s, where
classified,	described, pa	ckage	d, marked and labeled, meet	necessar	y. Carrier certifies	emergency res	ponse information	was mad	de available a	ind/or carrier has
			e in proper condition for applicable regulations of the		OT emergency resp	•	•		1 the vehicle.	
USDOT.	2550141119			Signed_				Date		
Signed			Date	No. & Ty	pe of Packages					
954			Date							

DOCUMENTS AND GOVERNING RULES FOR TENDERING SHIPMENTS

ITEM 250150-A-Continued

UNIFORM STRAIGHT BILL OF LADING TERMS AND CONDITIONS

- **Sec. 1.** (a) The carrier shown as transporting the property described in this bill of lading shall be liable as at common law for any loss or damage to the shipment, except as provided herein.
- (b) No carrier shall be liable for any loss or damage caused by an Act of God, the public enemy, the authority of law, the act or default of the shipper, the defect or vice in the property, strikes and labor disputes, or any related causes. The burden to prove negligence is on the shipper.
- (c) The shipper is responsible that the packaging of the shipment tendered to the carrier complies with the requirements of the current National Motor Freight Classification (NMFC) for the transportation of that commodity. Failure of the shipper to do so can result in the denial of a claim, in whole or in part, for loss or damage attributable to the failure to tender to the carrier properly packaged freight.
- Sec. 2. (a) Unless arranged or agreed to in writing or electronically prior to shipment, the carrier is not required to deliver a shipment by a particular schedule or in time for a particular market, but will transport the shipment in the regular course of its providing transportation services. If such arrangement or agreement exists the carrier shall not be liable for any delay or default in delivery if caused by any of the conditions identified in Sec. 1 (b) above, or from a faulty or impassable highway, construction, congestion or an accident, or by the lack of capacity of a highway, bridge or ferry.
- (b) When physical circumstances involving equipment or drivers arise during transit which prevent the carrier from delivering a shipment, the carrier may forward the shipment by another carrier.
- **Sec. 3.** (a) The terms and conditions governing the filing, substantiation and processing of a claim for loss or damage are found in Items 300100 through 300107 of the NMFC. A claim must be filed with the carrier within nine months of the date of the bill of lading, and a civil action must be commenced within two years of the final disposition of the claim by the carrier. Failure to comply with either of the foregoing time limits will result in the carrier not being liable for the claim. If different or additional terms and conditions for handling a loss or damage claim are established in a written agreement between the carrier and the shipper, or in the carrier's tariff, those provisions shall govern the filing, substantiating and processing of a loss or damage claim.
- (b) Claims for damage must be filed with the carrier not more than nine (9) months from the date of delivery (or in the case of export traffic, not more than nine (9) months after delivery at the port of export, or in the case of import traffic, not more than nine (9) months after pickup at the place of tender). Claims for loss must be filed with the carrier not more than nine (9) months from the date of the bill of lading.
- **Sec. 4.** (a) If the property is stopped and held in transit upon request of the shipper, owner or party entitled to make such request, or the consignee refuses the shipment tendered for delivery by carrier or if carrier is unable to deliver the shipment, because of fault or mistake of the consignor or consignee, the carrier's liability shall then become that of a warehouseman. Carrier shall promptly attempt to provide notice, by telephonic or electronic communication as provided on the face of the bill of lading, if so indicated, to the shipper or the party, if any, designated to receive notice on this bill of lading. Storage charges, based on carrier's tariff, shall start no sooner than the next business day following the attempted notification. Storage may be, at the carrier's option, in any location that provides reasonable protection against loss or damage. The carrier may place the shipment in public storage at the owner's expense and without liability to the carrier.
- (b) If the carrier does not receive disposition instructions within 24 hours from the time of the carrier's attempted telephonic or electronic notification, carrier shall advise that if it does not receive disposition instructions within five (5) days of that notification, carrier has the right to offer the shipment for sale, and carrier may sell the property under such circumstances as may be authorized by law.
- (c) When perishable goods cannot be delivered and disposition instructions are not given within a time that is reasonable depending upon the nature, purpose, and circumstances of the shipment, the carrier may dispose of the property in a manner that the carrier deems best serves its disposition.

- (d) Absent carrier negligence, a carrier does not bear the risk of loss or damage after unloading the shipment or tendering a trailer for consignee unload if the freight is delivered in the quantity and condition tendered to the carrier, and is in compliance with the carrier-accepted terms and conditions on the bill of lading, or in a written contract between the parties to the transportation arrangement.
- **Sec. 5.** (a) In the event of loss or damage, when one or more articles, packages or pieces of property are tendered individually or secured or unitized for shipment under one bill of lading, and where a released value has been stated in writing by the shipper on the bill of lading or is established in the applicable carrier's tariff, the carrier's maximum liability will be determined by multiplying the released value times the weight of each individual article, package or piece lost or damaged, not on the total weight of the handling unit or the shipment.
- (b) No carrier hereunder will carry or be liable in any way for any financial and commercial documents, currency, or for any articles of extraordinary value not specifically classified in the NMFC or tariffs unless an agreement in writing between the carrier and the shipper which specifically identifies and authorizes the transportation of such articles to do so and a stipulated value of the articles are endorsed on this bill of lading.
- **Sec. 6.** Every party, whether principal or agent, who ships explosives or dangerous goods, without previous full written disclosure to the carrier of their nature, shall be liable for and indemnify the carrier against all loss or damage caused by such goods. Such goods may be warehoused at owner's risk and expense or destroyed without compensation.
- Sec. 7. (a) The consignor, consignee, or shipper shall be liable for the freight and other lawful charges accruing on the shipment, as billed or corrected as specified in 49 U.S.C. §13710, and carrier may require prepayment of the charges prior to delivery and refuse to give up possession at the destination until payment is made, as specified in 49 U.S.C. § 13707(a).
- (b) Notwithstanding the provisions of subsection (a) above, the consignee's liability for payment of additional charges that may be found to be due after delivery shall be as specified by 49 U.S.C. §13706, except that the consignee need not provide the specified written notice to the delivering carrier if the consignee is a for-hire carrier
- (c) In compliance with the carrier's legal duties under 49 U.S.C. Section 80113, the Federal Bill of Lading Act, 49 U.S.C. Section 13708, Billing and Collecting Practices, and 49 U.S.C. Section 14706, Liability of Carriers under Receipts and Bills of Lading, the carrier has the right to inspect any shipment tendered to it for transportation.
- (d) If the description of the articles, including weight or density of shipments, or other information on this bill of lading is found to be incorrect or incomplete, the freight charges must be paid based upon the articles actually shipped.
- **Sec. 8.** (a) No agent of the shipper or other third party shall have the power to waive or vary any of the terms of this or any bill of lading, unless such waiver or variation is in writing and is specifically authorized or ratified by the shipper and the carrier.
- (b) If this bill of lading is issued on the order of the shipper or its agent, with shipper and carrier authorization, in exchange or in substitution for a prior bill of lading, the signature of the shipper or its agent on the prior bill of lading, or in connection with the prior bill of lading, as to a statement of value or the election of the applicable liability shall be considered as part of and the same as if they were written on or made in connection with this bill of lading.
- **Sec. 9.** When a written contract has been negotiated and executed by the shipper, or its agent, and the carrier for the services provided, the terms and conditions set forth in the bill of lading which are not covered in the contract, and are not in conflict with its provisions, also govern the transportation services provided for the shipment.

DOCUMENTS AND GOVERNING RULES FOR TENDERING SHIPMENTS

►ITEM 250160-A

STRAIGHT BILL OF LADING—SHORT FORM

ORIGINAL—NOT NEGOTIABLE

			`		L NOT HES	O 117 \BEE					
Carrier's Pro No. (Sticker):					Date:						
	<u> </u>				Shipper's Bill of Lading No.:					4	
	Carrier's Na				PO No.:						
Delivering Carrier's Name/SCAC:				Load No.:							
Shipper's	Name:				Ship	per's Contact	Person:		,		
Address:				City:			State:		Zip	o:	
Consigne	e's Name:										
Address:				City:		State:			Zip:		
Consigne	e's Contact	Pers	on:		Consignee's	Contact Pho	ne No. or Email:				
Send freig	ht bill to:							- 3			
Company	/:		Contact Person:								
Address,	City, State,	Zip:									
The carrier	may decline t	o mak	unless marked collect. CHECK le delivery of this shipment witho			· lawful charges.					
	I Shipment ed Additiona										
			ntact Name & Phone No.:								
			ns enroute or at delivery:				· · · · ·				
** Informa	tion provide	d in ta	able below is subject to corre	ection**							
No. & Type of Handling Units	No. & Type of Individual Packages	⊖ НМ	Description of Articles, Pa Exceptions (See Notes 1 a	ckages, Spe		Requires additional care or attention (Y/N; See Note 3)	NMFC Item Number & Subprovision	NMFC Class	Total Weight (Pounds)	Extreme Dimensions (inches) L x W x H	
			37								
NOTE (1) W "The agi NOTE (2) L NOTE (3) C ordinary car NOTE (4) B RECEIVED the carrier a and their co shown. All s Motor Freig assigns. This is to c classified,	Where the rate reed or declar iability Limit commodities ree. See NMFC ill of Lading Tee. Subject to the subjec	e is depred value ation in equiring them are rate to the soft known perforon. Shape above ackage	dous Materials as defined in US pendent on value, shippers are rue of the property is specifically for loss or damage on this shing special or additional care or a 250100. and Conditions shall be provided as and/or contracts agreed upon shipper upon request. The property. Carrier, either by direct servimed by the carrier are subject to ipper certifies that it has knowled. Certification e-named materials are properly ed, marked and labeled, meet er in proper condition for	equired to st stated by the pment may ttention in ha d upon writte in writing bet erty describe ce or by intel to the terms a dge of all the Carrier necess	ate specifically in write shipper to be not exbe applicable. See 4 andling or stowing mun or electronic requestiveen the carrier and id, except as noted, willing service with anound conditions of the least shipper and conditions of the least ship	st per 49 U.S.C. the shipper others received in a street of this bill of la carrier, will be so the bill of la carrier, will be so this bill of la carrier, will be so the bill of la carrier, will be so the bill of la carrier will be s	per" D6(c)(1)(A) and (E I and packaged as § 13710(a). erwise to the rates parent good ord deliver the shipme Bill of Lading four ding, and agrees the rrier Certification as descried herein conse information	s, classificer, excepent as mand in the coordinate and accordinate and and accordinate and required was mad	e safe transp ations, and re t that the con rked, consign current issue cepts them fo ired placards e available a	ortation with ules published by tents of packages led and destined as of the National or itself and any	
transporta			e in proper condition for e applicable regulations of the	Signed		onise guiden00	n or equivalent do	Date	i ule vellicie.		
USDOT.					Type of Packages						
Signed			Date								

PROCEDURES GOVERNING DETENTION

★ITEM 450100

APPLICATION

These procedures govern the imposition of charges for detention of vehicles with or without power units during transportation of freight in interstate or foreign commerce by motor carriers that are participants in the National Motor Freight Classification.

★ITEM 450110

DEFINITIONS

- (a) Detention, vehicle with power unit When a vehicle with power unit (tractor) and driver is delayed or detained at the designated pickup or delivery premises, or as close thereto as conditions will permit, for loading or unloading of freight, beyond the free time allowed for those services.
- (b) Detention, trailer without power unit When a vehicle without a power unit (spotted or dropped trailer) is delayed or detained on the designated pickup or delivery premises, beyond the free time allowed for loading or unloading of freight. A trailer is spotted or dropped when it is placed at a site designated by a consignor, consignee, or their representative, detached from the tractor, and left in full possession of the consignor, consignee, or their representative unattended by any carrier employee.
 - (c) Free time Time allowed without charge for loading or unloading of freight. After expiration of free time, a detention charge will be imposed.
- (d) Loading time The placement of freight as tendered in a vehicle. Loading includes stowing and counting the freight in or on the carrier's vehicle, and furnishing the carrier a signed Bill of Lading and/or any other documents necessary to transport the freight.
- (e) Unloading time Unloading involves the removal of freight as tendered from a vehicle. Unloading includes surrender to the consignee of the delivery receipt, payment of lawful charges to carrier when required prior to delivery of the freight, notification to carrier that a vehicle is unloaded, and signing the delivery receipt when delivering carrier's agent is present at unloading.
- (f) Advanced charges Charges paid by carrier for services incidental to the transportation of freight that are performed by another party, including, but not limited to, demurrage or lumping charges.

★ITEM 450120

FREE TIME

- (a) The amount of free time allowed shall be established independently by each carrier, and may vary depending upon the number of shipments per stop, the type of equipment, the weight of the freight, whether it is fully palletized or non-palletized, how it is packaged, or other criteria deemed relevant by a carrier.
- (b) Free time for vehicles with power units will begin upon arrival of the vehicle at the designated pickup or delivery premises, or as close thereto as conditions will permit, as arrival is regularly determined by carrier. Methods used to determine arrival time typically are arrival as indicated by GPS or other telematic device used by carrier, or arrival as recorded by driver. Free time will end upon completion of loading and receipt by the driver of a signed bill of lading, or completion of unloading and receipt by the driver of a signed delivery receipt.
- (c) Free time for vehicles without power units will begin when the trailer is placed at the designated pickup or delivery premises, or as close thereto as conditions will permit, and will end when the time period allowed by the carrier for loading or unloading comes to an end. Free time and detention charges will accrue until consignor, consignee, or their representative, notifies carrier that loading or unloading has been completed, and the trailer is available for pickup.
- (d) When consignor tenders or consignee receives more than one shipment at the same time, the combined weight will be used to determine free time.
- (e) When a vehicle is both unloaded and loaded, each transaction will be treated independently of the other for purposes of calculating free time, unless loading is begun before unloading is completed, in which case free time for loading shall not begin until free time for unloading has expired.
- (f) Because free time is based upon the freight as tendered to carrier and signed for, time spent assembling, packing, unpacking, breaking down, dismantling, inspecting, sorting, segregating, palletizing, and/or recouping freight shall be treated as detention time even absent actual delays beyond the amount of free time that would otherwise be allowed.

★ITEM 450130

NOTIFICATION OR APPOINTMENT: LIMITED OPERATING HOURS

- (a) A carrier may impose an additional charge when required to schedule an appointment or otherwise establish a specific time for pickup or delivery of freight.
 - (b) A request that carrier call before arrival for carrier convenience, or similarly worded requests, will be deemed to require a scheduled appointment.
 - (c) When a pre-arranged pickup or delivery appointment is required, such appointments can be scheduled on a one-time or continuous basis.
- (d) Free time will not include wait time before a scheduled appointment time unless early arrival is required to make appointment due to lines or check-in procedures, in which case free time shall begin at arrival at designated pickup or delivery premises.
- (e) If, through no fault of the carrier, the shipment cannot be delivered at the scheduled time, the freight will be placed on-hand and notification of its availability will be sent. Once placed on-hand, storage charges may be assessed. When freight is on-hand, the legal liability of a carrier is that of a warehouseman.
- (f) The carrier has the right to assess storage charges when an appointment cannot be scheduled within some specified time period due to limited delivery hours, overbooking, inability to locate consignee, or other cause not the fault of the carrier.

PROCEDURES GOVERNING DETENTION

★ITEM 450140

CHARGES

- (a) The charges for detention, including but not limited to the time increments for which detention will accrue, the per shipment or per trailer charges, and the minimum charge if any, shall be established independently by each carrier.
 - (b) Detention charges will not accrue when delay or detention is attributable to the carrier.
- (c) Charges will be assessed against the payor of the freight charges unless payment has been guaranteed to the satisfaction of the carrier by the consignor, consignee or third party.

★ITEM 450150

DOCUMENTATION OF DETENTION

- (a) Detention charges must be supported by documentation that allows the shipper, consignor, consignee, or payor to determine the additional amounts due for that service. Such documentation shall be provided to shipper, consignor, consignee, or payor upon request.
 - (b) Supporting information should include, but need not be limited to,
 - 1. Date and time of arrival;
 - 2. Date and time the vehicle was released for departure;
 - 3. Non-working time, if any, with description of activity during that time;
 - 4. Total weight loaded or unloaded per vehicle stop, when weight could affect detention time.
- (c) Where carrier documentation of detention varies from that of the consignor or consignee, the carrier's records shall prevail and be binding upon both parties.
 - (d) Records supporting the imposition of detention charges shall be retained for three years.

★ITEM 450160

UNREASONABLE DETENTION

- (a) Each carrier may at its discretion independently establish a period of time beyond free time when delay or detention at any facility, including but not necessarily limited to grocery warehouses, fulfillment centers, and/or warehouse distribution centers, becomes so unreasonable that the carrier may leave the facility with freight.
- (b) When a carrier leaves a facility with freight due to what has been defined as unreasonable detention, the carrier may place the freight on-hand and assess storage charges until it is picked up by the consignee or until redelivery is scheduled and the freight unloaded without unreasonable delay or detention.

★ITEM 450170

ADVANCED CHARGES

In the event that a carrier is required to pay for additional services as a condition to delivery/pickup, that carrier shall be fully reimbursed for such advanced charges, including but not limited to lumping, demurrage, or other fees paid, by the payor of the linehaul freight charges on the shipment. Such charges may be billed together with freight charges if known at the time of such billing or by subsequent billing as necessary.

COLLECTION TO TAKE						
MODEL AGREEMENTS						
★ITEM 600400						
MODEL CARRIER-BROKER AGREEMENT						
NMFTA has developed a Model Carrier-Broker Agreement designed to set forth sample terms and conditions governing transportation services and arrangements between a motor carrier and a broker. The Model Carrier-Broker Agreement is available for use exclusively by motor carriers participating in the NMFC. For more information, please contact NMFTA Customer Service at customerservice@nmfta.org or 866-441-6632.						

EXPLANATION OF ABBREVIATIONS AND REFERENCE MARKS

Abbreviation or		Abbreviation or	
Reference Mark	Explanation	Reference Mark	Explanation
ASTM	ASTM International	Sec.	Section
Avdp.	Avoirdupois	sq.	square
°C	degree Centigrade (Celsius)	sq. ft.	square foot; square feet
CFR	Code of Federal Regulations	sq. in.	square inch(es)
cm	centimeter(s)	STB	Surface Transportation Board
COD	Collect on Delivery	SU	Set Up
Cont'd	Continued	t/a	trading as
cu	cubic	t/d/b/a	trading and doing business as
cu. ft.	cubic foot; cubic feet	тм	Trademark
DOT	Department of Transportation	UN	United Nations
d/b/a	doing business as	U.S.	United States
etc.	et cetera (and other things, or the rest; and so forth)	USC	United States Code
°F	degree Fahrenheit	viz.	namely
g	gram	vol.	volume
gal	gallon(s)	vs.	versus
in.	inch(es)	&	and
incl.	inclusive	•	degree
ISTA	International Safe Transit Association	%	percent
KD	Knocked Down	§	Section
kg	kilogram	3 ⇔	Indicates commodity or commodities may be subject to
kPa	Kilopascal		special federal regulations concerning the shipping of hazardous materials. See Item (Rule) 540 herein.
L	liter	>	Indicates change
lbs.	pounds	×	Indicates cancelation of item or package
m ml	meter(s) milliliter(s)	<u> </u>	Indicates that the item is being brought forward without change
mm	millimeter(s)	*	Indicates new item, package or participating carrier
MPa	Megapascal	(A)	Addition to Index to Articles
NMFC	National Motor Freight Classification	B	Eliminate from Index to Articles
NMFTA	National Motor Freight Traffic Association, Inc.	©	Change in Index to Articles
NOI o/a	Not more specifically described herein operating as	E	These provisions are subject to the expiration date as shown in Item (Rule) 535.
oz.	ounce(s)	①	The participation of this carrier is CANCELED; provisions
pcf	pounds per cubic foot	_	of this Classification no longer apply for account of this
psi	pounds per square inch		carrier.
qt.	quart	P	Under postponement
RSorL	Classed the same or lower	®	Registered trade name or registered trademark
r.p.m.	revolutions per minute	\oplus	Effective November 17, 2022, under authority of 49 CFR
SCAC	Standard Carrier Alpha Code — The SCAC (alpha code) listings in this Classification represent only those carriers participating in the NMFC. For a complete listing of all assigned alpha codes, see the Directory of Standard Carrier Alpha Codes, NMF 101.	•	§1312.6(b)(3). Indicates correction of printing error

-finis-